



Wholesale Catalogue

Irish Wire Products Ltd
Dock Road
Limerick
Ireland
V94 CC9C

Est. 1935

T| 061 221100

E| info@irishwire.com

W| www.irishwire.com

Introduction

Irish Wire is a long established family run business in Limerick City with a history tracing back to 1935.

The rich history of the company begins with Irish Wire as a manufacturer of wire and nails and one of the major employers in the city. These days the company no longer retains its manufacturing facilities but we are now a leading importer of building/DIY products employing over 35 people. We are one of the premier distributors of fasteners, fixings, fencing, timber sheet material and related products to the building and allied trades nationwide.

Our experienced staff will offer you a quality service and our team of sales representatives are available to meet with you to discuss your individual requirements.

All our brands and suppliers work to the highest EU standards and certification and we carry product insurance.

IWP operates a nationwide delivery service utilising both our own fleet of trucks as well as third party couriers to ensure that all orders are dispatched as promptly as possible.

We trust that you find our catalogue interesting and would suggest that you also visit our website www.irishwire.com. If you cannot identify the products you are looking for please contact your dedicated representative or our internal sales team on 061-221100.

We would like to take this opportunity to thank you for your interest and anticipated custom. We look forward to helping you with the growth of your business.



Table of Contents

SPAX Screws	4 - 15
Nails, Screws & Anchors	16 - 26
Paslode	27 - 29
Builders Metalwork	30 - 33
Roof Windows & Blinds	34 - 39
Pica Markers	40 - 42
Ladders	43 - 50
Attic & Loft Ladders	51 - 55
Hailo Bins	56 - 58
Polythene, DPC & Roofing	59 - 61
Armorgard	62 - 66
Surface Protection	67 - 70
Ratchet & Ropes	71 - 75
Agri, Wire & Fencing	76 - 92
Outdoor & Garden Products	93 - 94
Sprayers	95 - 99
Agri-Master Nutrition	100 - 102
Timber Sheet Materials & Worktops	103 - 113
Kitchen Accessories	114 - 116



SPAX[®]

SCREWS



SPAX – with optimised point and WIROX surface.

SPAX – The screw.

Technology, features and expertise.

SPAX provides connections

Around the globe

Projects, dreams and ideas become reality with SPAX. All over the world. From the handyman at home to the professional craftsman, from creative planners and architects to industrial employees: SPAX is meeting requirements on a daily basis. There are plenty of ways in which SPAX can be used too, which are just as varied as the people who carry out the work.

SPAX has been meeting these expectations for decades, constantly setting new standards when it comes to joining technology through innovation and lack of compromise. Precisely why it has become the embodiment of the modern screw.

This product, with its characteristic green packaging, is at home anywhere in the world. It is manufactured in Germany however, and proudly represents "Made in Germany" quality. Millions of SPAX products leave the plant daily, sold in the various versions, dimensions and designs all over the world. SPAX is thus creating connections everywhere, and ones that people can rely on.



Quality taken to the next point:

Advancing all the way to the top.

SPAX is the sum of its advantages and innovative solutions:

The optimised grip ensures an even better hold, for example of coated timber products. Which saves time and money, and guarantees a flawless appearance.

The new, internationally exclusive WIROX coating from SPAX provides considerably greater corrosion protection than blue zinc coating. Not using chromium(VI) means the coating is more environmentally friendly than conventional surfaces, both during manufacture and application.

The SPAX advantages:

- T-STAR plus recess
- MULTI Head
- Ground serrations
- Optimised point
- Exclusive WIROX surface
- Exclusive YELLOX surface
- Certified proof of origin



SPAX – new label coding system

All information at a glance.

The new label coding system helps you find what you are looking for. All the relevant SPAX packaging information is clearly arranged on a big label at the front. The label also bears a complete illustration. Using the QR code, further detailed information and application instructions can be called up. All the important information at a glance: compact and clearly arranged.

SPAX – new window packaging

For product clarity and consumer protection.

- Big window panel.
- The packaging is easy to open without any major effort
- Simple removal of the desired number of screws by pulling out the slipcase.
- Handy and stackable dimensions with clear label on the front side of the packaging.




SPAX – guaranteeing quality & innovation since 1823.

Impressive advantages:

- Certified proof of origin.
- Company head office and production location Germany.
- Offers a high degree of safety and quality for the customer.

SPAX – Made in Germany



SPAX – a brand you can trust.

We connect the world –
SPAX for a professional performance.


SPAX Universal Screws

With new wirox surface



Whatever the weather, use WIROX for higher corrosion protection.


WIROX achieves a corrosion protection that is more than 20 times greater than that offered by blue zinc coating (layer thickness of 4–6 µm with artificial atmospheric corrosion).



Wide range of applications for true universal use

The SPAX point properties ensure a quick and easy fix. Also suitable for coated timber products. The quick gripping when screwing in prevents damage to the smooth wood surface for a flawless appearance.

- Optimised point for a better hold
- T-STAR Plus
- SPAX MULTI Head
- Ground serrations
- 4CUT



CODE	SIZE (MM)	DRIVE	PCS/ BOX
299301202	3 x 12	Z1	200
299301602	3 x 16	Z1	200
299302002	3 x 20	Z1	200
299302502	3 x 25	Z1	200
299303002	3 x 30	Z1	200
299304002	3 x 40	Z1	200
299351202	3.5 x 12	Z2	200
299351602	3.5 x 16	Z2	200
299352002	3.5 x 20	Z2	200
299352502	3.5 x 25	Z2	200
299353002	3.5 x 30	Z2	200
299353502	3.5 x 35	Z2	200
299354002	3.5 x 40	Z2	200
299354502	3.5 x 45	Z2	200
299355002	3.5 x 50	Z2	200
299401602	4 x 16	Z2	200
299402002	4 x 20	Z2	200
299402502	4 x 25	Z2	200
299403002	4 x 30	Z2	200
299403502	4 x 35	Z2	200
299404002	4 x 40	Z2	200
299404502	4 x 45	Z2	200
299405002	4 x 50	Z2	200
299406002	4 x 60	Z2	100
299407002	4 x 70	Z2	100
299408002	4 x 80	Z2	200


CODE	SIZE (MM)	DRIVE	PCS/ BOX
299452002	4.5 x 20	Z2	200
299452502	4.5 x 25	Z2	200
299453002	4.5 x 30	Z2	200
299454002	4.5 x 40	Z2	200
299455002	4.5 x 50	Z2	100
299456002	4.5 x 60	Z2	100
299457002	4.5 x 70	Z2	200
299458002	4.5 x 80	Z2	200
299502502	5 x 25	Z2	200
299503002	5 x 30	Z2	200
299503502	5 x 35	Z2	100
299504002	5 x 40	Z2	100
299505002	5 x 50	Z2	100
299506002	5 x 60	Z2	100
299507002	5 x 70	Z2	100
299508001	5 x 80	Z2	100
299509901	5 x 100	Z2	100
299510099	5 x 120	Z2	100

SPAX Universal Screws



YELLOX is free of chrome(VI) and thus far more environmentally friendly than conventional surfaces, both during manufacturing and application.

YELLOX achieves corrosion protection that is more than 6 times greater than that offered by blue zinc plating at the same surface thickness (layer thickness of 4–6 µm with artificial atmospheric corrosion)



SPAX with benefits and innovative detailed solutions: Its optimised gripping effect ensures a faster grip, even in laminated wood materials, saving time and money.

- Pozi Bit recess
- SPAX 4CUT Point
- SPAX Ground Serrations
- SPAX MULTI Head



CODE	SIZE (MM)	DRIVE	PCS/ BOX
306530120	3 x 12	Z1	200
306530160	3 x 16	Z1	200
306530200	3 x 20	Z1	200
306530250	3 x 25	Z1	200
306530300	3 x 30	Z1	200
306530400	3 x 40	Z1	200
306535120	3.5 x 12	Z2	200
306535160	3.5 x 16	Z2	200
306535200	3.5 x 20	Z2	200
306535250	3.5 x 25	Z2	200
306535300	3.5 X 30	Z2	200
306535350	3.5 x 35	Z2	200
306535400	3.5 x 40	Z2	200
306535450	3.5 x 45	Z2	200
306535500	3.5 x 50	Z2	200
306540200	4 x 20	Z2	200
306540250	4 x 25	Z2	200
306540300	4 x 30	Z2	200
306540350	4 x 35	Z2	200
306540400	4 x 40	Z2	200
306540450	4 x 45	Z2	200
306540500	4 x 50	Z2	200
306540600	4 x 60	Z2	100
306540700	4 x 70	Z2	100
306540800	4 x 80	Z2	200
306545200	4.5 x 20	Z2	200

CODE	SIZE (MM)	DRIVE	PCS/ BOX
306545300	4.5 x 30	Z2	200
306545400	4.5 x 40	Z2	200
306545450	4.5 x 45	Z2	200
306545500	4.5 x 50	Z2	200
306545600	4.5 x 60	Z2	100
306545700	4.5 x 70	Z2	100
306545800	4.5 x 80	Z2	100
306550200	5 x 20	Z2	200
306550250	5 x 25	Z2	200
306550300	5 x 30	Z2	200
306550350	5 x 35	Z2	200
306550400	5 x 40	Z2	200
306550500	5 x 50	Z2	200
306550600	5 x 60	Z2	100
306550700	5 x 70	Z2	100
306550799	5 x 80	Z2	100
306550980	5 x 100	Z2	100
306551009	5 x 120	Z2	200

SPAX Universal Screw Tubs (Yellox)

CODE	SIZE (MM)	COATING	HEAD	THREAD	PCS/TUB
296900420	4.0 x 40	Yellox	Pozi	Full	800
296900430	4.0 x 50	Yellox	Pozi	Full	650
296900440	5.0 x 50	Yellox	Pozi	Full	430
296900450	5.0 x 60	Yellox	Pozi	Full	350
296900460	5.0 x 70	Yellox	Pozi	Full	250
296900470	5.0 x 80	Yellox	Pozi	Full	200
296900480	5.0 x 100	Yellox	Pozi	Partial	135



MADE IN
Germany




SPAX Universal Screws Trade / Craft Packs

SPAX Universal Screws in packs suitable for tradesmen.

CODE	SIZE (MM)	TYPE	PCS/BOX
300301602	2.5 x 12	Z1	1000
300301002	3 x 20	Z2	1000
300351502	3.5 x 15	Z2	1000
300351602	3.5 X 16	Z2	1000
300351702	3.5 X 17	Z2	1000
300352002	3.5 X 20	Z2	1000
300352502	3.5 X 25	Z2	1000
300353002	3.5 X 30	Z2	1000
300354002	3.5 X 40	Z2	1000
301355002	3.5 X 50	Z2	500
300401602	4 x 16	Z2	1000

CODE	SIZE (MM)	TYPE	PCS/BOX
300401610	4 x 17	Z2	1000
300402002	4 x 20	Z2	1000
300402502	4 x 25	Z2	1000
300402702	4 x 27	Z2	1000
300403002	4 x 30	Z2	1000
300404002	4 x 40	Z2	1000
300404502	4 x 45	Z2	500
300405002	4 x 50	Z2	500
300406002	4 x 60	Z2	500
300407002	4 x 70	Z2	500
300453002	4.5 x 30	Z2	1000



SPAX Universal Torx Drive

Partial thread: firm tightening of the upper wood layer.

- Ensures a secure and solid bolting without forming any gap of two components
- Pretensioning effect works as the thread tightens securely into the lower piece of wood, while the upper piece of wood is held tightly against the lower by the screw head.



SPAX-BIT
T-STAR plus



CODE	SIZE (MM)	TYPE	THREAD	PCS/BOX
305351502	3.5 x 16	T20	Full	1000
305352502	3.5 x 25	T20	Full	1000
305353002	3.5 x 30	T20	Full	1000
305353902	3.5 x 40	T20	Full	1000
305354000	3.5 x 50	T20	Full	500
305401602	4 x 16	T20	Full	1000
305402002	4 x 20	T20	Full	1000
305403002	4 x 30	T20	Partial	1000
305403502	4 x 35	T20	Partial	1000

CODE	SIZE (MM)	TYPE	THREAD	PCS/BOX
305404002	4 x 40	T20	Partial	1000
305404502	4 x 45	T20	Partial	500
305505002	5 x 50	T20	Partial	500
305506002	5 x 60	T20	Partial	500
305507002	5 x 70	T20	Partial	200
305508002	5 x 80	T20	Partial	200
305509902	5 x 100	T20	Partial	200
305604002	6 x 40 (Y)	T30	Partial	500
305605002	6 x 50 (Y)	T30	Partial	200
305607002	6 x 70 (Y)	T30	Partial	200

Timber Construction



SPAX Wirox Washer Head

The benchmark screw for safety, strength and economy in timber construction.

- Considerably reduced screwing-in torque and reduced splitting effect
- WIROX P3J: The surface with extremely high protection against corrosion.
- Washer head for larger head pulling-through values.
- Under licensing number Z-9.1-235. Z-9.1-511 – approved by building authorities for fastening rooftop insulation systems.

Features

- Wide overlying Washer Head
- WIROX P3J
- SPAX 4CUT Cutter
- Partial Thread
- SPAX T-STAR Plus
- SPAX 4CUT point
- SPAX Ground Serrations



CODE	SIZE	TYPE	PCS/ BOX
306676060	6 x 60	T30	200
306676080	6 x 80	T30	200
306676100	6 x 100	T30	100
306676120	6 x 120	T30	100
306676140	6 x 140	T30	100
306676160	6 x 160	T30	100
306676180	6 x 180	T30	100
306676200	6 x 200	T30	50
306676220	6 x 220	T30	50
306676250	6 x 250	T30	50
306676280	6 x 280	T30	50
306676300	6 x 300	T30	50

Timber Construction

SPAX Long Screws

Roofing Applications & General Construction.

Advantages

- Considerably reduced screwing-in torque and reduced splitting effect.
- Length specification and manufacturer logo on the head
- Available in zinc yellow with countersunk head, disc head and full threaded countersunk head.



Flat Countersunk

CODE	SIZE (MM)	DRIVE	PCS/ BOX
306008080	8 x 80	T40	50
306008100	8 x 100	T40	50
306008120	8 x 120	T40	50
306008140	8 x 140	T40	50
306008160	8 x 160	T40	50
306008180	8 x 180	T40	50
306008200	8 x 200	T40	50
306008220	8 x 220	T40	50
306008240	8 x 240	T40	50
306008260	8 x 260	T40	50
306008280	8 x 280	T40	50
306008300	8 x 300	T40	50
306008320	8 x 320	T40	50
306008340	8 x 340	T40	50
306008360	8 x 360	T40	50
306008380	8 x 380	T40	50
306008400	8 x 400	T40	50
306008450	8 x 450	T40	25
Other sizes available on request			



Features

- WIROX
- SPAX 4CUT cutter
- SPAX 4CUT point
- SPAX T-STAR Plus
- Partial thread
- SPAX ground serrations
- SPAX MULTI Head



Washer Head

CODE	SIZE (MM)	DRIVE	PCS/ BOX
306678050	8 x 50	T40	50
306108080	8 x 80	T40	50
306108100	8 x 100	T40	50
306108120	8 x 120	T40	50
306108140	8 x 140	T40	50
306108160	8 x 160	T40	50
306108180	8 x 180	T40	50
306108200	8 x 200	T40	50
306108220	8 x 220	T40	50
306108240	8 x 240	T40	50
306108260	8 x 260	T40	50
306108280	8 x 280	T40	50
306108300	8 x 300	T40	50
306108320	8 x 320	T40	50
306108340	8 x 340	T40	50
306108360	8 x 360	T40	50
306108380	8 x 380	T40	50
306108400	8 x 400	T40	50
306108450	8 x 450	T40	50
Other sizes available on request			

SPAX Stainless Steel Screws

Rust-free stainless steel screws offer extra protection against corrosion for universal outdoor use and exposure to elements.

Features

- Made of stainless steel A2 II which gives very high corrosion protection.
- 4Cut Point allows screw-in without pre-drilling (wood-dependent) and reduces splitting as the square end displaces the fibres.
- Quick and safe fastening with less torque required, meaning more screwed connections per battery charge.
- Multi-head gives flush countersinking which mills in wood and stops on metal.



Stainless steel A2 II: high corrosion protection

CODE	SIZE (MM)	TYPE	PCS/BOX
1197000300123	3.0 x 12	T10	200
1197000300253	3.0 x 25	T10	200
1197000350163	3.5 x 16	T15	200
1197000350203	3.5 x 20	T15	200
1197000350253	3.5 x 25	T15	200
1197000350303	3.5 x 30	T15	200
1197000350403	3.5 x 40	T15	200
1197000400203	4 x 20	T20	200
1197000400253	4 x 25	T20	200
1197000400303	4 x 30	T20	200
1197000400403	4 x 40	T20	200
1197000400503	4 x 50	T20	200
1197000400603	4 x 60	T20	100
1197000450303	4.5 x 30	T20	200

CODE	SIZE (MM)	TYPE	PCS/BOX
1197000450503	4.5 x 50	T20	200
1197000500303	5 x 30	T20	200
1197000500403	5 x 40	T20	200
1197000500503	5 x 50	T20	200
1197000500603	5 x 60	T20	100
1197000500703	5 x 70	T20	100
1197000500803	5 x 80	T20	100
1197000600403	6 x 40	T25	200
1197000600503	6 x 50	T25	100
1197000600603	6 x 60	T25	100
1197000600803	6 x 80	T25	100
1197000601003	6 x 100	T25	100
1197000601203	6 x 120	T25	100
1197000601403	6 x 140	T25	100

SPAX MDF Screws

Ideal for secure connection with MDF materials and other thin walled wood applications.

- No splitting or bulging in MDF material when turning into thin or narrow surfaces.
- Screw geometry means no pre-drilling is required.
- Specially designed CUT point guarantees spot-on accuracy and easy driving when fastening.
- Slender, countersunk head with cutting ribs easily penetrates into material.



CODE	SIZE (MM)	TYPE	PCS/BOX
304603540	3.5 x 40	T15	200
304603545	3.5 x 45	T15	200
304603550	3.5 x 50	T15	200
304604040	4 x 40	T20	200
304604045	4 x 45	T20	200

CODE	SIZE (MM)	TYPE	PCS/BOX
304604050	4 x 50	T20	200
304604060	4 x 60	T20	100
304604545	4.5 x 45	T20	200
304604550	4.5 x 50	T20	200

SPAX Pan Head Screws

Designed for use with modern materials and applications.

- Specially designed head to spread the hold down force
- Reduced deforming or damage to the material being fastened
- Optimised head and cross recess geometry ensures secure fit of the bit and makes screwing down much easier

CODE	SIZE (MM)	TYPE	PCS/ BOX
303203516	3.5 x 16	T15	200
303203520	3.5 x 20	T15	200
303203525	3.5 x 25	T15	200
303204030	4 x 30	T20	200
303204040	4 x 40	T20	200
303204050	4 x 50	T20	200
303205025	5 x 25	T20	200
303205030	5 x 30	T20	200
Other sizes available on request			




SPAX Frame Anchor

The frame anchor with patented ground serrations. Plug-free window and door fastening.

- 6mm pre-drill diameter
- Secure, tension free fastening through gaps.
- Screw is versatile to allow frames to be connected together directly or using lugs
- Accurate position and durable fastening
- Time-saving universal application.
- No plug required

CODE	SIZE (MM)	DRIVE	BIT SIZE	PCS/ BOX
306660620	7.5 x 60	T30	6	100
306660820	7.5 x 80	T30	6	100
306661020	7.5 x 100	T30	6	100
306661220	7.5 x 120	T30	6	100
306661520	7.5 x 150	T30	6	100



SPAX Flooring Screws

The self-tapping flooring screw with three-way action.

- Multi-head for flush self-tapping.
- Fixing thread guarantees safe and permanent connection of two pieces of wood.
- Non-threaded shank allows two materials to be pulled together tightly.
- 4CUT point means no pre-drilling is required.
- Countersunk head with milled ribs.

CODE	SIZE (MM)	TYPE	PCS/ BOX
302545050	4.5 x 50	T20	500



Decking Screws

SPAX Stainless Steel & Wirox Decking Screws

The screw to guarantee long-lasting decking.

Unique decking screw with three way action:

- Patented ground serrations on the lower thread remove the need for pre-drilling
- Non-threaded shank allows two materials to be pulled together tightly
- Upper thread locks the deckboard securely down tight
- WIROX coating prevents rusting
- Cylindric head sits flush in the wood



A2 Stainless Steel

CODE	SIZE (MM)	TYPE	PCS/BOX
302505050	5 x 50	T25	200
302505060	5 x 60	T25	100
302505070	5 x 70	T25	100
302505080	5 x 80	T25	100

Wirox Deck Tubs

CODE	SIZE (MM)	TYPE	PCS/BOX
302443602	4.5 x 60	T20	250

Decking Screw Accessories

CODE	DESCRIPTION	PCS/PACK
302444410	Pads	25
302444405	Spacers	12
296900507	Carpenters Pencils	100
302444400	Kaiman Pro	1
296900505	SPAX BITcheck	20



Deck Spacers



Kaiman Pro



Pencil



BITcheck



Pads



Screw Box



NAILS, SCREWS & ANCHORS

FEATURED BRANDS

EASI FIX

INDEX
FIXING SYSTEMS

TOX
GERMANY

TJEP
Fastening Systems

Bulk Nails & Pre-Packs

DESCRIPTION	SIZE (MM)	1KG	2.5KG	10KG	20KG
Bright Round Wire	All Sizes	✓	✓	✓	✓
Galvanised Round Wire	All Sizes	✓		✓	
Bright Duplex Nail (Double headed nail for formwork and temp. measures)	80, 90	✓			
Bright Ovals	40, 50, 65, 75	✓	✓		
Galvanised Ovals	40, 50, 65, 75	✓			
Galvanised Slate	40, 50, 65 x 3.35, 75 x 3.75	✓		✓	
Galvanised Roofing Nail	30, 40 x 2.65	✓		✓	
Gold Passivated Clout	30, 40 x 2.65	✓	✓	✓	
Felt Nails	20 x 3.0	✓		✓	
Galvanised Staples	20, 30, 40 x 67	✓	✓	✓	
Barbed Staples (Hot Dipped Galvanised)	30, 40	✓			
Ring Shank	20, 25 x 2.0	✓			
Ring Shank	40, 50, 65, 75	✓			
Galvanised Drive Screws	65, 75, 100, 125	✓		✓	
Square Twist	30 x 3.75	✓		✓	
Galvanised Spring Head	65	✓		✓	
Bright Lost Head	40, 50, 65				✓
All Nails Manufactured to BS1202					



Bulk Nails 10kg & 20kg
packs



Prepacks -
2.5kg pack



Prepacks -
1kg pack

Straight Brads - Galvanised

CODE	SIZE	PCS / BOX
146029350	16 x 25	2000
146029400	16 x 32	2000
146029600	16 x 38	2000
146029700	16 x 45	2000
146029800	16 x 50	2000

CODE	SIZE	PCS / BOX
146039700	18 x 25	5000
146039800	18 x 32	5000
146040000	18 x 38	5000
146040100	18 x 50	5000

Angled Brads - Galvanised

CODE	SIZE	PCS / BOX
146076900	16 x 32	2000
146077000	16 x 38	2000
146077100	16 x 45	2000
146077200	16 x 50	2000
146077300	16 x 64	2000



Straight Brads



Angled Brads

Stapler



Tacwise Z3-140 Professional Staple / Nail Tacker

CODE: 146080600

Fuel Cells

CODE	DESCRIPTION	FUEL	VOLUME
146090230	Fuel Cells	Propylene & Butane	165ml

Slater Packs

- Natural and cement fibre tubs

CODE	DESCRIPTION	PCS / BOX
126110800	Copper Crampions	1000
	30mm x 2.65mm Stainless Steel Nails	2000



Copper Clouts

CODE	SIZE	PCS / BOX
126110011	30 x 2.65	1000
126635335	35 x 3.35	1000
126110311	38 x 3.35	1000



Copper Crampion

CODE	SIZE	PCS / BOX
126110515	Copper Crampions	1000



Ridge Tile Nail

CODE	SIZE	PCS / BOX
133000011	Ridge Tile Nail 10mm	100



Point Hook

CODE	DESCRIPTION	FINISH	PCS / BOX
126300012	Black 110mm	Stainless Steel	500



Stainless Steel Slating Nails

CODE	SIZE	FINISH	PCS / BOX
126110715	30 x 2.65	Stainless Steel	1000
126110718	35 x 3.35	Stainless Steel	1000
126110720	40 x 3.35	Stainless Steel	1000



Aluminum Tiling Nails

CODE	SIZE	FINISH	WEIGHT
141352011	40mm	Aluminium	1KG
141352015	50mm	Aluminium	1KG
141361011	75mm	Aluminium	1KG



Masonry Nails




CODE	SIZE	PCS / BOX	CODE	SIZE	PCS / BOX
145025025	2.5 x 25	100	145030060	3.0 x 60	100
145025030	2.5 x 30	100	145035050	3.5 x 50	100
145025040	2.5 x 40	100	145035065	3.5 x 65	100
145025050	2.5 x 50	100	145035075	3.5 x 75	100
145030040	3.0 x 40	100	145035085	3.5 x 85	100
145030050	3.0 x 50	100	145035100	3.5 x 100	100

Washed

CODE	SIZE	PCS / BOX	CODE	SIZE	PCS / BOX
145037025	3.75 x 25	100	145037050	3.75 x 50	100
145037030	3.75 x 30	100	145037060	3.75 x 60	100
145037035	3.75 x 35	100	145037075	3.75 x 75	100
145037040	3.75 x 40	100	145037100	3.75 x 100	100

Framing Nail / Gas Packs

- High holding power & ease of drive
- Nail strip will not break when dropped
- Paper collation material means no collation waste is left on site



GALVANISED CODE	THREAD Ø	LENGTH (MM)	PCS / BOX	FUEL CELLS
137000510	2.8	51	3300	x3
137000630	2.8	63	3300	x3
137000750	3.1	75	2200	x2
137000900	3.1	90	2200	x2

Drywall Screws

Fine Thread - Black

- Fixing plasterboard to metal studs up to 1mm.
- The assembly of drywall track and ceiling track systems.



CODE	SIZE	PCS / BOX	CODE	SIZE	PCS / BOX
297352502	3.5 x 25	1000	297355002	3.5 x 50	500
297353202	3.5 x 32	1000	297356502	4.2 x 65	500
297353802	3.5 x 38	1000	297357502	4.2 x 75	500
297354202	3.5 x 42	1000	297359902	4.8 x 100	200

Drywall Screws

Coarse Thread - Black

- Fixing plasterboard to timber studs.
- Includes free drive bit.



CODE	SIZE	PCS / BOX
297373532	3.5 x 32	1000
297373538	3.5 x 38	1000
297373542	3.5 x 42	1000
297373550	3.5 x 50	1000
297373575	4.2 x 75	500
297373599	4.8 x 100	500
297373625	4.8 x 120	200
297373650	4.8 x 150	200

Collated Drywall Screws

- Coarse thread & black
- Fixing plasterboard to timber studs.
- Includes free drive bit



CODE	SIZE	PCS / BOX
297363935	3.9 x 35	1000
297363941	3.9 x 41	1000
297363955	3.9 x 50	500
297363975	4.2 x 75	500

Wafer Head Self-Drilling

- The assembly of drywall track and ceiling track systems.

CODE	SIZE	PCS / BOX
297364050	4.2 x 13	1000



Steel Banding

CODE	SIZE	LENGTH (M)
146011210	12mm x 0.8mm	10
146011710	17mm x 0.8mm	10



Steel Ceiling Anchor

Use with angle brackets in concrete ceilings where regulations dictate all steel anchors should be used for overhead fixings.

CODE	SIZE	PCS / BOX
297364052	M-6 x 40	100



Wirehanger

Fixing cables and wires in suspended ceiling applications.

CODE	SIZE	PCS / BOX
297364060	M-6 x 60	100



TEK Screws

Timber TEK with Gash Point

- Washered
- Fixing fibrous cement sheets to timber or light section steel.
- Fixing profile metal sheets to timber purlins.

CODE	SIZE	PCS / BOX
329001010	6.3 x 25	200
329001110	6.3 x 32	200
329001210	6.3 x 45	200

CODE	SIZE	PCS / BOX
329001310	6.3 x 60	100
329001410	6.3 x 80	100
329001510	6.3 x 100	100



Special Thread Stitching Screw

For Light Section Steel

CODE	SIZE	PCS / BOX
329001610	6.3 x 22	200
329001710	8.0 x 25	100




Hex Head Screws

For Light Section Steel

- Self-drilling screw
- Fixing cladding and roofing applications to hot and cold rolled purlins and rails.
- Fastening liner panels and general components to steel.
- Fixing steel to steel.

No Washer

CODE	SIZE	PCS / BOX
329002410	5.5 x 25	250
329002510	5.5 x 38	200
329002610	5.5 x 75	100



With Washer

CODE	SIZE	PCS / BOX
329001810	5.5 x 25	250
329001910	5.5 x 32	250
329002010	5.5 x 38	250
329002110	5.5 x 50	100
329002210	5.5 x 75	100
329002310	5.5 x 100	100



Hex Head Screws

For Heavy Section Steel

- Self-drilling screw.
- Fixing cladding and roofing applications to hot and cold rolled purlins and rails.
- Fastening liner panels and general components to steel.
- Fixing steel to steel.
- Fixing steel to heavy section steel.

With Washer

CODE	SIZE	PCS / BOX
329002710	5.5 x 38	100
329002810	5.5 x 50	100
329002910	5.5 x 85	100
329003010	5.5 x 100	100



Magnetic Drive Socket



Size - 8mm

CODE: 329004810

Wing Drill Screw

- Fixing timber or composites to steel.
- When timber is being fastened to thicker steel section or where extremely hard

- steels defeat normal tek screws
- Fixing timber or composites to steel



For Light Section Steel

CODE	SIZE	PCS / BOX
329003710	4.2 x 38	200
329003810	5.5 x 50	200
329003910	5.5 x 62	200
329004010	5.5 x 80	100
329004110	5.5 x 100	100
329004210	5.5 x 120	100
329004310	5.5 x 150	100

For Heavy Section Steel

CODE	SIZE	PCS / BOX
329004410	5.5 x 65	200
329004510	5.5 x 85	100
329004610	5.5 x 100	100
329004710	5.5 x 135	100

Composite Panel Fastener

- Fixing cladding and roofing applications to hot and cold rolled purlins and rails or steel wall channeling through insulation to studs.

- Fastening liner panels and general components to heavy steel.
- Fixing cladding and roofing applications to timber.



CODE	SIZE	PCS / BOX
329003110	5.5 / 6.3 x 80	100
329003210	5.5 / 6.3 x 105	100
329003310	5.5 / 6.3 x 135	100
329003410	5.5 / 6.3 x 150	100

With 19mm Galv. Washer (Special Order)

CODE	SIZE	PCS / BOX
329003510	5.5 / 6.3 x 185	100
329003610	5.5 / 6.3 x 225	100

TOX Deco Plugs

Worlds leading all-purpose plug.


- Collar prevents slippage into hole
- White colour for wall fixing
- Superior gypsum performance



Please inquire for more details about our TOX entry stand shown here



CODE	SIZE	PCS / BOX
241626003	6/41	100
241626005	8/49	85
241626006	10/66	47
241626007	12/76	25



Insulation Fixings

Metal Fixing Mushroom Head

CODE	SIZE	PCS/ BAG	BAGS/BOX
260080060	8 x 60	50	10
260080090	8 x 90	50	10
260080110	8 x 110	50	10



CODE	SIZE	PCS/ BAG	BAGS/BOX
260080140	8 x 140	50	10
260080170	8 x 170	50	9
260080200	8 x 200	50	7

Insulation Fixing Disk

- 100 pieces / bag

CODE: 260030201



Plasterboard Fixings

Metal Cavity Anchors



- Combination head on the screw to accept both slot and cross recess screw drivers
- 2 anti-rotation teeth prevent the anchor from spinning
- Strengthened anchor wings give maximum load capacity
- Bonded washer with integral thread for increased reliability
- Spring loaded setting tool gives fast and reliable repetitive fixing

CODE	SIZE	PCS / BOX
280080210	M-4 x 32	15
280080220	M-4 x 38	15
280080230	M-5 x 37	15
280080300	M-5 x 52	12
280080200	M-6 x 52	10

Metal Drive Fixing



CODE	SIZE	PCS / BOX
280008010	4.2 x 30	100


Cavity Anchor Application Gun



CODE: 280010302

Nylon Cable Ties

Available in colours: natural or black.



BLACK	NATURAL	SIZE	PCS
280010130	280010010	2.5 x 100	100
280010145	280010025	2.5 x 160	100
280010160	280010040	2.5 x 200	100
280010175	280010055	4.8 x 160	100

BLACK	NATURAL	SIZE	PCS
280010190	280010070	4.8 x 200	100
280010205	280010085	4.8 x 290	100
280010220	280010100	4.8 x 370	100
280010235	280010115	7.6 x 370	100

Metal Frame Fixings

CODE	SIZE	PCS / BOX
280007020	M-6 x 92 Ø 10	100
280007040	M-6 x 112 Ø 10	100
280007060	M-6 x 132 Ø 10	100



CODE	SIZE	PCS / BOX
280007080	M-6 x 152 Ø 10	100
280007100	M-6 x 182 Ø 10	100

Hammer-In Fixings

CODE	SIZE	PCS / BOX
265006060	6 x 60	100
265006080	6 x 80	100
265008080	8 x 80	100
265008100	8 x 100	100
265008120	8 x 120	100



Express Nails

CODE	SIZE	PCS / BOX
146006060	6 x 60	200
146006080	6 x 80	200
146008070	8 x 70	100
146008090	8 x 90	100



CODE	SIZE	PCS / BOX
146008110	8 x 110	100
146008130	8 x 130	100
146008150	8 x 150	100

Concrete Bolts

Concrete screw anchor with silver ruspert coating. Hexagon head.




CODE	SIZE	Ø (MM)	BOX
280000100	M-7.5 x 60	6	100
280000120	M-7.5 x 80	6	100
280000060	M-7.5 x 100	6	100
280000180	M-10 x 65	8	50
280000200	M-10 x 75	8	100
280000140	M-10 x 110	8	100

CODE	SIZE	Ø (MM)	BOX
280000290	M-12 x 55	10	50
280000320	M-12 x 75	10	50
280000240	M-12 x 100	10	50
280000280	M-12 x 140	10	50
Other sizes available on request			

Through Bolts

Through bolt anchor for heavy loads in non-cracked concrete. Zinc plated shaft. Zinc plated clip.



CODE	SIZE	PCS / BOX
280006590	M-6 x 70	200
280006060	M-6 x 80	200
280006120	M-8 x 60	100
280006140	M-8 x 75	100
280006160	M-8 x 90	100
280006080	M-8 x 115	100
280006220	M-10 x 70	100
280006240	M-10 x 90	100
280006180	M-10 x 120	50

CODE	SIZE	PCS / BOX
280006340	M-12 x 75	50
280006610	M-12 x 90	50
280006260	M-12 x 110	50
280006280	M-12 x 140	50
280006300	M-12 x 160	50
280006360	M-16 x 125	25
280006380	M-16 x 145	25
280006480	M-20 x 120	20

A2 Stainless Steel Through Bolts

Through bolt anchor for heavy loads. A2 Stainless Steel. A2 Stainless Clip.



CODE	SIZE	PCS / BOX
280006630	M-6 x 60	200
280006635	M-8 x 75	100
280006645	M-10 x 70	100
280006646	M-10 x 90	100
280006650	M-12 x 75	50
280006655	M-12 x 90	50

CODE	SIZE	PCS / BOX
280006665	M-12 x 110	50
280006690	M-16 x 90	25
280006675	M-16 x 145	25
280006685	M-20 x 120	20
280006695	M-20 x 170	20

Anti Spin Projecting Sleeve Anchors



Standard

CODE	SIZE	PCS / BOX
280005020	M-6 x 45 Ø 8	200
280005060	M-8 x 60 Ø 10	100
280005100	M-8 x 80 Ø 10	100
280005180	M-10 x 70 Ø 12	100
280005140	M-10 x 100 Ø 12	50



with
Hexagonal Screws

CODE	SIZE	PCS / BOX
280005400	M-8 x 80 Ø 10	100
280005407	M-10 x 70 Ø 12	100
280005409	M-10 x 100 Ø 12	50
280005420	M-12 x 80 Ø 16	50
280005440	M-12 x 110 Ø 16	25

Loose Bolt Shield Anchors

Traditional expansion anchor with 4 piece segmented body and captive expansion cone for all variants. For most solid masonry types.

- 4 segments/indented top ferrule and captive expansion cone prevents anchor from falling apart.
- Versatile projecting bolt version with all thread stud.
- Thread size marked on body, hole size marked on ferrule.
- Zinc plated (3-5 microns)



CODE	SIZE	DRILL BIT SIZE	PCS / BOX
280002020	M6 x 60 (610L)	12mm	
280002040	M6 x 80 (625L)	12mm	
280002100	M8 x 70 (810L)	14mm	
280002120	M8 x 90 (825L)	14mm	
280002080	M8 x 100 (830L)	14mm	

Stud Projecting Shield Anchors

Traditional expansion anchor with 4 piece segmented body and captive expansion cone for all variants. For most solid masonry types.

- 4 segments/indented top ferrule and captive expansion cone prevents anchor from falling apart.
- Versatile projecting bolt version with all thread stud.
- Thread size marked on body, hole size marked on ferrule.
- Zinc plated (3-5 microns)



CODE	SIZE	DRILL BIT SIZE	PCS / BOX
280004060	M6 x 70 (610P)	12mm	100
280004080	M6 x 85 (625P)	12mm	100
280004160	M8 x 85 (825P)	14mm	100
280004100	M8 x 100 (840P)	14mm	100
280004120	M8 x 120 (830P)	14mm	100
280004140	M8 x 140 (860P)	14mm	100
280004180	M10 x 130 (1070P)	14mm	50



PASLODE

FEATURED BRANDS



Nailers

CODE	DESCRIPTION	NAILS	BATTERY	WARRANTY
138002130	360XI Framing Nailer	Round Head	1 x Lithium	2 Years
138002180	IM350+ Framing Nailer	D Head	1 x Lithium	2 Years
138002050	IM65 F16 Finish Nailer	Straight Brad	1 x Lithium	2 Years
138002040	IM65A Finish Nailer	Angled Brad	1 x Lithium	2 Years
138002140	PPNXi Specialist Nailer	Sq. Twist	1 x Lithium	2 Years



360XI

- The 360Xi framing nailer is light and perfectly balanced to guarantee a great performance for multiple applications. A high performing lithium battery and weatherproof fuel cells ensures the tool will run all day, every day no matter the challenge.



IM65

- Paslode straight finish gas nailer
- Fires 19mm up to 63mm 16g finish nails
- Easy roller adjustable depth control
- Slim narrow body makes easy line of sight and to maneuver
- Fast charging lithium battery
- Ideal 2nd fix nailer for second fix applications



IM350+

- The NEW and improved version of the iconic IM350+ tool heralds the seventh generation of Paslode gas nailing technology. Benefitting from 40 years of customer insight and innovation, the tool is strong and durable, guaranteeing tool performance and reliability.



IM65A

- Compact, quick and durable finish nailer with a no-mar tip to enable precise fixing.



PPNXi

- The 1st positive placement nailer on the market provides an efficient and safe way of installing hangers, brackets and straps. The innovative locator probe accurately delivers a hardened twist nail in the precise required location.

Framing Nails - Paslode RounDrive & D/Head

CODE	SIZE	GAS	TYPE	CARTON QTY	FINISH
138002230	90mm Smooth	2	Round	2200	Bright
138002250	75mm Ring	2	Round	2200	Bright
138002260	63mm Ring	3	Round	3300	Bright
138002270	51mm Ring	3	Round	3300	Bright
138002280	90mm Smooth	2	Round	2200	Galvanised

CODE	SIZE	GAS	TYPE	CARTON QTY	FINISH
138002470	90mm Smooth	2	D/Head	2200	Bright
138002480	75mm Ring	2	D/Head	2200	Bright
138002490	63mm Ring	3	D/Head	3300	Bright
138002500	51mm Ring	3	D/Head	3300	Bright



Finish Nails - Paslode Angled & Straight Brads

CODE	DESCRIPTION	GAS	TYPE	CARTON QTY	FINISH
138002690	F16 x 32mm	2	Angled	2000	Galvanised
138002700	F16 x 38mm	2	Angled	2000	Galvanised
138002710	F16 x 45mm	2	Angled	2000	Galvanised
138002720	F16 x 50mm	2	Angled	2000	Galvanised
138002730	F16 x 63mm	2	Angled	2000	Galvanised
138002800	F16 x 25mm	2	Straight	2000	Galvanised
138002810	F16 x 32mm	2	Straight	2000	Galvanised
138002820	F16 x 38mm	2	Straight	2000	Galvanised
138002830	F16 x 45mm	2	Straight	2000	Galvanised
138002840	F16 x 50mm	2	Straight	2000	Galvanised
138002850	F16 x 63mm	2	Straight	2000	Galvanised



Square Twist Nails

CODE	SIZE	GAS	TYPE	CARTON QTY	FINISH
138002460	35mm	2	Sq. Twist	2500	Galvanised



Fuel Packs

CODE	DESCRIPTION	FUEL CELLS	QTY BRADS
138002750	A/Brad Fuel Pack F16 A2	2	2000 38mm Brads
138002760	A/Brad Fuel Pack F16 A2	2	2000 50mm Brads





BUILDERS METALWORK

FEATURED BRANDS



Restraint Straps

CODE	DESCRIPTION	OVERALL LENGTH	LENGTH OF BEND / TWIST	BUNDLE QTY
126107510	600 Bent Strap Light 2.5mm	600	100	20
126107540	900 Bent Strap Light 2.5mm	900	100	20
126107520	600 Flat Strap Light 2.5mm	600	-	20
126107550	900 Flat Strap Light 2.5mm	900	-	20
126107530	600 Twist 100 Light Strap 2.5mm	600	100	20
126107560	900 Twist 100 Light Strap 2.5mm	900	100	20
126107580	1200 Bent Strap Light 2.5mm	1200	100	10
126107600	1200 Bent Strap Heavy 5.0mm	1200	100	10



Timber to Timber Hangers

CODE	DESCRIPTION	WIDTH	LEG	JOIST SIZE	PCS/BOX
126108000	Mini Mini 44mm x 68mm	44	68	38 x 75 to 100	100
126108010	Woody No Tag 44mm x 308 Leg	44	309	44 x 125 to 200	100
126108015	Woody Long Leg 44mm x 453mm	47	453		100
126108020	Woody No Tag 75mm x 295mm Leg	75	291	75 x 125 to 200	100
126108030	Woody No Tag 90mm x 285 Leg	90	283	90 x 125 to 200	100



Masonry Hangers

CODE	DESCRIPTION	WIDTH	LEG	PCS/BOX
126107000	FHM Single Piece Masonry Hanger 47 x 175	47	165	20
126107010	FHM Single Piece Masonry Hanger 47 x 225	47	215	20
126107020	Welded Masonry Hanger 75 x 225	75	215	20
126107030	Welded Masonry Hanger 90 x 225	100	215	15



Wall Starter Kits

CODE	DESCRIPTION	PROFILE WIDTH	PROFILE LENGTH	KIT LENGTH (MM)	PCS/BOX
126106070	Wallstarter G.430 Set	41	1200	2400	10



Frame Cramps

CODE	DESCRIPTION	WIDTH	UPSTAND	LENGTH	PCS/BOX
126106020	Fishtailed Frame Cramp 50 x 100	25	50	100	100
126106030	Fishtailed Frame Cramp 50 x 150	25	50	150	100



Herringbone Strut

CODE	DESCRIPTION	JOIST CENTRES	STRUT LENGTH	PCS/BOX
126106040	400c Herringbone Joist Strut	400	480	50



Angle Brackets

CODE	DESCRIPTION	WIDTH	LEGS	THICKNESS	PCS/BOX
126106000	Galvanised Angle Bracket 60 x 40mm	62	60 x 40	2	50
126106010	Galvanised Angle Bracket 90 x 90mm	62	90 x 90	2	50




Double Sided Tooth Plate

CODE	DESCRIPTION	DIAMETER	HOLE SIZE	PCS/BOX
126106060	TC Double Sided 50mm M12	50	M12	100



Nail Plate

CODE	DESCRIPTION	WIDTH	LENGTH	PCS/BOX
126106050	Teco Nail Plate STD 85 x 175	84	178	50



Timber Frame Ties

CODE	DESCRIPTION	TIE WIDTH	TIE LENGTH	CAVITY WIDTH	PCS/BOX
TFT50	Timber Frame Tie G.304	19	130	50 to 74	250
TFT75	Timber Frame Tie G.304	19	155	75 to 99	250
TFT100	Timber Frame Tie G.304	19	180	100 to 120	250



Truss Clips

CODE	DESCRIPTION	WIDTH	SQUARE TWIST	PCS/BOX
TCW38	Woody Truss Clip 38	38	12	150
TCW47	Woody Truss Clip 47	47	12	150



Party Straps

CODE	DESCRIPTION	LENGTH	WIDTH	6MM HOLES	PCS/BOX
PWS250	Party Straps 250mm	250	28	12	150



Z Clips

CODE	DESCRIPTION	CLIP DEPTH	PCS/BOX
TCW38	Truss Clip 38mm	38	200
TCW47	Truss Clip 47mm	47	200



Suspension Kits

Standard Gripple Hang Fast - Loop End

The standard Gripple Hang Fast (HF) range is used to suspend, brace, and secure any services.

- Up to 6 times faster to install than traditional hanging systems
- Supplied as a ready-to-use kit
- Improves work comfort and safety
- Reduced volume and easy handling
- Strong, versatile
- Aesthetically discreet and lightweight
- Available in 5 load rated sizes
- Certified



Trapeze No.2

Purpose-made single channel Gripple, ideal for use with strut support.

- Ideal for fast suspension of chilled beams, cable tray, etc.
- Tapered design - accommodate all slots sizes
- Discreet - fits completely inside the strut channel
- Pre-fits onto strut channel to ease working at height
- Pin allows rapid adjustment
- Load rated at 100 lbs with a 5:1 safety factor
- Supplied as a ready-to-use kit



Trapeze No.3

Purpose-made single channel Gripple, ideal for use with strut support.

- Ideal for fast suspension of strut trapeze systems for support of rectangular duct, cable basket and ladder, conduit racks, etc.
- Slots easily into strut
- Release pin allows rapid height adjustment
- Load rated at 200 lbs with a 3:1 safety factor
- Supplied as a ready-to-use kit



Universal Clamp

The new Universal Clamp is for hanging all types of pipework within mechanical and plumbing services.

- Universal - for pipe sizes 3/8" to 2 1/2" diameter
- Up to 6 times faster than traditional methods
- Replaces more than 11 different pipe clamp sizes
- Ready to use, retractable sleeve pre-fitted to wire rope
- Improved insulation against vibration
- No tools are required for installation
- Easy site storage, reduces waste, no risk of losing screws on site
- Simplifies take-off process calculation
- Lloyd's certified



Wall Clamp

Introducing the new Gripple Wall clamp, an innovative method for securing all types of pipework securely to the wall.

- Accommodates all types of pipework and a range of pipe diameters
- Faster than traditional methods of installation
- Different orientations - Can be fitted both horizontally and vertically
- Designed to look neat with a clean professional finish
- Easy handling - Locking mechanism for easy and fast fixing
- Easy site storage - No need to stock several sizes





ROOF WINDOWS & BLINDS

FEATURED BRANDS

RoofLITE+

CONTRIO™

RoofLITE+ Slim Vent Pine Roof Windows

The Slim Vent collection is a range of central pivot roof windows with special slimline PINE wooden profile. Equipped with a ventilation valve which allows comfort and added value for all budgets.

- Easy Installation
- Made from pine wood
- Centre Pivot
- Ventilation Valve
- Slimline frame
- Elegant Bottom Handle
- Standard double glazing with argon gas and low E coating
- U value of the standard pane is 1,3 W/m²K
- 10 year guarantee



CODE	MODEL	SIZE (CM)
DVY C2A B900 PLUS	C2A	55 x 78
DVY C4A B900 PLUS	C4A	55 x 98
DVY F6A B900 PLUS	F6A	66 x 118
DVY M4A B900 PLUS	M4A	78 x 98
DVY M6A B900 PLUS	M6A	78 x 118
DVY M8A B900 PLUS	M8A	78 x 140
DVY S6A B900 PLUS	S6A	114 x 118



RoofLITE+ Solid White Roof Windows

The Solid White collection is a range of white painted central pivot roof windows with an elegant handle that enables passive ventilation in two different secondary locking positions.

- Easy Installation
- White painted
- Centre Pivot
- Ventilation Valve
- Slim frame
- Elegant Bottom Handle
- Standard double glazing with argon gas and low E coating
- U value of the standard pane is 1,3 W/m²K
- 10 year guarantee



CODE	MODEL	SIZE (CM)
AAV C2A B910 PLUS	C2A	55 x 78
AAV C4A B910 PLUS	C4A	55 x 98
AAV F6A B910 PLUS	F6A	66 x 118
AAV M4A B910 PLUS	M4A	78 x 98
AAV M6A B910 PLUS	M6A	78 x 118
AAV M8A B910 PLUS	M8A	78 x 140
AAV S6A B910 PLUS	S6A	114 X 118



RoofLITE+ Solid PVC Roof Windows

The Solid PVC collection is a range of centre pivot windows with an elegant handle that enables passive ventilation in two different secondary locking positions. The aluminium-reinforced PVC profiles guarantee resistance and durability against humidity, without the need for maintenance.

- Easy Installation
- White PVC profile
- Centre Pivot
- Elegant Bottom Handle
- Double glazing with toughened outer pane
- U value of the standard pane is 1,3 W/m²K



CODE	MODEL	SIZE (CM)
APY C2A B900 PLUS	C2A	55 x 78
APY C4A B900 PLUS	C4A	55 x 98
APY F6A B900 PLUS	F6A	66 x 118
APY M4A B900 PLUS	M4A	78 x 98
APY M6A B900 PLUS	M6A	78 x 118
APY M8A B900 PLUS	M8A	78 x 140
APY S6A B900 PLUS	S6A	114 x 118



RoofLITE+ Trio PVC Roof Windows

A super energy efficient triple-glazed PVC window with a reinforced frame – practicality and high performance in one.

- Easy Installation
- Made from White PVC
- Centre pivot
- 2 ventilation positions
- Reinforced frame
- Toughened outer glass
- Elegant bottom handle
- Triple glazed
- Enhanced moisture resistance
- U value of the standard pane is 1,1 W/m²K
- Very low maintenance/cleaning
- 10 year guarantee



CODE	MODEL	SIZE (CM)
APY C2A B1500 PLS	C2A	55 x 78
APY C4A B1500 PLS	C4A	55 x 98
APY F6A B1500 PLS	F6A	66 x 118
APY M4A B1500 PLS	M4A	78 x 98
APY M6A B1500 PLS	M6A	78 x 118
APY M8A B1500 PLS	M8A	78 x 140
APY S6A B1500 PLS	S6A	114 x 118

* Every RoofLITE+ window is covered by a ten-year guarantee (provided that it is installed using an original RoofLITE+ flashing)

RoofLITE+ Solid Vision Roof Windows

The Solid Vision collection is a range of centre pivot / top pivot hybrid windows. Its 3/4 opening fixture allows uninhibited exterior views and an easy escape in the event of an emergency. Once activated by opening the handle, the sash is kept open by two gas springs.

- Easy Installation
- 3/4 Pivot
- Ventilation Valve
- Elegant Bottom Handle
- Standard double glazing with argon gas and low E-coating
- U value of the standard pane is 1,3 W/m²K
- 10 year guarantee

CODE	MODEL	SIZE (CM)	COLOUR
MOE M4A B1000 PLS	M4A	78 x 98	PINE
MOE M8A B1000 PLS	M8A	78 x 140	PINE
MOE M8A B1010 PLS	M8A	78 x 140	WHITE

* Solid Vision white is available in M8A size only.



White Painted
Means of Escape
Window



Pine
Means of Escape
Window



RoofLITE+ Flat Roof Windows

Fixed & Openable Flat Roof Window Range with Flat Glass Top Unit. Each Flat Roof Window requires a matching Base Unit Part.

- Suitable for any roof with a 5-15° pitch
- Design improves energy savings and noise reduction to the maximum
- Maintenance free, easy-to-wipe internal PVC surfaces
- Outer glass surface has a special coating for easy cleaning
- Attractive, flat glass exterior design
- Scratch-free, 4mm toughened glass cover
- Fixing screws and brackets included
- Electrically openable window optional
- Easy installation
- 10 year guarantee



Fixed




Openable

WINDOW BASE CODE	FLAT GLASS TOP CODE	SIZE (CM)
453150606	453170606	60 x 60
453150909	453170909	90 x 90
453150912	453170912	90 x 120
453151015	453171015	100 x 150
453151212	453171212	120 x 120

FENSTRO Skylight

A skylight is a cold room window designed to provide ventilation and light for uninhabited and unheated loft and garage spaces.

- Easy Installation
- Integrated flashing with apron
- Trimmable or completely removable foam gasket
- Installable in all roofing materials (15 to 60 degrees)
- Top-hung as standard with side-hung opening as option
- Weather - and UV ray resistant
- Kiln-dried pine wood with fungicide protection
- 14mm double pane (3-8-3)
- Chromed steel handle with two ventilation positions



CODE	MODEL	SIZE (CM)
453124573	FE4573	45 x 73

Electric Roof Window Opener

The electrical roof window opener makes it easy to open and close the window when it is out of reach.

- Easy and flexible operation even in out of reach places
- Equipped with "turn-around" switch, opening scope from 10 to 40 cm
- Remote control and/or wall mount switch operation
- Gray color to match all other fittings
- Strong metal casing

CODE: AMC



Slate, Tile & Combi Flashing

A roof window should always be installed using the appropriate flashing. The flashing makes perfect installation easy and it ensures a 100% watertight window.

- Made from aluminium and painted in the same umber grey colours as the window.
- All weather and UV resistant tested for complete water tightness under the most rigorous conditions.
- The new RoofLITE+ flashing sits lower into the roof line improving thermal insulation and appearance.

SLATE CODE	TILE CODE	COMBI CODE	MODEL	SIZE
453055078	452055078	SCX 13E C2A	C2A	55 x 78
453055098	452055098	SCX 13E C4A	C4A	55 x 98
453066118	452066118	SCX 13E F6A	F6A	66 x 118
453078098	452078098	SCX 13E M4A	M4A	78 x 98
453078118	452078118	SCX 13E M6A	M6A	78 x 118
453078140	452078140	SCX 13E M8A	M8A	78 x 140
453114118	452114118	SCX 13E S6A	S6A	114 x 118

FLASHINGS INSTALLATION

THE CORNERSTONE OF PROPER, WATER TIGHT ROOF WINDOW INSTALLATION

Proper installation of your roof window starts with selecting the correct flashing, according to the type of roofing material in use. The RoofLITE+ range includes flashings compatible with most common materials, meaning that RoofLITE+ roof windows can be installed in almost any roof with a pitch of 15° to 90°.

All RoofLITE+ flashings are manufactured from aluminium that is resistant to all weather conditions, in a colour that matches the external finish of RUC/IFC glazed windows. The flashings are manufactured in Europe, ensuring the highest quality.

USING ROOFLITE+ FLASHINGS



SFX

The SFX steel flashing is applicable for flat roofing materials up to 16 mm (2 x 8 mm) thickness. This flashing comes with integrated side elements.

SSX

Steel roofing materials with pre-laminated standing seam up to 50 mm in height.

TFX

Corrugated roofing material with a profile height of 16 to 50 mm – roofing tiles, roofing sheets, trapezoidal sheets.

UFX

Universal flashing – most roofing materials with a profile height of 16 to 130 mm.



SCX combi

Installation of two or more windows side by side (or one above the other) in conjunction with flat roofing materials – slate, shingle, blumen. The horizontal distance between the windows is limited to 100 mm. SCX flashing family includes several types of flashing (see next page).




UCX combi

Installation of two or more windows side by side (or one above the other) in the majority of common roofing materials with a profile height of 16 to 130 mm. The horizontal distance between the windows can be 100/150/140 mm. UCX flashing family includes several types of flashing (see next page).

! THE 10-YEAR ROOFLITE+ ROOF WINDOW GUARANTEE ONLY APPLIES IF WINDOWS ARE INSTALLED USING THE ORIGINAL INSTALLATION FLASHING SUITABLE FOR THE TYPE OF ROOFING MATERIAL IN USE.

SELECTING THE RIGHT COMBI FLASHING



13

The UCKSCK 13 kit allows you to install two roof windows side by side.

46

The UCKSCK 46 kit allows you to install two windows above two other windows at a vertical distance of 100 mm. UCK 46 flanges can be installed in conjunction with the UCK 13, while SCK 46 with the SCK 13 flange.

2

The UCKSCK 2 kit allows you to install one or more roof windows, between two other windows. The UCKSCK 2 flange may only be installed in conjunction with the UCKSCK 13 flange.

5

UCK 5 enables an additional roof window to be installed between two other windows in the second or further row where the windows are installed in minimum two rows (minimum 6 windows at a time in conjunction with two rows of three windows). UCK 5 can be used in conjunction with UCKSCK 2 combi flashings.

RECOMMENDED ADDITIONAL ACCESSORIES

Many details count when installing a roof window. It is essential that the point where roof and roof window meet is well sealed and that lightning is channelled between the window and rafters.

RUC underlaid felt collar is a solution that ensures easy installation and makes it possible to achieve 100% lightness. RUC insulating foam collar enables you to achieve the effect of a warm window installation that transmits directly into thermal lightness for the entire window structure with no compromise.



RUC




IFC

Underlaid felt collar is a solution that ensures easy installation and makes it possible to achieve 100% lightness.

Roof Window Opener

Length - 1200mm

CODE: ZCA





Roof Window Blackout Blinds

This Blackout Blind excludes light totally - turning day into night on demand. This exceptional design has all the hallmarks of quality, both as to materials and operating simplicity.



Features

- Colour: Various - White (RAL 4208), Black (RAL 4249), Dark Blue (RAL 4212), Beige (RAL 4219), Grey (RAL 4217), Petrol Blue (RAL 4232), Yellow (RAL 4233), Red (RAL 4213)
- Easy to install (10 min)
- Easy to clean with a damp cloth
- Perfect fit - no adjustment required
- Fits VELUX®, FAKRO®, Keylite® and RoofLITE+®
- Sizes for all blinds opposite (Beige codes)

Design & Quality

- A hard-wearing, dirt-resistant combination of polyester and lightproof rubber fabric.
- The fabric slides inside a slim profile aluminium frame.
- An easy to use mechanism allows multi-positioning of the blind, giving simple control of light in the room.
- Provides varying levels of brightness down to 100% blackout.

CODE	MODEL	SIZE
455055078	C2A	55 x 78
455055098	C4A	55 x 98
455066118	F6A	66 x 118
455078098	M4A	78 x 98
455078118	M6A	78 x 118
455078140	M8A	78 x 140
455114118	S6A	114 x 118



PICA MARKERS

FEATURED BRANDS

Pica
Innovative Marking Tools

Pica-Dry Longlife Automatic Pencil

	CODE	DESCRIPTION
	297390770	Pica-Dry Longlife Automatic Pencil
	297390860	Pica-Dry Refill Set Graphite (10)
	297390880	Pica-Dry Refill Set Red (10)
	297390890	Pica-Dry Refill Set Yellow (10)
	297390900	Pica-Dry Refill Set Special (8)
	297390990	Pica-Dry Display Basic:
A	Pica-Dry Display - 20 x Markers, 10 x Pica-Dry Lead Set Graphite	
	297391010	Pica Mix Display Basic:
B	Pica Mix Display - 20 x Pica-Dry, 10 x Pica-Dry Lead Set Graphite, 5 x Pica Marker Black, 3 x Marker Red, 2 x Marker Blue	



Pica Big-Dry Longlife Construction Marker

	CODE	DESCRIPTION
	297390540	Pica Big-Dry Longlife Construction Marker
	297390560	Pica Big-Dry Refill Set For All Graphite
	297390580	Pica Big-Dry Refill Set For All Red
	297390590	Pica Big-Dry Refill Set For All White
	297390600	Refill Set For All Red, Graphite, White SB
	297390660	Pica Big-Dry Refill Set Stonemason 10H
	297390710	Pica Big-Dry Display Special:
	Pica Big-Dry Display - 12 x Markers, 3 x Graphite Refill Set, 3 x Mixed Refill Set, 3 x Aniline Refill Set, 3x Big-Dry Carpenter Refill Set	



Pica Fine-Dry Marker

	CODE	DESCRIPTION
	297391030	Pica Fine-Dry Marker
	297391050	Pica Fine-Dry Refill Set HB
	297391070	Pica Fine-Dry Refill Set H
	297391090	Pica Fine-Dry Display:
	Pica Fine-Dry Display - 20 x Markers, 10 x Refill Set HB, 5 x Refill Set H	



Pica Master Sets

CODE	DESCRIPTION
297390500	Pica Master Set - Joiner
A	1 x Pica-Dry Lifelong Automatic Pencil, 1 x Refill Set for Joiners, 1 x Pica-Dry Refill Set, 1x Pica Fine-Dry Marker, 1 x Pica Fine-Dry Refill Set H, 1 x Pica Classic Permanent Pen White, 1 x Pica Ink Deep Hole Marker Black
297390510	Pica Master Set - Plumber
B	1x Pica-Dry Longlife Automatic Pencil, 1 x Pica-Dry Graphite Refill Set, 1 x Pica-Dry Special Refill Set, 1 x Pica Fine-Dry Marker, 1 x Pica Ink Deep Hole Marker Black, 1 X Pica Visor Permanent Red
297390520	Pica Master Set - Carpenter
C	1x Pica Big-Dry Longlife Construction Marker, 1 x Refill Set For All Mixed, 1 x Pica-Dry Longlife Automatic Pencil, 1 x Pica-Dry Graphite Refill Set, 1 x Pica Visor Permanent Red

A



B



C



Pica Ink Deep Hole Marker

CODE	DESCRIPTION
297391100	Pica Ink Deep Hole Marker Red
297391120	Pica Ink Deep Hole Marker Blue
297391140	Pica Ink Deep Hole Marker Black
297391160	Pica Ink Deep Hole Marker Basic Display:
Pica Ink Deep Hole Basic Display - 20 Markers: 10 x Black, 5 x Red, 5 x Blue	
297391170	Pica Ink Deep Hole Marker Display: 20 x Black



Pica Big Ink Marker XL

CODE	DESCRIPTION
297391180	Pica Big Ink Smart-Use Marker XL Red
297391200	Pica Big Ink Smart-Use Marker XL Blue
297391220	Pica Big Ink Smart-Use Marker XL Black
297391240	Pica Big Ink Smart-Use Marker XL White
297391260	Pica Big Ink Display Mix:
Pica Big Ink Smart-Use Marker XL Display Mix - 20 Markers: 8 x Black, 4 x Red, 4 x Blue, 4 x White	
297391270	Pica Big Ink Display Black/White:
Pica Big Ink Smart-Use Marker XL Display Mix - 20 Markers: 12 x Black, 8 x White	





LADDERS

FEATURED BRANDS



HAILO MK60

Small and compact folding steps - fits into every corner.

- Easy to store: folds down to just 4 cm in width
- 2 large steps with non-slip mats
- Hinged lock with release button
- Practical carry handle
- Non-slip plastic feet
- Plastic parts: anthracite
- Max Load Capacity - 150 kg



CODE	COLOUR	STEPS	CLOSED LENGTH (CM)	WORKING HEIGHT (CM)
133100000	White	2	57.5	225



Steps



Closed Length



Working Height

HAILO K100 Topline

The aluminium comfort folding step with Soft-Grip base for optimal stability on different floors.

- High-curved aluminium safety rail for a secure grip or simply to lean against
- Handy tray
- Extra-large, non-slip ribbed steel steps for optimal comfort when standing
- Stair-like step arrangement helps prevent users bashing their shins
- Foot with Soft-Grip base for optimal stability and non-slip safety on different floors, e.g. parquet, carpet and tiles
- Max Load Capacity - 150 kg



CODE	STEPS	WEIGHT (KG)	WORKING HEIGHT (CM)
133100047	2	5.4	225
133100048	3	7.3	250



HAILO L60

Time-saving aluminium safety household ladder with hinge protection and multifunction tray.

- Multipurpose tray for holding tools, cans of paint or small parts
- Rails designed for stability and plenty of legroom
- Suitable for Hailo EasyClix replaceable feet
- Safe, high-tech riveted rail-step joins
- Slip-resistant feet - 100 % ground contact
- Aluminium steps with non-slip ribbing



CODE	STEPS	WEIGHT (KG)	WORKING HEIGHT (CM)
133100135	3	3.3	263
133100150	4	3.9	285
133100165	5	4.6	307
133100180	6	5.5	328
133100182	7	6.3	350
133100183	8	7.3	372



HAILO D60 Standardline

Aluminium safety double-sided ladder for climbing on either side.

- Can be climbed on both sides
- Absolutely stable construction
- Non-slip, length profiled, wide aluminium steps
- Safe, high-tech riveted rail-step joins
- Slip-resistant feet
- 2 sturdy tensioners
- Very compact when disassembled, can be stowed anywhere
- Colour: aluminium
- Max Load Capacity - 150 kg



CODE	STEPS	WEIGHT (KG)	WORKING HEIGHT (CM)
133100131	2 x 5	5.0	265
133100132	2 x 7	7.2	320

Hailo EasyClix

Replaceable Feet - The right feet for every surface!



Compatible with ladder models with this logo displayed


EasyClix Living

- No more scratches or streaks on parquet, marble flooring, etc.
- Soft profile
- Non-slip stability
- Quick change
- In compartment for easy access

EasyClix Garden

- Reliable stability on garden soil
- No sinking
- Stands stable
- Quick change
- In compartment for easy access

CODE	DESCRIPTION	SIZE
133100129	EasyClix Living	M
133100130	EasyClix Living	L
133100125	EasyClix Garden	M
133100127	EasyClix Garden	L



HAILO Profi-Step Combi

Aluminium Universal Ladder, 4-Section
The Working Platform, Lean-to-Ladder & Step Ladder All In One.

- 6 safety joints for locking/releasing the ladder sections.
- Supplied with separate, two-part metal platform with non-slip, ribbed surface (143 x 30 cm) for safety and convenience when working.
- Non-slip, ribbed rungs, 2 sturdy crosspieces with stable PVC feet
- Ladders - 4 x 3 rungs.
- Max Working Height: Lean-To Ladder - 435 cm.
- Max Working Height: Platform - 300 cm.
- Max Load Capacity - 150 kg.

CODE: 133100320



HAILO Aluminium Triple Combination

Sturdy Safety Rung Ladder.

- Sturdy straight crosspiece
- Crosspiece feet with non-slip ribbed surface
- Tread size: 130 mm
- Rung spacing: 255 mm
- Easy-grip upright profile
- Black, tear-resistant tension belts
- Continuously lengthways and crossways profiled rungs
- Rung profile cross-section of front, middle and rear section 30x30 mm
- Galvanised locking hook with spring-supported safety hook
- One-handed use
- Sturdy, galvanised steel guide parts
- Max Load Capacity - 150 kg



CODE	STEPS	CLOSED LENGTH (CM)	WORKING HEIGHT 3 PCS (CM)
133100195	3 x 7	181	540
133100291	3 x 9	232	610
133100295	3 x 12	283	680

HAILO ProfiLOT

3-section aluminum alloy ladder with LOT system for level adjustment.

A trice is all it takes to turn the three-part ladder into a two-part extension ladder. Or a simple lean-to ladder. Or even a free-standing double-sided ladder. The optimum solution: flexible, versatile and safe.

- LOT system: compensates for surface unevenness up to 15 cm. Adjustment by foot pedal
- Versatile - can be used as a simple, extension or double ladder
- Locking hook with transport safety mechanism
- Length and cross-profiling
- 2 full surface-contact feet and 2 large, stable claw feet
- Max Load Capacity - 150 kg



CODE	STEPS	WORKING HEIGHT 3 PCS (CM)
133100228	2x6, 1x5	480
133100230	2x9, 1x8	670
133100235	3 x 12	925

HAILO Profi-Step Duo



Aluminium extension ladder, 2-section.

- Practical locking system for both parts with anti-slip mechanism
- Sturdy guide parts
- Length and cross-profiled rungs
- Extremely sturdy thanks to double-bladed rail-rung joins
- Full surface contact feet
- Max Load Capacity - 150 kg

CODE	STEPS	CLOSED LENGTH (CM)	WORKING HEIGHT (CM)
133100240	2 x 9	255	520
133100255	2 x 12	339	680
133100270	2 x 15	423	845
133100285	2 x 18	507	950



Roof Ladders



Double Section Trade Roof Ladders.

- Lightweight but combines the strength of a trade ladder with a heavy duty ridge hook
- Industrial non-slip rungs & box section stiles
- Rubber covered bearer bars distribute weight evenly preventing damage to the roof
- Double sections fitted with safety catches
- Manufactured in the UK from high grade aluminium to ensure strength and stability.
- British Standards Institution (BSI) Approved.
- Max Load Capacity - 150 kg



CODE	TYPE	STEPS	CLOSED LENGTH (CM)	OVERALL LENGTH (CM)
133000235	Double Section Roof Ladder	13 + 11	344	564
133000240	Double Section Roof Ladder	15 + 13	394	664

Hailo M80 Telescopic

Adjustable aluminium Multipurpose ladder. Slides together, with safety joints and locking handles for height adjustment.

- For use as a lean-to ladder, extension ladder, a double-sided step ladder and stair ladder
- Rung by rung height adjustment
- 2 safety joints for adjustment when used as a step ladder and lean-to ladder
- Safe, versatile and adjustable
- Automatic position lock system
- Max Load Capacity - 150 kg



CODE	STEPS	WORKING HEIGHT AS TRESTLE (A-LADDER) (CM)	WORKING HEIGHT AS LEAN-TO (TELESCOPIC) (CM)
133100350	4x4	302	438
133100360	4x5	355	546
133100370	4x6	421	675

Widestep Glassfibre Ladder



High quality ladder for demanding and extreme industrial environment. Suitable for use in areas where electrical hazards exist.

- High quality ladder designed for heavy and frequent use.
- Suitable for use in areas where electrical hazards exist.
- Certified to BSEN131
- Wide working platform of 400 x 600mm
- Glassfibre frame with aluminium treads
- Suitable for industrial work as well as trade use
- Wheels at rear to make as well as trade use
- Safety chain for added security giving the user 360 degree safety
- Handrails included for added safety

CODE	STEPS	PLATFORM HEIGHT (CM)	WORKING HEIGHT (CM)
133000140	4	83	184
133000150	5	105	205



Widestep Aluminium Ladder



High quality ladder for demanding and extreme industrial environment.

- High quality ladder designed for heavy and frequent use.
- Certified to BSEN131
- Wide working platform of 400mm x 600mm
- All aluminium frame and treads
- Suitable for industrial work as well as trade use
- Wheels at rear to make transportation easier
- Safety chain for added security giving the user 360 degree safety
- Handrails included for added safety
- Sturdy, galvanised steel guide parts

CODE	STEPS	PLATFORM HEIGHT (CM)	WORKING HEIGHT (CM)
133000040	4	83	184
133000050	5	105	205
133000070	7	148	247



Hailo TP1 Stair Platform



The safe and innovative solution for renovating and decorating in stairwells. Can be used as a work platform or as a base for all Hailo folding steps and stepladders with up to and including 4 steps.

- Can be used as a work platform or as a base for all Hailo folding steps and stepladders
- Can be used on straight & spiral stairs
- Work platform made of non-slip textured coated board
- 2 carry handles integrated in the work platform for easy transport
- Length and height-adjustable telescopic rails and feet allow flexible adjustment to the step height and depth
- 4 feet with soft-grip sole for optimum stability and non-slip safety
- Integrated spirit level for safe horizontal positioning of the platform
- Two-hand safety unlocking mechanism
- Sturdy aluminium frame system
- For indoor and outdoor use
- Safe and easy to handle
- Maximum load capacity 150 kg



CODE: 133100015

Hailo 123-300 Scaffold

The aluminium scaffold with ingenious "SpeedLock" one-handed quick lock.

- Easy to handle and fitted with one-handed "Speed Lock" for lightweight, fast assembly
- Step adjustment option
- Dividing platform (platform 1: 22 x 140.5 cm, platform 2: 33 x 140.5 cm)
- 2 transport castors
- Can be used indoors and outdoors
- 2 base sections with 6 rungs (27 x 27 mm)
- 2 guard rails and 2 aluminium diagonal struts
- Upright dimensions: 50 x 22 mm
- Rung spacing: 300 mm
- Maximum load capacity 150 kg
- Maximum working height 290cm



CODE: 133100198



Hailo 500 G60 Multi-Scaffold

The aluminium multipurpose scaffold with "Fast & Lock" closure for fast and easy assembly.

- Scaffold and ladder in one
- Easy to handle and fitted with "Fast & Lock" closure for fast, easy assembly
- Multipurpose: for use as a lean-to ladder and double ladder, as a small scaffolding unit for indoors and outdoors or as a platform for working
- Step adjustment option
- 2 ladder sections of 12 rungs (27 x 27 mm) with safety joints for locking/releasing the ladder sections
- Working platform with access hatch (61 x 46 cm)
- 2 crosspieces incl. 2 transport castors
- 4 guard rails and 4 aluminium diagonal struts
- Platform dimensions: 136 x 50 cm
- Upright dimensions: 60 x 22 mm
- Rung spacing: 260 mm
- Maximum load capacity 150 kg/m²
- Maximum working height 433cm



CODE: 133100196





Ladder Clamps

- Fits any roof rack
- Quick and easy to fit
- Corrosion resistant
- Weight - 2.5kg

CODE: 133300130



Universal Roof Hook

- Turns extension ladder into roof ladder
- Provides safe access to any roof
- Detachable
- Quick and easy to fit
- Wheels help ladder move up roof and into position


CODE: 133300150



V-Type Ladder Stand Off

- Can be used on flat surfaces or corners
- Makes access for guttering and window cleaning much easier
- Quick and easy to attach
- Supplied flat packed
- Max load - 110kgs

CODE: 133300100



Adjustable / Universal Ladder Stand-Off

- Adjustable giving 17"-24" clearance
- Makes access for guttering and window cleaning much easier
- Complete with Bucket Hook
- Detachable
- Over 1m span
- Quick and easy to fit

CODE: 133300110

Ladder Accessory Display Unit

Dimensions

- Height: 170cm
- Width: 100cm
- Depth: 52cm

Stand contents

- Ladder Clamps: 10
- Ladder Wall Brackets: 5
- Adjustable / Universal Stand-Off: 6
- Universal Roof Hooks: 6

CODE: 133300160

Ladder Wall Bracket



- Easy storage of ladder
- Lockable

CODE: 133300155

Universal Ladder Platform



CODE: 133300120

Easi-Fix Ladder Mat



- Minimise the risk of your ladder sliding/sinking/floor damage
- Aluminium non-slip platform
- Safe and secure
- Adjustable brackets with 3 different settings

CODE: 133300158



ATTIC & LOFT LADDERS

FEATURED BRANDS



DOLLE SW26-3

Dolle SW26 is a 3-section folding attic ladder with a white-faced trapdoor. It has non-slip treads for extra security. Easy operation is obtained with the included push/pull rod.

- 3-section folding ladder
- Fully assembled which makes it easy and ready to install
- Requires no headroom or storage space in the loft
- Handrail and plastic feet included
- Fully airtight
- 20 mm insulation
- Non-slip treads for extra security
- Ladder is made of solid spruce
- Wooden push/pull rod included for easy operation

CODE	148001550	148001600	148001700
OPENING SIZE	115cm x 57cm	120cm x 60cm	120cm x 70cm
TYPE	3 Section	3 Section	3 Section
CASING SIZE	112.5cm x 54.6cm	117.5cm x 57.6cm	117.5cm x 67.6cm
FLOOR HEIGHT	Max. 282cm	Max. 283cm	Max. 283cm
HEIGHT W/ EXTRA THREADS	Max. 350cm	Max. 350cm	Max. 350cm
TRAPDOOR THICKNESS	26mm	26mm	26mm
MAX WEIGHT	150kg	150kg	150kg
PALLET QTY	14	14	14



Plastic Feet



Handrail



DOLLE Click Fix 56

The entire patented clickFIX® range is known by low u-value and the quick and easy installation. The insulation and the construction of the trapdoor reduces heat loss.

- 3-section folding ladder
- Fully assembled which makes it easy and ready to install
- Requires no headroom or storage space in the loft
- Handrail and plastic feet included
- Fully airtight
- 20 mm insulation
- Non-slip treads for extra security
- Ladder is made of solid spruce

CODE	148002655	148002560
OPENING SIZE	115cm x 55cm	120cm x 60cm
TYPE	3 Section	3 Section
CASING SIZE	112.5cm x 54.6cm	117.5cm x 57.6cm
FLOOR HEIGHT	2.75M	2.75M
HEIGHT W/ EXTRA THREADS	N/A	N/A
TRAPDOOR THICKNESS	56mm	56mm
MAX WEIGHT	150kg	150kg
PALLET QTY	8	8






DOLLE Calgary Spiral Stairs

Cost effective, modern looking spiral stair which ensures a stylish and safe climb.

- Available in white or grey.
- New elegant and solid spiral staircase to add beauty to your home, office or apartment.
- The staircase kit includes all the materials you need to install a staircase using common household tools.
- Can be installed clockwise or anti-clockwise and at adjustable heights by adding or removing staircase threads.
- Continuous aluminium core handrail and solid tubing are provided in either soft white or grey finish.
- The step and landings threads are made of solid beech featuring a high scuff resistant varnish.

CODE	White - Grey -
THREADS	11 + Platform
OPENING SIZE	150cm x 150cm
FLOOR HEIGHT	280.8cm
STEP HEIGHT	20.4mm to 23.4mm
STAIR DIMENSIONS	140mm
MAX WEIGHT	150kg Point Load



Loft Leg

Insulate your home without compromising on storage space by using Loft Legs to create a raised loft floor above 270mm of quilt insulation for energy efficient loft storage.

- Compressed loft roll insulation can compromise thermal performance and reduce the energy efficiency of your home
- Loft Leg raises the height of a storage deck by 175mm on top of ceiling joists, to prevent compression of loft roll insulation, maintaining U values.
- Loft Leg is strong, lightweight and easy to install
- Loft Legs are designed for domestic use only and are not intended for use as a flooring substrate or surface in a permanent living space




CODE	DESCRIPTION	HEIGHT	BOX QTY
149001750	Loft Leg	175 cm	12
149001755	Loft Leg XL (New Builds)	300 cm	12

Loft Lid

The Loft Lid creates a protective barrier or cover over downlights to prevent over heating and house fires. The design ensures loft insulation does not directly contact downlights and that there is sufficient ventilation around the light for heat dissipation.

- Maintains continuous, energy efficient loft insulation
- Eliminates heat loss and air leakage into loft space
- Easy to install

CODE	SIZE	BOX QTY
149001760	150cm x 150cm x 209xm	30




Loft Light

Instantly illuminates your loft without wiring with an ultra-bright, battery powered LED light equivalent to a 32 Watt bulb with a battery life of up to 4 years.

- Requires no electrical wiring and can be screwed directly to any timber element in the Loft
- Includes a 2m long pull string, reflective strip and screws for convenient installation and operation
- 3 x D Cell batteries required
- Tested with a 50W downlight
- CE certified, RoHs and WEEE compliant

CODE: 149001770



Loft Bulb

Adjustable 3 panel LED Loft Bulb. Individual LED panels adjust by up to 90 degrees to illuminate hard to reach areas.

CODE: 149001765

- Adjustable 3 Panel LED Bulb
- Ultra-bright Daylight White (6500 Kelvin)
- Fits in a standard B22 Bayonet Fitting
- 4000 Lumens (Equivalent to 8 x 40W Incandescent Bulbs)
- UKCA, CE certified, RoHs and WEEE compliant



Metal Loft Surround Rail

Surrounds the attic stairs opening at 1 metre high. Offers extra security and safety when entering and exiting the attic.

- Adjustable width from 500mm - 750mm

CODE: 148000100



Metal Loft Balance/Grab Rail

Simple but effective balance rail that gives support when entering and exiting the attic.

- 22mm steel tubing
- Easily fitted

CODE: 148000110





HAILO BINS

FEATURED BRANDS



HAILO T2.4 Pedal Cosmetic Bin

Modern pedal cosmetics bin with bin liner clamp.

- Carrying handle made of elastic, hard-wearing plastic (elastomer) - prevents damage to the wall.
- Separable red handle - waste bag clamping.
- Larger footprint for more stability with non-slip foot.

CODE	COLOUR	VOLUME
133200410	Black	4 Litres
133200415	Silver	4 Litres
133200420	Red	4 Litres
133200425	Stainless Steel	4 Litres



HAILO T2.13 Pedal Bin

Classic with a modern look: Pedal waste bin with bin liner clamp.

- Carrying handle made of elastic, hard-wearing plastic (elastomer).
- Plastic removable inner bin (13 L) with separable red handle - waste bag clamping.
- Housing made of stainless steel with corrosion-resistant coating.
- Quiet closing of the lid.

CODE	COLOUR	VOLUME
133200650	Stainless Steel	13 Litres
133200655	Red	13 Litres
133200660	Silver	13 Litres
133200665	Black	13 Litres



HAILO T2.20 Pedal Bin

Modern, high-capacity pedal waste bin with bin liner clamp.

- Carrying handle made of elastic, hard-wearing plastic (elastomer) - prevents damage to the wall.
- Separable red handle - waste bag clamping
- Larger footprint for more stability with 3 non-slip nubs.
- Quiet closing of the lid.
- Anti-vacuum effect.

CODE	COLOUR	VOLUME
133200610	Stainless Steel	20 Litres
133200615	Red	20 Litres
133200620	Silver	20 Litres
133200625	Black	20 Litres



HAILO Compact-Box 15

Compact fitted waste bin with plenty of space and unique lid-lift system.

- Lid-lift system with springless plastic tilt-and-turn lid.
- Stainless steel, corrosion-resistant coated sheet steel housing.
- Simple, unproblematic assembly and dismantling.

CODE	COLOUR	VOLUME
133200201	Stainless Steel	15 Litres



HAILO Big-Box Touch 60

Spacious waste box with one touch lid opening system.

- "One-Touch" lid opening system: touch the lid once to open.
- Bin liner clamps into frame.
- Rectangular housing made from stainless steel or coated sheet steel (4 parts).

CODE	COLOUR	VOLUME
133200110	Black	60 Litres
133200112	Silver	60 Litres
133200114	Stainless Steel	60 Litres



HAILO Big-Box Swing 40

The spacious waste box with the automatic closing lid.

- Two-part self-closing swing lid.
- With waste bag clamping frame.
- With 4 non-slip feet.
- Rectangular housing made from stainless steel or coated sheet steel.

CODE	COLOUR	VOLUME
133200120	Stainless Steel	40 Litres
133200122	Black	40 Litres
133200135	Silver	40 Litres



HAILO Öko Duo 30

The pedal waste separator with two inner bins of different sizes.

- Black plastic lid.
- Ergonomically wide foot pedal, black plastic.
- 2 removable inner bins (19 + 11 L): plastic, brown and black.
- Rectangular housing made from stainless steel or coated sheet steel.
- Internal pedal mechanism.

CODE	COLOUR	VOLUME
133200150	Black	30 Litres
133200155	Silver	30 Litres
133200160	Red	30 Litres
133200165	Beige	30 Litres



HAILO Öko Trio 33

Pedal waste separator with 3 x 11 litre removable colour coded inner bins.

- Black plastic lid.
- Ergonomically wide foot pedal, black plastic.
- 3 removable inner bins (3 x 11 L): plastic, green/brown/yellow .
- Rectangular housing made from stainless steel or coated sheet steel.
- Internal pedal mechanism.

CODE	COLOUR	VOLUME
133200130	Black	33 Litres
133200135	Silver	33 Litres



HAILO Multi-Box 2 x15

The built-in waste separation system – inconspicuous in position yet always ready to extend and fill. With 2 removable inner bins.

- 2 removable inner bins (2 x 15 L): plastic, grey
- Corrosion-resistant coated sheet steel housing
- Movable white plastic lid
- Can be used with carousel units from 30 cm wide
- Can be assembled on the right- or left-hand side or in the centre
- Bin liner can be fixed to the edge of the bin

CODE	COLOUR	VOLUME
133200203	White & Grey	2 x 15 Litres



POLYTHENE, DPC & ROOFING FELTS

FEATURED BRANDS



Polythene

This popular membrane is the most commonly used in the building industry. Capital Valley Plastic have produced millions of rolls since 1987 that have helped fulfill thousands of projects around Europe.

- Made from high quality 100% recycled polythene
- British Board of Agreement (BBA) certification
- Comes in a convenient multi-fold format for easy storage and handling
- Uniquely labelled and registered for complete traceability.



CODE	DESCRIPTION	COVERAGE	ROLLS/ PALLET
401001299	1200 Gauge	52.5m ²	102
401001099	Grade A 1000	52.5m ²	86
401000599	Heavy Builders Film	52.5m ²	162

DPC (30m Roll)

Damp Proof Course (DPC) is manufactured for both domestic and industrial use within stone, brick and concrete walls for the prevention of rising damp within structures.

- Made from high quality 100% recycled polythene
- Suitable for both vertical and horizontal applications
- Embossed finished for better mortar adhesion
- Suitable to withstand a compressive load up to 2.5N/mm² provided no lateral load is applied
- Cost efficient, 100% reliable and environmentally friendly solution



CODE	WIDTH	LENGTH	ROLLS / BOX	ROLLS/ PALLET
401002099	4" (100mm)	30m	9	60
401002299	6" (150mm)	30m	6	60
401002399	9" (225mm)	30m	4	60
401002499	12" (300mm)	30m	3	60
401002599	13.5" (337.5mm)	30m	3	60
401002699	15" (375mm)	30m	2	60
401002799	18" (450mm)	30m	2	60
401002899	24" (600mm)	30m	2	60
401002999	36" (900mm)	30m	1	60



Breathable Felts

Cromar Vent 3 Classic, Vent 3 and Vent 3 Pro are triple layered fabric, high performance breather membranes.

- 3 layer spun-bonded membrane
- BBA certified
- Clean and easy to use
- Excellent nail tear resistance
- Cold & warm roof application
- UV stable for up to 3 months
- Designed for use in a fully supported or unsupported tiled, slated or metal roof system.
- High vapour permeability
- Excellent tensile/tear strength
- High wind uplift resistance
- No gusting wind noise
- Equally suitable whether draped unsupported over rafters or laid directly over insulation.



CROMAR
Building Products

CODE	TYPE	SIZE	WEIGHT	ROLLS / PALLET
401001599	Vent 3 Classic	1.5mm x 50m	115gsm	56
401001605	Vent 3	1.5mm x 50m	135gsm	56





Green Mineral Shed Felt

Glass fibre shed felt.

CODE	SIZE	WEIGHT	PALLET
401001750	1m x 10m	28kg	30 Rolls



Torch-On Bitumen Felt

Mineral Torch On Felt

Designed for installation as the top layer in two layer roofing systems on buildings and constructions, for water-proofing of engineering structures. Can be used on new construction or repair. Material is produced by two-sided placing of modified bitumen binder. The slate is used as top side protection from ultra-violet exposure of bitumen binder. Torch on application onto the prepared surface.

CODE	DESCRIPTION	ROLL SIZE	ROLL WEIGHT	ROLLS/PALLET
401001800	Bipol Standart EXP SBS	1m x 10m	45kg	25
401001830	Bipol XL EKP	1m x 10m	50kg	25



Smooth Finish (SAND) Torch On Felt

Designed for installation as the bottom layer in two layer roofing systems on buildings and constructions, for water-proofing of engineering structures. Can be used on new construction or repair. Not recommended to use for single ply waterproofing. Torch-on application on the prepared surface. Material can also be mechanically fixed and the membrane over-lapping joints.

CODE	DESCRIPTION	ROLL SIZE	ROLL WEIGHT	ROLLS/PALLET
401001840	Mida Standard PV S4	1m x 10m	45kg	25



Roofing Underlay

CODE	DESCRIPTION	ROLL SIZE	ROLL WEIGHT	ROLLS/PALLET
401001825	Ecoflex V2.6mm	1m x 10m	26kg	36



ARMORGARD

FEATURED BRANDS

 **armorgard**
ticking every box.

OxBox

The simple and dependable solution for securing your tools and equipment.

- Effective security – no frills
- Silver security rating
- Dependable, cost-effective security

CODE	DESCRIPTION	WEIGHT	EXTERNAL DIMENSIONS (MM)
OX05	Van Box	24kg	810 x 478 x 380
OX1	Van Box	27kg	915 x 490 x 450
OX2	Truck Box	39kg	1215 x 490 x 450
OX3	Site Box	58kg	1200 x 665 x 630
OX4	Site Chest	104kg	1210 x 640 x 1175
OX6	Truck Box	58.5kg	1800 x 555 x 445



TuffBank

Built to a rigorous specification, TuffBank™ sets the industry benchmark in quality while also delivering outstanding value for money.

- Gold security rating
- Heavy duty steel plate construction
- Unique Armorgard anti-jemmy technology
- Virtually impregnable to all but the most sophisticated thief.

CODE	DESCRIPTION	WEIGHT	EXTERNAL DIMENSIONS (MM)
TB1	Van Box	50kg	950 x 505 x 460
TB2	Site Box	75kg	1150 x 615 x 640
TB12	Truck Box	60kg	1150 x 495 x 460
TB21	Site Box	55kg	760 x 615 x 640
TB3	Site Box	95kg	1150 x 615 x 930
TBC4	Site Chest	125kg	1150 x 615 x 1265
TBC5	Site Chest	155kg	1525 x 615 x 1265
TB6	Truck Box	120kg	1925 x 615 x 640



TransBank

The Armorgard TransBank™ is purpose-built to ensure that you comply with all legal requirements for storing and transporting hazardous goods, while protecting them from theft, fire and leakage.

- Suitable for chemicals or flammables
- Built to specification for 1/2 hour fire resistant
- Over-centre catch with padlock facility
- Finished in bright red with relevant hazard warning signs fitted as standard
- Robust steel plate construction for maximum protection

CODE	DESCRIPTION	WEIGHT	EXTERNAL DIMENSIONS (MM)
TRB1	Transbank	13kg	430 x 415 x 365
TRB2	Transbank	20kg	530 x 485 x 540
TRB3	Transbank	24kg	705 x 485 x 540
TRB4	Transbank	28kg	880 x 485 x 540
TRB5	Transbank	38kg	1195 x 485 x 540



TuffBench

The TuffBench™ heavy-duty folding work platform is a versatile workbench designed for contractors on the move, and is perfect for use on construction sites. Its quick and easy assembly system – with no detachable parts – makes it easy to transport and store.

- Easy-to-use mobile work platform
- Designed for contractors on the move
- Durable and built to last

CODE	DESCRIPTION	WEIGHT	EXTERNAL DIMENSIONS (MM)
BH1080	TuffBench	45kg	1080 x 750 x 820
			Folded 1080 x 750 x 130



LoadAll

Save space, ease handling and protect your materials from damage using Armorgard LoadAll™.

- Space saving trolley for transporting large sheets of board
- Save space, ease handling and protect your materials
- Specially designed for storing and transporting plasterboard.

CODE	WEIGHT	LOADING WEIGHT	EXTERNAL DIMENSIONS (MM)
LA750	41kg	750kg	550 x 1350 x 1130
LA1000	49kg	1000kg	730 x 1250 x 1410



PipeRack

The Armorgard PipeRack™ is an innovatively designed wheeled storage rack to manoeuvre while you're working on site.

- All steel heavy-duty construction
- Powder coated finish for ultimate protection
- Unique fully folding design
- Fitted with ultra-robust industrial swivel castors

CODE	WEIGHT	LOADING WEIGHT	EXTERNAL DIMENSIONS (MM)
PR1	83kg	1000kg	1000 x 1500 x 1560



Formastor

The FormaStor™ is a new quick-assembly, modular solution for on-site secure storage. It's the most robust flat-pack storage around.

- Person portable - erected simply and easily with no fuss! Instructions included
- Forklift pockets for easy transportation
- Lifting eyes for crane loading
- Heavy-duty doors with 5-lever deadlocks and jemmy-proof joins
- Fully galvanised and powder coated for maximum durability

CODE	WEIGHT	EXTERNAL DIMENSIONS (MM)
FR100-T	282kg	2075 x 1120 x 2160
FR200-T	336kg	2075 x 2075 x 2160
FR300-T	415kg	2075 x 2990 x 2160
FR400-T	484kg	2075 x 3995 x 2160



SiteStation

This versatile new work station comprises two spacious main compartments. The top section features a folding slanted work surface – ideal for displaying plans and charts – which when shut provides an additional lockable storage area – ideal for power tools, PPE and fixings.

- A purpose –built solution for your on-site work station needs
- Convenient place for performing routine on site tasks
- Optional power supply and light
- Robust construction giving maximum protection
- Full-width shelves in both lower and upper compartments
- Pockets on doors

CODE	DESCRIPTION	WEIGHT	EXTERNAL DIMENSIONS (MM)
SS2	SiteStation	254kg	1355 x 835 x 2000



Fittingstor

This robust yet easily portable storage cabinet is designed to secure all your costly components & tools in one safe location.

- Featuring removable shelves & fittings bins.
- Heavy duty (braked) castors for ease of movement.
- Built-in forklift skids for easy transportation.
- Five lever deadlocks top & bottom for ultimate security.
- Strong ergonomic handle.

CODE	DESCRIPTION	WEIGHT	EXTERNAL DIMENSIONS (MM)
FC3	Fittingstor	139kg	1200 x 550 x 1750
FC4	Fittingstor	125kg	1120 x 575 x 1580
FC5	Fittingstor	160kg	915 x 990 x 1575
FC6	Fittingstor	123kg	1077 x 775 x 1880



Trekdror

TrekDror; Robust, steel tool drawers for vehicles & small spaces. Removable internal partitions. Designed to fit neatly into smaller spaces, such as under a shelf or between wheel arches, and can be fixed down. Unique bearing & roller system ensures a smooth sliding action to access contents easily and safely. TrekDror is cased in corrugated steel with reinforced ribs and 5-lever deadlocks for extra security.



CODE	DESCRIPTION	DIMENSIONS (WxDxH) (MM)
125519300	Trekdror 1	490x1105x300
125519310	Trekdror 2	980x1105x200
125519320	Trekdror 3	490x1105x490

More Products



CODE: 125519090

The multi-purpose Rubble Truck features an in-built tipping feature, ideal for handling waste and rubble, a huge 400 litre capacity scoop, extra strength crane lift eyes and solid rubber wheels.



Turntable Truck

CODE: 125519095

Turntable Truck features large, puncture proof solid rubber wheels, a raised heavy duty deck for good ground clearance and easy loading and a precision steering mechanism for easy manoeuvring. 1000kg Loading Capacity.



FlexiKart

CODE: 125519015

FlexiKart is a safe, multi-purpose folding pallet skate. With a 750kg load capacity, this sturdy trolley is ideal for moving materials & storing them off the ground. Versatile for tonne bags, bundles, and pallets. Featuring 4 round folding arms, for universal use with scaffold clamps, and four swivel castors (2 braked & 2 direction locked).



CODE: 125519130

The ever-popular Armorgard CuttingStation is a neat, mobile workstation that eliminates the need for a separate cutting room and is essential for safely cutting lengths, such as conduit, timber, cable tray and pipe.



TuffCage

CODE: 125519400

Constructed from galvanized heavy duty steel, this robust high security cage is suitable for storing gas cylinders as well as tools and equipment. Fast and easy to erect and collapse, its space-saving one-piece design folds down to just 180mm in seconds – and with no detachable parts to lose!



6" Castor Wheels

CODE: 125517005

These robust 6" castors with a weight loading of 135kg per wheel are easy to fit with the quick fit fixing kit, using the pre-drilled holes and castor plates. An easy add-on for many armorgard products with forklift skids. Box of 4 each.

SURFACE PROTECTION

FEATURED BRANDS



Ram Board Floor Protection

Ram Board is a heavy-duty temporary floor protection which is used to cover large areas in a fraction of the time it would take using traditional methods.

- Heavy-duty temporary floor protection
- NEW Wall Guard™ feature
- Exclusive Vapor-Cure™ technology
- Flex-Fiber™ technology
- Spill Guard™ technology
- Lays out fast
- Non-staining
- FSC® certified - recycled / recyclable
- Save on labor & damage repair

CODE	SIZE	THICKNESS	WEIGHT	ROLLS / PALLET
128500200	30 sq.m.	46mm	22kg	16



Ram Board Painters Board

Painter's Board is a durable, temporary floor protection for the professional and DIY painter that avoids floor stains common with red-rosin paper.

- Uniquely crafted for painters
- Thicker than red rosin paper
- Spill Guard® technology
- Non-staining
- 35" width fits doorways and halls

CODE	SIZE	ROLLS / PALLET
128500400	13 sq.m.	9



Ram Board Ram Jamb

Ram Board Door Jamb Protection provides heavy-duty jamb protection to guard against dings, dents, & scratches that occur on construction jobsites.

- Heavy-duty door jamb protection
- Quick & easy to install
- Re-usable
- One size fits 4"-9" door jamb widths

CODE	LENGTH	UNITS / BOX
128500450	60"	50




Ram Board Edge Tape

Ram Board Edge Tape™ provides easy release from floors, yet it's tough enough to hold Ram Board edges securely in place without damaging flooring surfaces.

- Bonds tight to Ram Board® edges
- Easy release from flooring surfaces
- Heavy-duty
- Clean removal
- Ample 2.5" width for easy installation
- Safety orange identifies edges of flooring

CODE	SIZE	ROLLS / BOX
128500500	2.5" X 180'	16



Ram Board Seam Tape

Ram Board Seam Tape is the ideal solution for joining Ram Board floor protection seams.

- 3" width easily covers Ram Board seams
- Engineered to work specifically with Ram Board
- Unique kraft backing tears easily and
- creates an extremely durable, smooth finish
- 100% recyclable
- Not intended to be applied directly to floor

CODE	SIZE	WEIGHT	ROLLS / BOX
128500520	3" x 164'	450g	16



Ram Board Vapor Cure Tape

Ram Board's Vapor-Cure Tape prevents cure lines and promotes even finishes when curing floors.

- Exclusive Vapor-Cure™ technology
- Prevents cure lines in concrete
- Prevents blotchy finishes in curing floors
- Allows vapors and moisture to escape
- 3" easily covers Ram Board seams
- Lays out fast

CODE	SIZE	WEIGHT	ROLLS / BOX
128500530	3" x 108'	200g	16



Ram Board Seamer

Save your time, money and back with the new Ram Board Seamer.

- Install tape up to 60% faster
- Effortlessly applies most 2", 3", and 4" tapes
- Durable design built to last
- Applies tape efficiently, eradicating waste
- User friendly design: load, unwind, and go
- Easy Storage

CODE	SIZE	WEIGHT	PALLET QTY
128500550	46" H X 6" W X 8" D'	4.5kg	36



Ram Board Multi-Cutter

Exclusive Dual Edge Guard System™ protects flooring from scuffs and damage.

- Fast and easy opening magnetic closure
- Ergonomic, anti-slip grip design
- Heavy-duty
- Fuzz guard prevents debris collection in
- handle
- Includes 4 standard utility blades
- Cuts Ram Board® and many other materials

CODE: 128500560	CLIP-STRIP: 6 PACK	DISPLAY CASE: 12 PACK
-----------------	--------------------	-----------------------



Ram Board Stair Armor

Introducing the industry's first paperboard stair protection product. Made with heavy-duty Ram Board, adjustable tread sizing, bull-nose protection, and Spill Guard™ Technology, Stair Armor™ is the absolute end-all of stair protection.

- Heavy-duty temporary stair protection
- Reinforced bull-nose guard
- Adjustable tread
- Spill Guard® technology
- Non-staining
- Recycled/Recyclable

CODE	SIZE	CASE PACK
128500460	34" X 19"	36 Bundles (6 stair protectors per bundle)





Taktec Surface Protection

Taktec Surface Protection Films, by Antinox Global, are self-adhesive, premium surface protection products. Designed to keep surfaces free from dust, dirt, paint and more!

- Waterproof Technology
- Paint Spill Protection
- Self-Adhesive PSA (Pressure-Sensitive Adhesive)
- Leaves No Residue
- Simple to Install
- Ideal for Stairs
- Not suitable for use on painted or varnished surfaces
- Max. Usage: 30 Days

CODE	PRODUCT	SIZE	GRADE	ROLLS / BOX
128500700	Glass Protector	600mm x 50m	50 Micron	12
128500690	Hard Floor Protector	600mm x 50m	50 Micron	12
128500680	Carpet Protector	600mm x 50m	50 Micron	12



Antinox Floor Protection Boards

- Heavy Duty Protection Board
- 10 Sheets Per Pack
- 20 Packs Per Carton
- Lightweight
- Waterproof
- Flexible
- Easy to Transport
- Conveniently sized for all decorating & DIY needs

CODE	PRODUCT	SIZE
128500800	Floor Protection Boards	1.2m x 0.6m x 2mm





RATCHETS & ROPES

FEATURED BRANDS

QUICKLOADER

QUICKLOADER THE ULTIMATE TIEDOWN



Longer webbing
Great versatility.

Automatic recoil
Self adjusts. No more loose webbing flapping around.

Longer handle
Easier to ratchet.

Extended release
No more pinching your fingers.

D-Rings
More anchoring options.

QUICKLOADER

Retractable

The perfect tiedown for your every need.

Quickloader Retractable is a patented and award-winning ratchet tie-down. The aim of Quickloader is to offer the best and easiest tie-down solution in the world, manufactured to meet the highest quality standards.

Features

- Unique, patented retractable tie-down
- Faster, cleaner and easier to use than traditional tiedowns
- Reduces time spent on loading and unloading
- Avoid "spaghetti" and dangerous loose webbing
- Ensure safe transportation of loads
- D-rings for more versatility
- Opening wing for emergencies
- Complies with EN-standard requirements



For securing cargo



For securing your hobby equipment

CODE	NAME	JOININGS	LASHING CAPACITY	BREAK STRENGTH	LGF (LENGTH OF NON RETRACTING PART)	LGL (LENGTH OF RETRACTING PART)	QTY / PACK
125510800	QL 800LD	S-hooks	400 kg	800 kg	0.3 m	3.3 m	10
125510802	QL 800LD Twin Pack	S-hooks	400 kg	800 kg	0.3 m	3.3 m	5
125512000	QL 1200MD	Double J-hooks & D-rings	600 kg	1200 kg	0.5 m	4 m	12
125512002	QL 2000HD	Double J-hooks & D-rings	1000 kg	2000 kg	0.5 m	4.5 m	8
125513000	QL 3000HD	Double J-hooks & D-rings	1500 kg	3000 kg	0.5 m	3.5 m	4

QUICKLOADER

Straps

A stretchable strap for all your small securing needs.

Quickloader Strap is an awarded, patented and completely new and unique solution for all your small securing needs at home and on the road. The strap has no metallic parts which means no scratches, damages or injuries. It doesn't crack or harden and it is adaptable. Quickloader Strap is also much more than just a securing strap.

Features

- Secure and scratch free cargo securing
- No metal parts, no injuries
- No over tightening risks
- Perfect flexibility
- Endlessly linkable together
- Unlimited versatility and length
- Adapts easily for carrying



CODE	NAME	LENGTH	COLOUR	MAXIMUM LOAD	QTY / PACK
125510500	Quickloader Straps	110 cm	Black	50 kg	10

Classic Tie-down



CODE	NAME	LENGTH	MAXIMUM LOAD	QTY / PACK
125510690	QUICKLOADER CLASSIC	4m	500 kg	4
125510695	QUICKLOADER CLASSIC	5m	800 kg	1
125510705	QUICKLOADER CLASSIC - 50mm	9m	4000 kg	1

All 25mm x 4mm Strap Webbing, unless stated.

Cambuckle Multi-use Tie-down



All 25mm x 4mm Strap Webbing.

CODE	NAME	LENGTH	MAXIMUM LOAD	QTY / PACK
125510565	QL CAMBUCKLE	2.5m	300 kg	2
125510570	QL CAMBUCKLE	3m	500 kg	2
125510575	QL CAMBUCKLE	5m	500 kg	1
125510580	QL CAMBUCKLE PROTECT	3m	600 kg	1
125510585	CAMBUCKLE Z-LOCK	3m	800 kg	2
125510590	CAMBUCKLE Z-LOCK HYBRID	4m	800 kg	2
125510595	CAMBUCKLE Z-LOCK S HOOKS	4m	400 kg	2
125510675	QL CAMBUCKLE CLASSIC	1.5m	500 kg	1
125510680	QL CAMBUCKLE CLASSIC	2.5m	500 kg	1
125510685	QL CAMBUCKLE CLASSIC	4m	500 kg	1

Butterfly Bungee Strap

CODE	NAME	LENGTH	MAXIMUM LOAD	QTY / PACK
125510510	BUTTERFLY BUNGEE	80cm	45 kg	2
125510520	BUTTERFLY BUNGEE	120cm	45 kg	2
125510525	BUTTERFLY BUNGEE FLAT	100cm	45 kg	2
125510530	BUTTERFLY BUNGEE FLAT ADJ	140cm	45 kg	2



Rebel Tie-down

Two-piece tie-down to secure medium cargo. Motorbike rubber handle. Coated S-snap hooks. 25mm strap webbing (unless stated).



CODE	NAME	LENGTH	MAXIMUM LOAD	QTY / PACK
125510605	REBEL ORANGE	4m	800 kg	2
125510610	REBEL METALLIC (29mm)	4.5m	1200 kg	2
125510615	REBEL CAMOFLAGE (29mm)	5m	1500 kg	2
125510600	REBEL HYBRID	5m	800 kg	1

Heavy Duty Professional Tie-down



All 25mm x 4mm Strap Webbing, unless stated.

CODE	NAME	LENGTH	MAXIMUM LOAD	QTY / PACK
125510630	QL PROFESSIONAL	5m	900 kg	1
125510635	QL PROFESSIONAL	5m	900 kg	2
125510640	QL PROFESSIONAL HYBRID	5m	900 kg	1
125510645	QL PROFESSIONAL (35mm)	6m	2000 kg	1
125510650	QL PROFESSIONAL (50mm)	10m	4000 kg	1
125510655	QL PROFESSIONAL (50mm)	10m	5000 kg	1

More From the Quickloader Range



CODE: 125510660

Quickloader Standard Strap

Standard tie-down for securing light duty cargo. Maximum load 800kg. 4.5m length. Rubber handles. Coated S-hooks.



CODE: 125510535
125510540
125510545

Quickloader Anchors

D-Ring heavy duty tie-down anchor for securing cargo. 500kg, 2500kg & 5000kg break strength options.



CODE: 125510505

Carabin Bungee

Bungee with carabiner that ensures it will not slip off. Suitable for bikes, camping, roof racks, hand carts etc. 80cm length.



CODE: 125510620
125510625

Quickloader Advantage Hybrid

Magnetized two-piece ratchet strap featuring a longer, more ergonomic grip handle, a more reliable opening mechanism, magnets for easy storage, and attachment for easier storage of excess webbing. 1200kg & 2000kg break strength options. 35mm webbing.




CODE: 125510710
125510715

MG Strap & Ratchet

Maxx Gear tie-down to secure cargo. 5m webbing length. 500kg & 1500kg break capacity options.



CODE: 125510560



Quickloader Carry Handle Grip

Innovative professional ergonomic handle with a strong self-winding webbing. The possibilities are limitless, from combining tool boxes or other site materials into a single bundle before carrying, logs and lumber, or carrying purchases to and from your car, home to home, or fixing gear to your boat. Free a hand or double up and carry more at a time - ergonomically while reducing the risk of falling objects while carrying.



AGRI, WIRE & SPORTS FENCING

FEATURED BRANDS





High Joint Stock Fencing

CODE	CLASS	DESCRIPTION	LENGTH	HEIGHT (CM)	LINE WIRES	VERTIAL SPACE (CM)	QTY/ PALLET
MILD STEEL							
402700099	LIGHT	2 ft (L5.60.15)	50 yds	60	5	15	25
402700199	LIGHT	3ft (L6.90.15)	50 yds	90	6	15	25
402700220	LIGHT	4ft (L8.115.15)	50 yds	115	8	15	20
402700285	HEAVY	2ft (C5.60.15)	50 yds	60	5	15	25
402700299	HEAVY	2ft 8" (C8.80.15)	50 yds	80	8	15	30
402700290	HEAVY	3ft (C6.90.15)	50 yds	90	6	15	20
HIGH TENSILE STEEL							
402700399	HIGH TENSILE	2ft 8" (HT8.80.15)	100m	80	8	15	12
402700600	HIGH TENSILE	2ft 8" (HT8.80.22)	100m	80	8	22	12
All Stockfence coated to BS EN 10244 - 1/2. All Stockfence constructed to BS EN 10223 - 5							

Wire Fencing - SMOR Stiff Knot / Tension Mesh

- Due to it's high-tensile steel core the fence reduces the chance of the fence "wrapping around" your horses should they impact it.
- Very close vertical wire spacing and horizontal wire spacing minimises the chances of a hoof becoming entangled.
- Springy texture provides safety in the event of an animal colliding with the fence.



CODE	DESCRIPTION	LENGTH	HEIGHT (CM)	VERTIAL SPACE (CM)	HORIZONTAL SPACE (CM)	QTY/ PALLET
402700600	8/80/22	100m	32"/80cm	9" / 22cm	N/A	12
402700610	8/80/22	300m	32"/80cm	9" / 22cm	N/A	4
402700615	8/90/22	50m	36"/90cm	9" / 22cm	N/A	20
402700618	8/90/22	100m	36"/90cm	9" / 22cm	N/A	12
402700619	10/90/5	50m	36"/90cm	2" / 5cm	4" / 10cm	10
402700620	13/122/5	50m	48"/122cm	2" / 5cm	4" / 10cm	9
402700621	13/122/5	100m	48"/122cm	2" / 5cm	4" / 10cm	5
402700623	14/132/5	50m	52"/132cm	2" / 5cm	4" / 10cm	9
402700625	14/132/5	100m	52"/132cm	2" / 5cm	4" / 10cm	5
402700730	15/158/7.5	50m	62"/158cm	2" / 5cm	4" / 10cm	9
402700735	18/183/5	50m	72"/183cm	2" / 5cm	4" / 10cm	9
402700627	18/183/5	100m	72"/183cm	2" / 5cm	4" / 10cm	5

Deer Wire - Solar Farm Fencing

CODE	LENGTH (M)	HEIGHT (CM)	VERTICAL SPACE (CM)	HORIZONTAL SPACE (CM)	QTY/ PALLET
402700755	100m	190cm	15cm	13cm	9
402700756	250m	190cm	15cm	13cm	9



Barb Wire

CODE	DESCRIPTION	WIRE THICKNESS (MM)	BARBS (MM)	LENGTH	QTY/ PALLET
402502099	Mild Steel Barb Wire	2.50	2.00	200 yards	36
402500099	High Tensile Barb Wire 1.6mm	2.00	1.60	200 metres	64
402501099	High Tensile Barb Wire 2mm	2.00	1.89	200 metres	48
All stockfence coated to BS EN 10244 - 1/2					
All stockfence constructed to BS EN 10223 - 5					



Barb Wire

Gripple Plus

Wire joiners for the patching and tensioning of all types and sizes of wire fencing.

- Join and tension in one
- Faster than tying and knotting wires
- Saves time and money in labour
- High load holding
- High grade ceramic roller for optimum corrosion resistance
- Adjustable and can be re-tensioned year-after-year



CODE	DESCRIPTION	DETAILS	WIRE GAUGE (G)	QTY/ PACK
402410014	Gripple Plus - Small	1.40mm - 2.20mm, 300kg working load	17 - 13	20
402410015	Gripple Plus - Medium	2.00mm - 3.25mm, 400kg working load	14 - 10	20
402410020	Gripple Plus - Medium	2.00mm - 3.25mm, 400kg working load	14 - 10	400
402410017	Gripple Plus - Large	3.25mm - 4.20mm, 600kg working load	10 - 7.5	20

Gripple Barbed

- Designed to join 2.50mm ½" mild steel barbed wire.
- Removes the need to knot barbed wire.
- Fitted with ceramic rollers for high corrosion resistance.
- Ideal for use with a T-Clip for end post termination.
- 150kg working load

CODE	DETAILS	WIRE GAUGE (G)	QTY/ PACK
402410018	2.00mm - 2.50mm	12.5	10




Gripple T-Clip

- The quick and easy way to tie-off at the start or end of a fence.
- Ideal for use on all types of stock fence, especially on horse fence where space is tight.
- Also suitable for tying-off barbed wire.
- 400kg working load

CODE	DETAILS	WIRE GAUGE (G)	QTY/ PACK
402410019	1.80mm - 3.25mm	15 - 10	20
402410022	1.80mm - 3.25mm	15 - 10	300



Gripple Anchor



CODE	DESCRIPTION	DETAILS	QTY/ PACK
402410025	Gripple Ground Anchor 4	With 1m wire rope	6
402410030	Anchor Drive tool	To drive ground anchor	1



Gripple Medium Starter Pack

- 1 x Torq Tensioning Tool
- 50 x Gripples

CODE: 402410012



Contractor Starter Pack

Ideal for contractors to erect fencing.

- 1 x Contractor Tool
- 250 x Medium Gripples
- Packed in canvas bag

CODE: 402410011



Gripple Contractor Tool

- The contractor tool is strong, robust and built for contractors - producing the same tension with much less effort.
- Quick release cam to position the tool easily on the wire.
- Soft, moulded, ergonomic grips for added comfort

CODE: 402410021



Gripple Torq Tensioning Tool

- Wire tensioner tool that regulates the load applied to it, delivering consistent results and maximising the life of your wire. Ideal for wire fence tensioning and wire trellising tensioning
- Lightweight and compact
- Designed with an in-built gauge, controls the tension applied to the wire
- One tool works on all Gripple tensioners on up to 6mm diameter wire
- Ensures consistent tension every time, optimising the life of wires
- Gear driven handles provide a 6:1 mechanical advantage, allows tensioning with minimal effort



CODE: 402410009

Gripple Wire Cutters

- These custom-designed cutters are made for cutting galvanised wire and wire rope with a spring-loaded opening action.

CODE: 402410210



Galvanised Chainlink

CODE	DESCRIPTION	HEIGHT (MM)	LENGTH	WIRE DIMS. (MM)	WIRE GAUGE (G)	ROLLS/ PALLET
14 GAUGE						
402300900	3ft - 14G	900	25 yards	2	14	20
402301200	4ft - 14G	1200	25 yards	2	14	20
402301500	5ft - 14G	1500	25 yards	2	14	20
402301800	6ft - 14G	1800	25 yards	2	14	20
CLASS H - HEAVY - 12 GAUGE						
402311200	HEAVY - 4ft - 12G	1200	25 yards	2.5	12	16
402311500	HEAVY - 5ft - 12G	1500	25 yards	2.5	12	16
402311800	HEAVY - 6ft - 12G	1800	25 yards	2.5	12	16
402312400	HEAVY - 8ft - 12G	2400	12.5 yards	2.5	12	25
All chainlink galvanised to BS443						

PVC Chainlink / Green (Ral 6005)

CODE	DESCRIPTION	HEIGHT (MM)	LENGTH	WIRE DIMS. (MM)	WIRE GAUGE (G)	ROLLS/ PALLET
12 GAUGE - PVC GREEN RAL 6005						
402320900	PVC GREEN - 3ft -12G	900	25 yards	2.5 / 1.7	12	20
402321200	PVC GREEN - 4ft -12G	1200	25 yards	2.5 / 1.7	12	20
402321500	PVC GREEN - 5ft -12G	1500	25 yards	2.5 / 1.7	12	20
402321800	PVC GREEN - 6ft -12G	1800	25 yards	2.5 / 1.7	12	20
CLASS H - HEAVY - 10 G - PVC GREEN RAL 6005						
402331200	PVC GREEN - HEAVY - 4ft - 10G	1200	25 yards	3.15 / 2.24	10	16
402331500	PVC GREEN - HEAVY - 5ft - 10G	1500	25 yards	3.15 / 2.24	10	16
402331800	PVC GREEN - HEAVY - 6ft - 10G	1800	25 yards	3.15 / 2.24	10	16
402332400	PVC GREEN - HEAVY - 8ft - 10G	2400	12.5 yards	3.15 / 2.24	10	25
All chainlink galvanised to BS443						

Chainlink Motorway / NRA

CODE	DESCRIPTION	HEIGHT (MM)	LENGTH (M)	WIRE DIMS. (MM)	WIRE GAUGE (G)	ROLLS/ PALLET
CLASS M - MOTORWAY						
410001300	Motorway - 4ft 4"	1300	AOR	63	3.2 / 2.23	16
401007000	Motorway - 6ft	1800	AOR	50	3.2 / 2.23	16
All chainlink galvanised to BS443						



Galvanised Chainlink



PVC Chainlink (RAL 6005)



Motorway Chainlink

Netting Wire

CODE	DESCRIPTION	HEIGHT (MM)	BOX SIZE (MM)	WIRE GAUGE (MM)	LENGTH OF ROLL (M)	ROLLS/ PALLET
ROLL LENGTH - 10M						
402906013	2ft x 1/2"	600	13	0.7	10m	150
402909013	3ft x 1/2"	900	13	0.7	10m	151
402909025	3ft x 1"	900	25	0.8	10m	151
402909050	3ft x 2"	900	50	0.9	10m	151
402912025	4ft x 1"	1200	25	0.9	10m	151
402912050	4ft x 2"	1200	50	0.9	10m	151
PVC NETTING WIRE ROLL						
402919500	20" x 1/2"	500	13	0.7	10m	144
ROLL LENGTH - 50M						
402800099	2ft x 1/2"	600	13	0.7	50m	68
402800299	2ft x 1"	600	25	0.8	50m	68
402800599	2ft x 2"	600	50	0.9	50m	106
402800199	3ft x 1/2"	900	13	0.7	50m	40
402800399	3ft x 1"	900	25	0.8	50m	40
402800699	3ft x 2"	900	50	0.9	50m	53
402800499	4ft x 1"	1200	25	0.8	50m	34
402800799	4ft x 2"	1200	50	0.9	50m	39
402800899	5ft x 2"	1500	50	.9	50m	34
402801499	6ft x 2"	1800	50	.9	50m	34
RABBIT WIRE ROLL						
402802000	Rabbit Wire	1000	31	1.1	50m	60

Coils / Plain Wire



CODE	DESCRIPTION	WEIGHT (KG)	DIMENSIONS (MM)	WIRE GAUGE (G)	LENGTH OF ROLL (M)
402600099	Mild Steel Wire	25	2.50	12	650
402600199	Mild Steel Wire	25	3.15	10	385
402600299	Mild Steel Wire	25	4.00	8	250
402600599	High Tensile Wire	25	2.50	12	650
402712400	High Tensile Green Wire	25	2.5	12	650
402600399	Galvanised Tying Wire	2.5	1.60	16	156
402600499	Galvanised Tying Wire	2.5	2.00	14	96
402600910	PVC Line Wire	-	4.00	10	100
402600900	PVC Tying Wire	-	1.30	-	50/100

CenFlex Flexible Fence

The CenFlex rail features Centaur's signature polymer coating, so it will never split or rot, providing a huge advantage in protecting the animals from accident. The flexing technology draws from the full strength of the rail, making it able to support up to 4,000 pounds of pressure at any given point.

- Simple one-piece "belt loop" line bracket system.
- CenFlex installs faster than wood or PVC.
- Will never splinter, rust or rot.
- Almost no maintenance required.
- Withstands expansion due to temperature changes.
- No snapping or sagging rails.
- Each rail is installed in a continuous length allowing impact to be absorbed by the entire length of the fence // Helps reduce broken fencing and injury to animals
- Easily combined with other Centaur fencing products
- Three 12.5 gauge galvanized high tensile steel wires embedded in a polymer coating
- Over 4,200 lbs in break strength (weight of a mid-size SUV)
- Ideal for moderate fence budgets.
- Warranty: 20 year limited manufacturer warranty covers all manufacturer defects including chipping and peeling.

CODE	DESCRIPTION	LENGTH
402700760	5" CenFlex Black	201m
402700762	5" CenFlex Black	100m



CenFlex Line Bracket

The CenFlex® one-piece bracket is specially designed for the CenFlex® (non-electric) fence system.

- Simple one-piece "belt loop" design allows the fence rail to move freely between the line bracket and wood fence post
- Promotes easy tension adjustment and flexibility upon impact.
- HTP® coated steel core for added strength and durability.

Available in Black (Code: 402700765) & White (Hotrail) (Code: 402700805)



One-Way Barrel Tensioner

Centaur's low profile tensioners mount unobtrusively to end or line posts, preserving the traditional rail appearance.

- Designed to terminate and tension 5" rail around corners and straight lengths up to 660 feet (for every major directional change, deduct 100 feet).
- Needs to be installed on a 6 to 8 inch wood termination post.
- For Centaur® and CenFlex® fence systems only.
- All Centaur's Sure-Fit® Accessories are produced to the highest quality standards, assuring you a fence installation that will stand the test of time.

Available in Black (Code: 402700773) & White (Hotrail) (Code: 402700810)



Two-Way Barrel Tensioner

Centaur's low profile tensioners mount unobtrusively to end or line posts, preserving the traditional rail appearance.

- Ideal for splicing long runs of 5" rail and tensioning around corners and straight lengths up to 660 feet in each direction for a total combined length of 1,320 feet (for every major directional change, deduct 100 feet).
- Install on a 6 to 8 inch wood termination/end post.
- All Centaur's Sure-Fit® Accessories are produced to the highest quality standards, assuring you a fence installation that will stand the test of time.

Available in Black (Code: 402700775) & White (Hotrail) (Code: 402700815)



Sure-Hook Termination Bracket

Anchors the end of the 5" rail to the wood termination post.

- No wire stripping or special tools needed.
- Needs to be installed on a 6 to 8 inch wood termination/end, or gate post.
- For Centaur® and CenFlex® fence systems only.
- All Centaur's Sure-Fit® Accessories are produced to the highest quality standards, assuring you a fence installation that will stand the test of time.


Available in Black (Code: 402700768) & White (Hotrail) (Code: 402700820)



Termination Loop

Anchors the end of the 5" rail to the wood termination post.

- No wire stripping or special tools needed.
- This wrap-around anchor method is ideal for reducing the possibility of brace post twisting.
- Needs to be installed on a 6 to 8 inch wood termination/end, or gate post.
- For Centaur® and CenFlex® fence systems only.
- All Centaur's Sure-Fit® Accessories are produced to the highest quality standards, assuring you a fence installation that will stand the test of time.



CODE: 402700780

Diagonal Brace Plates

Designed to connect the brace and the post, reinforcing the strength of the brace and keeping your fences strong and durable.

- Makes a secure connection between brace and post without notching
- Allows for solid, long-lasting braces
- Install with galvanised 3.5" ring shank nails or 2.5" screws.
- All Centaur's Sure-Fit® Accessories are produced to the highest quality standards, assuring you a fence installation that will stand the test of time.



CODE: 402700785

Sure-Hook Splice Buckle

Splices two pieces of 5" rail together to create a longer piece of rail.

- No wire stripping or special tools needed.
- Quick and easy way to splice a 5" rail.
- All Centaur's Sure-Fit® Accessories are produced to the highest quality standards, assuring you a fence installation that will stand the test of time.

Available in Black (Code: 402700770) & White (Hotrail) (Code: 402700823)



Spinning Jenny

The Spinning Jenny is perfect for those searching for ease and convenience when loading rolls of fence.

- Fits all Centaur products and high Tensile wire.
- Controls over-spin with an adjustable brake
- Strong, four leg base gives great stability
- Adjustable arms provide ease and convenience when loading rail
- Strong steel frame
- 100cm x 100cm x 30cm (tall)
- 16kg
- Made from steel





CODE: 401016830

Equiwire - Electric Safety Coated High Tensile Wire

White/Black Lightning® is a permanent electric high tensile wire fence system. The 12.5 gauge high tensile steel wire is embedded in a polymer safety coating that promotes visibility and helps prevent slicing and cutting injuries.

- White/Black Lightning® contains three carbon veins for optimum conductivity. This three point shock design provides 360 degrees of charge promoting ultimate fence respect.
- Embedded carbon veins for optimum conductivity.
- Safety coated to help prevent injury.
- Sure-Fit® T-Post Safety Sleeve compatible.
- Color coating options to promote visibility.



CODE	DESCRIPTION	LENGTH
402700795	White Lightning (3 HOT)	402m
402700797	Black Lightning (3 HOT)	402m

Hotrail Rail - White

Electric Hot Rail combines the high tensile safety of Centaur® with the added security of an electric fence. Hot Rail® contains a conductive bead that eliminates the need for a separate hot wire installation.

- Integrated electric bead.
- Deluxe HTP® Polymer thickness for extra durability.
- Innovative two-piece "belt-loop" line bracket system for optimal attachment.
- No Boards To Replace, No Cribbing
- 4,200 lbs of strength per rail
- Withstands -40°C to 93.3°C
- Available in 100m or 200m rolls
- 30 Year Limited Warranty



CODE	DESCRIPTION	LENGTH
402700757	5" White Hotrail Flexible Rail	201m
402700758	5" White Hotrail Flexible Rail	100m

Forest Wire Fencing

Explanation of Wire Description above: Example: 8/80/22: 8=No. of horizontal line wires; 80=Height (cm) of mesh fence. 22=Distance between the vertical picket wires.

CODE	CLASS	DESCRIPTION	LENGTH	HEIGHT (CM)	LINE WIRES	VERTICAL SPACE (CM)	QTY/ PALLET
402700259	LIGHT HIGH TENSILE	LHT6.90.15	100m	90	6	15	15

Decorative Border Fence

An ideal decorative border fence to enhance any garden.

CODE	DESCRIPTION	HEIGHT (FT)	ROLLS/ PALLET
430400010	Border Fence 400mm	1ft 4"	20
430900010	Border Fence 900mm	3ft	20
Colour : Green RAL 6005			




Galvanised Weldmesh




Our weldmesh is the very best in strength, versatility, high performance and quality.

CODE	DESCRIPTION	HEIGHT (MM)	BOX SIZE (MM)	WIRE GAUGE (G)	LENGTH (M)	ROLLS/ PALLET
ROLL LENGTH - 6M						
403120026	3ft x 1/2" x 1/2"	900	13 x 13	19	6m	180
403120027	3ft x 1/2" x 1"	900	13 x 25	19	6m	180
403120028	3ft x 1"	900	25 x 25	19	6m	180
403120029	3ft x 2"	900	50 x 50	16	6m	72
ROLL LENGTH - 30M						
403090006	3ft x 1/4"	900	6 x 6	22	30m	25
403090013	3ft x 1/2"	900	13 x 13	19	30m	16
403090025	3ft x 1"	900	25 x 25	16	30m	9
403090050	3ft x 2"	900	50 x 50	16	30m	9
403120025	4ft x 1"	1200	25 x 25	16	30m	9
403120050	4ft x 2"	1200	50 x 50	16	30m	12



Galvanised Weldmesh Rolls

PVC Weldmesh Rolls



PVC Weldmesh



CODE	DESCRIPTION	HEIGHT (MM)	BOX SIZE (MM)	WIRE GAUGE (MM)	LENGTH (M)	ROLLS/ PALLET
ROLL LENGTH - 6M						
403160925	3ft x 1"	900	25	1.6 / 1.2	6m	180
403160950	3ft x 2"	900	25	1.6 / 1.2	6m	180
ROLL LENGTH - 25M						
403150950	3ft x 2"	900	50	2.0 / 1.6	25m	12
403151250	4ft x 2"	1200	50	2.0 / 1.6	25m	12

PVC Weldmesh Pallet Drop



CODE	DESCRIPTION	HEIGHT (MM)	BOX SIZE (MM)	WIRE GAUGE (MM)	LENGTH (M)	ROLLS/ PALLET
403160925	3ft x 1"	900	25	1.6 / 1.2	6m	16
403160950	3ft x 2"	900	50	1.6 / 1.2	6m	16

CODE: 403160900

PVC Weldmesh Pallet Drop
with Easi-Fix branding



Installation Accessories for V-Mesh Panels, Posts & Gates



Mesh Fencing Clip

CODE: 40415250



Clip Driver Bit

CODE: 404152550



Self Drill Clip

CODE: 404509999

V-Mesh Panels & Posts

Ideal for playgrounds, schools, playing pitches, factories, gardens, airports, etc. Posts and panels are green PVC coated. Plastic cap for post included.

PANELS

CODE	PANEL HEIGHT (M)	PANEL WIDTH (M)	V PER PANEL
17058056	1.23m	2.5m	2
17051079	1.73m	3.0m	3
17068438	2.33m	3.0m	4

POSTS



CODE	POST HEIGHT (M)	POST SIZE (MM)	CLIPS PER POST
17058081	1.2m	60 x 40	2
17058083	1.7m	60 x 40	2
404501800	1.8m	60 x 60	4
17058086	2.35m	60 x 40	3
404502400	2.4m	60 x 60	4
404503150	3m	60 x 60	6

BASE PLATE & BRACKETS

CODE	PLATE SIZE (MM)
17051612	60 x 40
404503155	60 x 60
CODE	BRACKETS PER PACK
17059618	2



Sportsground - Mick Neville Park
Rathkeale, Co. Limerick



Pedestrian & Double Gates

Suitable for chainlink and mesh panels.


HEIGHT (M)	CODE WIDTH - 1.2M	CODE WIDTH - 4M
1.20 m	420001212	420011240
1.70 m	420001712	420011840
2.40 m	420002412	420012440

Includes: 2 posts to be sealed, adjustable hinges, 1 key lock with 2 flat keys, all bolts and nuts, a ground lock for each leaf, installation on sealing.



Residential PVC Gate 1.2x1.2

CODE: 420001212



Residential PVC Gate 1.7x1.2

CODE: 420001712



Double Mesh Gate H2.4m x L 4m

CODE: 420012440

Drive-In Post Support

Hot dipped galvanised

CODE	SIZE	FINISH	LENGTH	QTY / BOX
340010060	70mm	HD Galv	600mm	10
340010065	75mm	HD Galv	600mm	10
340010070	90mm	HD Galv	750mm	10
340010075	100mm	HD Galv	750mm	10



Bolt Down Post Support


Hot dipped galvanised

CODE	SIZE	FINISH	QTY / BOX
340010120	70mm	HD Galv	6
340010125	75mm	HD Galv	6
340010130	90mm	HD Galv	6
340010135	100mm	HD Galv	6



Fence Panel Clips

CODE	SIZE	FINISH	QTY / BOX
340010053	Panel Clip	38mm	100
340010055	Panel Clip	44mm	100



Wire Tensioning



900mm Wedge Board

CODE: 431000150



1300mm Wedge Board

CODE: 431000155



1900mm Wedge Board

CODE: 431000165



Swivel Grab FX2 Contractor Chain Strain

CODE: 431000140




Chain Strainer with Spring

CODE: 431000130




MK2 Hook Type Boundary Strainer

CODE: 4310000145




XT1 Ratchet Strainer

CODE: 431000070



InsulClip Strainer

CODE: 430018190



Tension Tester

CODE: 431000090



Easy Wire Puller

CODE: 431000080

Tools & Equipment



Staple Pick

CODE: 431000545



MK2 Fencing Pliers

CODE: 431000410



HT Wire Cutters

CODE: 431000440



Knipex Combo Plier

CODE: 431000460



Fencers Crowbar

CODE: 431001200



Post Driver

CODE: 431000510




Wire Twister 78mm

CODE: 431000540



Wire Twister 106mm

CODE: 431000550



Ratchet Handle

CODE: 431000075



UltraCrimp 5-in-1 Tool

CODE: 431000340



EzePull 4-in-1 Tool

CODE: 431000350



EzeCrimp 3-in-1 Tool

CODE: 431000370



2.5 Crimps (Pot 100)

CODE: 431000230



2.5 Crimps (Pot 500)

CODE: 431000240



3.15 Crimps (Pot 50)

CODE: 431000260



Barbed Crimps (Pot 50)

CODE: 431000310



Electric Fencing Crimps (Pot 50)

CODE: 431000330

Electric Fencing



JS Hi-Strain End Insulator (25 Pack)

CODE: 431000600



Gate Handle

CODE: 431000790



JS Wood Post Pinlock (25 Pack)

CODE: 431000640



Mega Claw Insulator White (25 Pack)

CODE: 431000700



3:1 Geared Reel

CODE: 431000780



Clip-On Insulator White (25 Pack)

CODE: 431000730

Wire Jennys



Adjustable 3 Arm with Spike

CODE: 431000170



Helix Wire Winding Jenny

CODE: 431000220



Single Titan
incl. Ground Spike

CODE: 431000200



Double Stacker Permanent

CODE: 431000190

More Fencing Tools & Accessories



Fencing Pliers

CODE: 4031000410



GRIPPLE Wire Cutters

CODE: 4402410210



Aluminium Fence Mallet

CODE: 330300100



Tape Measures

CODE: 431000145



Light Wire Jennys

CODE: 430024105



Maul Hammer

CODE: 4330300110

Sledge Hammer with
Wooden Handle

CODE: 330300120



16 Ounce Claw Hammer

CODE: 500062052



Hog Ring Tool

CODE: 402400005



Hog Rings Galv

CODE: 402400010

Barbed Staples
40mm only

CODE: 180200600



Staples

Available 20mm,
30mm, 40mm, 50mm

CODE: 180200322



Pneumatic Stapling Guns

CODE: 146090100



Gas Powered Staple Guns

CODE: 146090120

Heavy Wire Fence Staples
Sizes available 33mm & 40mm
1500 pieces per bucket

Beck Staples Collated

CODE: N/A

Galvanised Round Wire
Available 50mm - 150mm

CODE: 170900655



Strainer With Egg

CODE: 430018190



In Line Strainer

CODE: 430018183



Chainlink Ratchet Strainer

CODE: 402100098



OUTDOOR & GARDEN

FEATURED BRANDS

 **Aslon**
RUBBER

Outdoor Tiles - Rubber

Aslon rubber tiles are produced from recycled rubber granulate and are therefore 100% recyclable after use. The tiles are easy to lay and maintenance-friendly. The drainage structure ensures that the top layer of the tile dries quickly. Rubber tiles are particularly suitable for playground equipment due to their fall-breaking properties.

- Porosity (920 mm per hour in accordance with EN 12616)
- Lightweight
- Sound absorbing
- Quick and easy to fit
- Fall protection
- 100% recyclable
- Critical fall height values – Head Injury Criterion (HIC) - 0.90 metre for 25mm thickness

CODE	COLOUR	SIZE (MM)	QTY / PLT
111500120	Black Tile	500x500x25	36
111500125	Grey Tile	500x500x25	36
111500130	Sand Tile	500x500x25	36

Aslon
RUBBER



Outdoor Tiles - Artificial Grass

Artificial grass tiles are rubber tiles to which a top layer of artificial grass has been applied. The artificial grass is pressed onto the rubber tiles in such a way that the tile remains porous. The advantage of artificial grass tiles is that compared to standard rubber tiles, they have a softer and more luxurious top layer. The drainage structure ensures that water is channelled away quickly leaving the artificial grass to dry out in a short time.

- High quality top layer of artificial grass
- Lightweight; 18 kg per m2
- Porosity of 250 mm per hour
- Can be placed directly on roofing (except PVC roofing)
- Fall protection
- Underside of tile is studded to enable water to drain away
- Handy to use compared to four-metre-wide artificial grass roll
- Five year guarantee on wear resistance
- Critical fall height values – Head Injury Criterion (HIC) - 0.80 metre for 25mm thickness

CODE	COLOUR	SIZE (MM)	QTY / PLT
111500135	Green Tile	500x500x25	36

Aslon rubber tiles are available with dowel joints. On two edges of each tile there are four holes. Four plastic pins are inserted into these holes allowing the tiles to be joined together. This gives increased stability, provides Anti-theft & allows reassembly & repositioning.



Tile Display Box & Top Card available for pallet quantities.



SPRAYERS


FEATURED BRANDS



BERTHOUD

The Berthoud Vermorel range is a unique concept in spraying due to its' patented contoured backframe, fitted adjustable foam padded straps and waist belt assembly making it the most ergonomic and comfortable sprayer on the market.

- Reduce negative impacts on the spine and pelvis
- Significant reduction in arduousness caused by the sprayer



Vermorel 2000 Pro Comfort

For large gardens, orchards, market gardens, greenhouses, etc. For intensive use (treatment, weeding).

- Ergonomic back frame
- Reversible lever
- Weight empty: 5.97 kg / Full: 26.2kg
- High-performance diaphragm pump with curved piston
- Pressure relief valve, adjustable from 0 to 5 bars
- Professional 'PROFILE'-type lance handle
- Composite telescopic lance 60 cm / 120 cm
- Multi-purpose adjustable nozzle holder
- Very good and quick pressure gain with easy pumping

CODE: 122102022



Reinforced back support
• No direct contact with the tank

Adjustable straps with reinforced foam and tensioners
• Adjusts to the user's morphology
• Protects the user's shoulders



Chest strap
• Ensures sprayer stability
• Alleviates lateral tension

Adjustable waist strap and reinforced back
• Sprayer weight distribution : 70% on the hips / 30% on the shoulders
• Ensures sprayer stability



Vermorel 1800



For large gardens, orchards, trees, shrubs, etc.

- Ergonomic back frame with adjustable double shoulder straps
- Weight empty: 5.1 kg / Full: 25.3kg
- Reversible left/right pump lever with 2 positions
- High-performance diaphragm pump with curved piston
- Professional 'PROFILE' - type lance handle (comfort and accuracy)
- 60 cm composite lance with high mechanical and chemical resistance
- Multi-purpose adjustable nozzle holder

CODE: 122102084

16 litres



Electric Vermorel 3000



CODE: 122102139

Electric Vermorel 3000



CODE: 122102141

Electric Vermorel 3000
with Cart

The benchmark in the market for electric sprayers.

- 18L tank with graduated gauge
- Optimised design for a lighter weight product
- Electronic pressure control for precise and constant spray
- Lithium-ion battery for long lifespan
- Battery charge level indicator
- Immediate stop/start spraying trigger control
- High performance twin diaphragm electric pump
- Rapid battery charger with charge indicator (2.5 hours)

18 litres



Cosmos 18 Pro



A popular product for professional sprayers. Easy and comfortable to use. Reliable. 5 year guarantee.

- 125 mm diameter opening for easier filling, fixing and emptying
- Sloping tank bottom prevents residual fluid after spraying
- Translucent, graded 18 litre tank Pump with agitator
- Lance holder for easy storage
- More comfortable to use and the sprayer fits well on the Back
- Reversible left / right pump lever
- Easier to use and less effort required
- The wrist and hand stay in a natural position
- The pressure chamber seal is not affected by ball wear

CODE: 122001254

16 LITRES



Elyte 8 Pro – Plant Care



The most advanced compression sprayers on the market.

- The most advanced compression sprayer on the market.
- Total reservoir capacity 8.5L
- 3 bar safety valve
- Fixed and off-centre manual pressure pump
- Aluminium pump rod
- Professional profile type lance handle
- 0.5 / 1m strong and chemically resistance lance
- Multi-purpose, adjustable nozzle holder with intergrated swirl plate
- Adjustable carrying strap

CODE: 122101001

85
litres

Elyte 2 Sprayer - Plant Care

- Total reservoir capacity 2L
- Manual pressure pump with intergrated safety valve
- Ergonomic Handle
- Nozzle with adjustable jet and brass insert

CODE: 122101123



2
litres

Sprayer Accessories

NOZZLE KITS & SPRAY SHIELDS

122200560	Hollow Cone Nozzle Kit
122200601	Herbicide Nozzle Kit
122211324	Nozzle Kit (Multi)
122210627	Rex Variable Nozzle
122455004	Spray Shield

LANCES


122280324	Metal Lance
122280327	Universal Sprayer Lance
122211665	Stoprex Lance
122211507	Flexible Extension Tube
122280362	Telescopic Lance 0.6 - 1.2m
122280326	Telescopic Lance 2.4m
122282447	Telescopic Lance 3.6m

REPLACEMENT PARTS

122212310	Diaphragm Kit / Replacement Part
122280310	Sprayer Handle
122280380	Complete Hose - 1.8m
122200806	1 Bar Pressure Regulator
122219324	Silicone Grease
122283845	Safety Harness

JET BOOMS

122220516	2 x Adj Jets Veg Boom
122255044	3 Jets Weedkilling Boom
122215071	Weedkilling Boom 4 Jets





AGRI MASTER

NUTRITION



Premium Complimentary Mineral Feeds

Agri-Master nutrition molassed mineral blocks supply minerals, vitamins, trace elements and antioxidants to balance any dietary deficiencies in the herd.



Pre-Calver

Pre-Calver Molassed Mineral Block is a complementary mineral feedingstuff recommended for feeding to pre-calving dairy and suckler cows up to calving time.

Pre-Calver Molassed Licks contain high levels of trace elements which will help to improve the trace element status of the herd.



Hi-Mag

Hi-Mag Molassed Mineral Block is a complementary mineral feedingstuff recommended for feeding to Suckler Cows and Lactating Cows during high risk times for grass tetany (hypomagnesemic tetany).

Hi-Mag Molassed Mineral Licks contain high levels of trace elements which will help to improve the trace element status of the herd.



Calf Beef

Calf Beef Molassed Mineral Block is a complementary mineral feedingstuff recommended for feeding to calves, weanlings, beef cattle animals and replacement heifers up to 3 months before calving.

Calf Beef Molassed Mineral Licks contain high levels of trace elements which will help to improve the trace element status of the herd.





Product Specifications

		PRE-CALVER	HI-MAG	CALF BEEF
CODE		555060100	555060000	555060200
ANALYTICAL CONSTITUENTS				
Sodium	%	9.40	2.00	9.40
Calcium	%	0.60	1.70	7.80
Magnesium	%	2.00	15.50	2.00
Phosphorous	%	1.10	-	2.00
NUTRITIONAL ADDITIVES				
Copper Sulphate Pentahydrate	mg/kg	2000	1000	1150
Zinc Oxide	mg/kg	4200	1200	1400
Manganese Oxide	mg/kg	2500	2250	2250
Copper Glycinate (Protected Copper)	mg/kg	520	-	-
Calcium Iodate Anhydrous	mg/kg	400	150	320
Cobaltous Carbonate Monohydrate	mg/kg	60	45	45
Selenium	mg/kg	35	25	25
Vitamin A	iu/kg	175000	-	100000
Vitamin D3	iu/kg	40000	-	20000
Vitamin E	mg/kg	750	-	250
Bucket Size	kgs	20	20	20
Pallet Quantity	units	54	54	54

TIMBER SHEET MATERIAL & WORKTOPS

FEATURED BRANDS

MEDITE
DEFINING THE STANDARD OF MDF



FINSA
solutions bois

TOPFORM



Timber Sheet Material

We stock a wide range of timber sheet material to cover all possible requirements. We have established IWP as a market leader in sheet material and can source all requirements through our wide network of manufacturer suppliers. Our sheet material is responsibly sourced and complies with the relevant European standards.

Plywood

TYPE	CODE	FEATURES & USES	SIZES
Hardwood Faced Plywood	552810499 - 552818099	High strength premium quality structural panel. Flooring, roofing, wall sheathing, shuttering, hoarding, packaging. Strong and stiff versatile building board. Smooth sanded surface. Edges must be sealed when used in wet application. Origin: China (Malayan/ Indonesian also available). Uses: general joinery, shelving, boxing in, signage, fascias and soffits, linings	2440 x 1220 x 4 6 9 12 18 25
Birch Plywood	552831969 - 552831999	Furniture grade. Origin: Russia/Latvia. Superior quality plywood with an extremely smooth surface and a precision finish. Uses: furniture manufacture, display signs, shop fitting, wall and ceiling claddings, fascias.	2440 x 1220 x 4 6 9 12 18 25
Marine Plywood	552801200 552801199 552801399	Durable and resistance to fungal attack. BS1088. Uses: environments where exposed to moisture for long periods.	2440 x 1220 x 6 2440 x 1220 x 12 2440 x 1220 x 18
Flexible Plywood	552831905 552831910	Long Grain. Uses: for making curved parts.	2440 x 1220 x 5 2440 x 1220 x 8
Flexible Plywood	552831905 552831910	Short Grain. Uses: for making curved parts.	2440 x 1220 x 5 2440 x 1220 x 8
Shuttering Plywood	552800099 552800199 552800399	Low grade board. Moisture resistant. Not as durable as WBP. – Uses: underlay, Flooring, Substrates, Construction, Hoarding	2440 x 1220 x 9 2440 x 1220 x 12 2440 x 1220 x 18
Veneered Plywood	552820099 - 552825599	Extensive range available: White Oak/ Mahogany/ Walnut/ Beech/ Ash. Uses: cabinet doors, parts of furniture.	2440 x 1220 x 3
Film Faced Ply/ Phenolic Ply	552828299	Smooth, maintenance free surface, easy to keep clean, high load bearing capacity. Uses: panel widely used in the construction, packaging and furniture industries.	2440 x 1220 x 18
Film Mesh Plywood	552819995 552819999	Anti-slip Plywood (also know as Wire Mesh Film Faced Ply)	2440 x 1220 x 12 2440 x 1220 x 18



PLYWOOD



FILM MESH PLYWOOD

Hardboard

TYPE	CODE	FEATURES & USES	SIZES
Standard Grade	552000099	Light compressed fibreboard. Flat, smooth and resistant to wear. Uses: cabinet making.	2440 x 1220 x 3
White Painted	552000199	Light compressed fibreboard. Flat, smooth and resistant to wear. Uses: cabinet making.	2440 x 1220 x 3
Cream Painted	552000299	Light compressed fibreboard. Flat, smooth and resistant to wear. Uses: cabinet making.	2440 x 1220 x 3
Woodgrain MDFs	552000799 - 552001760	Available in Ivory/ Lissa Oak (Dublin Pippy Oak)/ Natural Grey/ Cambrian Oak (Caledonian Oak)/ Olmo Wabi & Sabi Boreal	2440 x 1220 x 3



HARDBOARD



WHITE SUPERPAN

Chipboard / Superpan


TYPE	CODE	FEATURES & USES	SIZES
Melamine Faced Superpan	552110039 - 552110199	White / Cream (2440 x 2050 & 2800 x 2100 also available)	2440 x 1220 x 15 2440 x 1220 x 18
Superpan Standard Colours	552243899 - 552472199	Lissa Oak/ Grey/ Maple/ Medium Walnut (Supreme)/ Elegant Walnut/ Ivory/ Dark Walnut (Cambridge)/ Pippy Oak	2440 x 1220 x 10 2440 x 1220 x 18
Superpan Special Colours	552472499 - 552473197	Cambrian Oak/ Roble Amazona/ Nogal Valentina/ Olmo Wabi Boreal/ Omlo Sabi Boreal/ Duna/ Gris Porrino/ SR209 White/ Natural Grey/ Gris Gu/ Gris Coco/ Gris Tormenta/ Mineral Grey/ Roble Azabache/ Caledonian Oak/ Roble Stella Atlas/ Nogal Sienna/ Roble Palma/ Natural Grey Tango/ Lino Cancun	2440 x 1220 x 10 2440 x 1220 x 18
Furniture Grade Chipboard		Low cost board for furniture manufacture	2440 x 1220 x 15 2440 x 1220 x 18
Flooring Grade Chipboard	552100299	Can be used in new-build and also for flooring out attic spaces	2440 x 1220 x 15 2440 x 1220 x 18

Chipboard Panels


TYPE	CODE	FEATURES & USES	SIZES
15mm White Panels	551100699 - 551102499	Cost effective, versatile product. Suitable for shelving, storage units & kitchen/wardrobe units. Edged on two long edges.	2440mm x 15mm 150mm 225mm 300mm 375mm 450mm 525mm 600mm
18mm White Panels	551104399 551104599 551104999	Cost effective, versatile product. Suitable for shelving, storage units & kitchen/wardrobe units. Edged on two long edges.	2440 x 300 x 18mm 2440 x 450 x 18mm 2440 x 600 x 18mm
18mm Cream/Ivory Panels	551115399 - 551180699	Cost effective, versatile product. Suitable for shelving, storage units & kitchen/wardrobe units. Edged on two long edges.	2440 x 300 x 18mm 2440 x 450 x 18mm 2440 x 570 x 18mm 2440 x 600 x 18mm
18mm Wood-grain Panels	551092899 - 551252702	Maple (24")/ Pippy Oak (6"/12"/24")/ Medium Walnut (6"/12"/24")/ Dark Walnut (6"/12"/24")/ Beech (12"/24")/ Lissa Oak (12"/24")/ Duna (24")/ Gris Coco (24")/ Cambrian Oak (24")/ Natural Grey (24")/ Gris Porrino (24")/ Gris Gu (24")/ Natural Grey Tango (650mm)/ Gris Tormenta (650mm)/ Azul Nautica (Blue) Tango (650mm)/ White Tango (650mm)	2440 x 150 x 18mm 2440 x 300 x 18mm 2440 x 450 x 18mm 2440 x 600 x 18mm 2440 x 650 x 18mm
Woodgrain MDFs	552000799 - 552001760	Available in Ivory/ Lissa Oak (Dublin Pippy Oak)/ Natural Grey/ Cambrian Oak (Caledonian Oak)/ Olmo Wabi & Sabi Boreal	2440 x 1220 x 3mm



WHITE PANEL



WOODGRAIN PANELS



CLASSIC PANELS

Decorative Boards

We stock a wide range of decorative boards and wood mouldings including MDF Diamond Lattice Screen, Cornice and Pelmet, Skirting, Dado Rail and Scotia.

Medium Density Fibreboard (MDF)

Free of natural defects. Excellent matching qualities.

TYPE	CODE	FEATURES & USES	SIZES
Plain MDF	552700689 - 552703199	Used in a variety of applications, mainly furniture manufacture	2440 x 1220 x 2.5 4 6 9 12 15 18 22 25 30 36 38 3050 x 1220 x 3 4 6 12 18 1950 x 800 x 4
Unsanded MDF	552700599	Ideal for packaging and storage applications	2440 x 1220 x 3.2
MDF Plus	552703399	Specially engineered panel with an extra smooth finish. Ideal for routing and painting	2440 x 1220 x 18
Medite Exterior	552703899	External applications including external signs, shop fronts, exterior mouldings	2440 x 1220 x 18
Moisture Resistant MDF	552760793 - 552760819	Internal use. Suitable for humid conditions. Used for mouldings, window boards, in bathrooms / kitchens	2440 x 1220 x 6 9 12 15 18 22 25 30
Moisture Resistant MDF Special	552704899		2440 x 1220 x 18
	552760829	8x4x18mm Primed Moist MDF	2440 x 1820 x 18
	552760835	8x6x18mm Moist MDF 10x4x18mm Moist MDF	3050 x 1220 x 18
	552760839	10x5x18mm Moist MDF 10mm Grooved Moist	3050 x 1520 x 18
	552760845 552760849	Resist MDF 18mm Grooved Moist Resist MDF	2440 x 1220 x 10 2440 x 1220 x 18
Veneered MDF	552710199 - 552752399	Extensive range available: White Oak / Mahogany / Ash / Walnut / Cherry / Maple / Beech	2440 x 1220 x 6 12 15 18 25 (other sizes available)
Tricoya Weatherproof MDF		Revolutionary totally waterproof MDF. No finishing required	2440 x 1220 x 18
Hidrofugo (MR) MDF	552760857 - 552760880	3 layer moisture resistant MDF. Suitable for indoor applications in humid environments	2440 x 1220 x 15 18 22 30 3050 x 1220 x 18 22 25
Fire-Rated MDF	552761899 552760895 552760896	Available in 2 different classes. European Standards B & C. British Standards 0 & 1	2440 x 1220 x 12 2440 x 1220 x 18 3050 x 1220 x 18
MDF – Melamine White	552743899 - 552744599	White Melamine MDF	2440 x 1220 x 4 6 15 18 25
MDF – Melamine Colours	552744799 - 552778009	Available in Black (18mm)/ Cream (4/9/15/18mm)/ Grey (15/18mm)/ Medium Walnut (18mm)/ Lissa Oak (18mm)/ Gris Mtlzdo (18mm)/ Ivory (18mm)/ Green (18mm)/ Gris Gu (18mm)/ Cambrian Oak (18mm)	2440 x 1220 x 18 (Other thicknesses as stated)
Fibralac	552700687 552700688	Deep routing quality no dye MDF	2440 x 1220 x 18 2440 x 1220 x 22
Medite Ecologique		A formaldehyde free MDF	2440 x 1220 x 18
Slotted MDF	552700099 - 552700299	Plain/ Cream/ White / Woodgrain Slotted MDF	2440 x 1220 x 18



PLAIN MDF

EXTERIOR MDF




TRICOYA WEATHERPROOF MDF


HIDROFUGO (MR) MDF



WHITE MELAMINE MDF



MELAMINE COLOURS MDF



OSB – Oriented Strand Board

TYPE	CODE	USES	SIZES
OSB3	552851699 552851299	For structural load bearing application including wall sheathing, flooring and roof decking	2440 x 1220 x 11 18
Smartply Site-protect	552851759	Pre-coated, smooth finish, durable, high performance panel. Used as hoarding, site security, digital prints can be applied directly	2440 x 1220 x 18
T&G OSB	552851799 552851499 552851769	Ideal for flooring. Tongue and grooved on all sides to give a noise and squeak free floor. Superior to chipboard flooring	2440 x 590 x 18 2440 x 1220 x 18 1220 x 300 x 18
Tough Ply		Double-sided, pre-coated panel which can be painted directly. Structurally approved	2440 x 1220 x 18



OSB BOARD



SOFTBOARD

Softboard

TYPE	CODE	USES	SIZES
Softboard	552002199	Multi-purpose low density fibreboard panel. Used as office screens, display boards	2440 x 1220 x 12
Sundela Notice Board	552002250	Pin-board made from 100% recycled waste paper. Available in a range of colours.	2440 x 1220 x 9

Pineboard

TYPE	CODE	USES	SIZES
Pineboard	551303599	Also known as Lamboard. Extremely versatile board. Used in furniture manufacture. European in origin.	2440 x 590 x 18
	551308199		2440 x 1220 x 12
	551309299		2440 x 1220 x 15
	551309099		2440 x 1220 x 18
	551309199		2440 x 1220 x 25
	551309399		2440 x 1220 x 37



PINEBOARD

Solid Wood Worktops

- Available in American Walnut, Beech & Rustique Oak
- Other species available on request.

TYPE	CODE	DIMENSIONS (MM)
American Walnut	553004799	4050 x 650 x 40
Solid Beech	553004099	4050 x 650 x 40
Rustique Oak	553004420	4050 x 610 x 40
American Walnut	553004899	3000 x 900 x 40
Solid Beech	553004199	3000 x 900 x 40
Rustique Oak	553004410	3000 x 900 x 40



Formica Worktops / Laminates

- Core material: Furniture grade chipboard
- Made to measure on request
- Available in an extensive range of colours
- Upstands available to match all colours
- Edging strips available to match all colours
- Formica bonded MDF also available
- Roles of Formica available on request

Edging

We carry an extensive range of high quality preglued veneer and melamine edgebanding. We carry edging to closely match all popular industry boards. 50m Rolls. 22mm & 50mm thickness.



PVC EDGING



VENEER EDGING

- Edging, upstands, utility panels & backsplashes available to match all colours in Topshape.

TYPE	DIMENSIONS (MM)
Topshape	3600 x 650 x 40
Edged all four sides	3600 x 900 x 40
Laminate top & bottom	4050 x 650 x 40
Also available in 25mm thickness	4050 x 900 x 40
TopShape Custom	Max Length: 3600mm
Bespoke pieces available	Max Width: 1200mm
TopPlus	3600mm x 600mm x 28mm 40mm
Postformed profile	3600mm x 650mm x 28mm 40mm
Available in 28mm & 40mm nominal thickness	3600mm x 900mm x 28mm 40mm
Back edge seal	4100mm x 600mm x 40mm
Melamine foil backing	4100mm x 650mm x 40mm
	4100mm x 900mm x 40mm
TopContract	
Single Postformed Edge	3600mm x 40mm x 600mm
Laminated on top with high quality laminate	4100mm x 40mm x 600mm
Melamine foil backing	

Mica Post Form Worktops

- Edging, upstands & splashbacks available to match all colours in Leading Edge.

TYPE	DIMENSIONS (MM)
Leading Edge	3600 x 600 x 40
Standard, truescale	3600 x 900 x 40
Etching, glossy	4100 x 600 x 40
	4100 x 670 x 40
	4100 x 900 x 40
Leading Edge Custom	Max Length: 3600mm
Bespoke pieces available	Max Width: 1200mm
	3600 x 600 x 28 (S/E)
	3600 x 670 x 28 (D/E)
	3600 x 900 x 28 (D/E)
Postformed Worktops	3600 x 600 x 38 (S/E)
Surface finish available in	3600 x 670 x 38 (D/E)
matt, gloss, etched, truescale	3600 x 900 x 38 (D/E)
dependent on colour	
	4100 x 600 x 38 (S/E)
	4100 x 670 x 38 (D/E)
	4100 x 900 x 38 (D/E)

Mica Post Form

Construction Timber

We stock a wide range of Construction Timber to cover any indoor & outdoor building/structural requirements. This range is kiln dried, rough/planed and graded in accordance with to EN 14081-1:2005 + A1:2011.

CODE	DESCRIPTION	LENGTHS
555001199	2" x 1" WHITE DEAL PLANED	8'
555001599	3" x 2" WHITE DEAL PLANED	8'
555001699	3" x 2" WHITE DEAL ROUGH	8'
555001709	2" x 1" WHITE DEAL ROUGH	14'
555001717	9" x 1" WHITE DEAL ROUGH	15'
555001719	2" x 2" WHITE DEAL ROUGH	16'
555001799	3" x 2" WHITE DEAL ROUGH	16'
555001899	4" x 2" WHITE DEAL ROUGH	16'
555001901	4" x 1" WHITE DEAL ROUGH	16'
555001902	4" x 3" WHITE DEAL ROUGH	16'
555001999	6" x 2" WHITE DEAL ROUGH	16'
555002000	6" x 1" WHITE DEAL ROUGH	16'
555002009	7" x 2" WHITE DEAL ROUGH	16'
555002099	9" x 2" WHITE DEAL ROUGH	16'





KITCHEN ACCESSORIES

FEATURED BRANDS



JUYPAL EMPRESAS
Conectando Mercados desde 1980



folmag[®]

JUYPAL



Juypal Kitchen & Wardrobe Legs

Heavy duty kitchen & wardrobe adjustable carcass legs. Suited for kitchens & wardrobes.

- Heavy duty plastic
- Black finish
- Kitchen Legs: 100mm-170mm adjustment
- Wardrobe Legs: 100mm-140mm adjustment
- Box quantity of 50 bags
- 4 legs & 2 clips per bag

CODE:
500308119
500308139

Worktop Ends & Joiners

IWP stock a complete range of Worktop ends, joiners & joint kits.

DESCRIPTION	COLOUR	WIDTH
28mm End	Black/Bronze/Silver	600mm
38mm End	Black/Bronze/Silver	600mm
900mm End	Black/Bronze/Silver	900mm
28mm Corner	Black/Bronze/Silver	600mm
38mm Corner	Black/Bronze/Silver	600mm
900mm Corner	Black/Bronze/Silver	900mm
28mm Center Joiner	Black/Bronze/Silver	600mm
38mm Center Joiner	Black/Bronze/Silver	600mm
900mm Center Joiner	Black/Bronze/Silver	900mm
Norwegian Corner Angle	Black/Bronze/Silver	700mm (h)



Worktop Joint kits



Hinges & Plates

Full range of Blum, Danco & DTC hinges & plates, with innovative soft close technology.


- 110 deg & 180 deg hinges
- Steel construction
- Silent and effortless
- Clip-on / Soft-close
- Screw on assembly
- Spring closing mechanism



DTC
Danco Quality Technology

Adhesive Screw Caps


Self-adhesive PVC caps for concealing screw holes. Ultra thin for maximum concealment. Easy stick application for a secure, professional bond-strength. Wood-grain and wood colours to match most popular industry boards closely.



folmag

Chrome Legs

Kitchen unit chrome legs. Available in 1000mm & 1300mm.



Drawer Runners


STANDARD RUNNER	HEAVY DUTY RUNNER	HEAVY DUTY SOFT CLOSE RUNNER	LENGTH
N/A	500202649	N/A	250mm (10")
500201299	500202699	N/A	300mm (12")
500201499	500202799	N/A	350mm (14")
500201699	500202899	N/A	400mm (16")
500201899	500202999	500203401	450mm (18")
500202099	500203099	500203402	500mm (20")
500202299	500203199	N/A	550mm (22")
N/A	500203299	N/A	600mm (24")
N/A	500203399	N/A	700mm (28")



Angle Brackets

Zinc Plated Steel Corner Brackets.

CODE	SIZE (INCHES)
501100099	3/4"
501100400	1"
501100499	1.5"
501100399	2"
501100599	3"
501100699	4"



Shelf Studs

CODE	TYPE/COLOUR
501101399	WHITE/CREAM/IVORY/BROWN
501101499	CHROME
501101500	CLEAR



Other Accessories

- Sinks & Taps
- Wood Flooring
- Flatpack kitchen units & doors
- Internal doors, handles, skirting & architrave
- Wardrobe ends, rails, pull-down accessories
- Decking - natural & composite
- Full range of kitchen fittings, knobs & handles
- Paint & decorating materials
- Sherwin Williams Primer, Lacquer, Thinner, Stains & Sealers
- Stoves & Kitchen appliances

FRANKE

FLEETWOOD
— for COLOURFUL LIVES —

dēanta

OS
OS&S Doors Ltd

Canadia
NATURE'S PALACE

PYRAMIS

Dulux

HENLEY STOVES
— EVERY HOME DESERVES A HENLEY —

SHERWIN-WILLIAMS

EVO-STIK

HÄFELE



IRISH WIRE PRODUCTS

Dock Road, Limerick, Ireland
V94 CC9C

T| 061 221100

E| info@irishwire.com

W| www.irishwire.com