


GATEMATE

EURO PROFILE

LONG THROW

LOCKS

CODE PREFIXES:
14900 & 14901



DESCRIPTION

These Euro Profile Long Throw Locks are easy-to-fit and offer the property owner great security for gates, sheds, and workshop doors.

Some of the features of the locks are -

- Available with a 50mm and 70mm barrel (suit 50mm or 70mm gate/door).
- Available in single locking and double locking options
- The throw (distance for edge of body to end of bar in lock position) is 85mm.
- Unique 18mm x 18mm stainless steel latch bar design with hardened core to prevent cutting.
- 5 Yale profile keys with every lock.
- Elongated keep with an anti-rattle device included to prevent gate rattling.
- Keyed alike versions available in both 50mm and 70mm versions (see website).
- Double thickness back plate to prevent distortion when fitting.
- High security 5 pin lock barrel.
- Drill bits, comprehensive easy to use fitting instructions, drilling template and high security stainless-steel fixings (security bit included).

Long Throw lock Pull handles are available to order separately - see website.

Additional key blanks available to order separately - see website.

CONSTRUCTION

BACK PLATE AND MAIN BODY FINISH:

Zinc plated body: The mild steel is electroplated to apply a Zinc coating, which adds a barrier to prevent rust and other corrosion.

Black Polyester coating: Polyester powder coating is a type of coating that is applied as a free-flowing dry powder.

The powder is a thermoset polymer, which is used to create a hard finish that is tougher than conventional paint.



Powder coating is mainly used for the coating and protection of metals.

Polyester Powder Coatings are formulated to provide maximum corrosion resistance and gloss retention. They are suitable for interior and exterior use and entirely T.G.I.C free (triglycidyl isocyanate crosslinkers).

All powder coated items are coated in accordance with BS-13438.



EURO PROFILE LONG THROW LOCK




- Boost sales with a Counter Display Stand
- Order six Euro Profile Long Throw locks on initial order and receive a stand for FREE!
- Call your Account Manager today



GATEMATE® Euro Profile Long Throw Lock

- High security Euro Profile 5-pin barrel; allowing the flexibility to go to any approved key cutting company to duplicate keys
- High corrosion resistance; grade 316 stainless steel shoot bolt
- Elongated anti-rattle keep to prevent rattling during windy weather
- Unique bolt design with hardened steel core and chrome escutcheon plate
- Drill bits and stainless steel security screws included




Easy use thumb turn on single locking option

LOCK TYPE	FINISH	SIZE INS (MM)	KEYED ALIKE	MIN. ORDER QTY	OUTER CARTON QTY	CODE
Double Locking (A)	Black/ Stainless Steel	2 (50)	No	1	10	149 0086
Double Locking (A)	Black/ Stainless Steel	2½ (70)	No	1	10	149 0096
Single Locking (B)	Black/ Stainless Steel	2 (50)	No	1	10	149 0106
Single Locking (B)	Black/ Stainless Steel	2½ (70)	No	1	10	149 0116

GATEMATE® Euro Profile Long Throw Lock - Keyed Alike

LOCK TYPE	FINISH	SIZE INS (MM)	KEYED ALIKE	MIN. ORDER QTY	OUTER CARTON QTY	CODE
Double Locking (A)	Black/Stainless Steel	2 (50)	Yes	1	10	149 0126
Double Locking (A)	Black/Stainless Steel	2¾ (70)	Yes	1	10	149 0136
Single Locking (B)	Black/Stainless Steel	2 (50)	Yes	1	10	149 0146
Single Locking (B)	Black/Stainless Steel	2¾ (70)	Yes	1	10	149 0156



GATEMATE® Pull Handle for Euro Profile Long Throw Lock

- Add the finishing touch to your Euro Profile Long Throw Lock with a pull handle

FINISH	SIZE INS (MM)	MIN. ORDER QTY	INNER CARTON QTY	OUTER CARTON QTY	CODE
Epoxy Black	8 (200)	1	5	50	147 2013
Chrome	8 (200)	1	5	50	147 201C





GATEMATE® Escutcheon for Euro Profile Long Throw Lock

Escutcheon comes with Euro Profile Long Throw Lock as standard



FINISH	MIN. ORDER QTY	CODE
Polished stainless steel	1	149 001C





Dimensions - 1490086





Dimensions - 1490096





Dimensions - 1490106





Dimensions - 1490116





Dimensions - 1490126





Dimensions - 1490136




Dimensions - 1490146



Dimensions - 1490156




GATEMATE PREMIUM LONG THROW LOCKS




01

Using the template provided place it on the gate to identify the correct position, secure into to position using the self adhesive pads and mark the hole position for the cylinder and the fixing screws




02

Drill 4 x 3.5mm pilot holes for fixing screws
Drill the two holes for the cylinder using an 18mm spade drill




03

Insert the lock and secure into place using the security fixing screws provided




04

Position the strike over the bolt when the bolt is fully extended. Ensure the bolt is fully engaged into the strike, and the strike orientation is correct



05

When the keep is in the correct position, secure using the security fixings provided



06

Place the escutcheon over the cylinder to obtain the correct position, secure into position

