



Welcome to

The Great Indoors...

www.indoors.ie

Doors that create the personal spaces for Living, Working, Learning, Playing and Resting.

open the doors to your imagination...

The beauty and finish of **quality doors, sets the tone** for every room in your home.

They are unique, the one piece of furniture that travels through your entire home, room by room. **Doors help create the spaces that generate atmospheres**, from your favourite relaxing place, the buzz of the dining room or to the homely feeling after a long day.

With our commitment to excellence, innovation, and customer satisfaction we are delighted to present you with our new additions to the Indoors range.

Looking for some eye-catching décor? Why not start with the **New Feature Doors** from our **Vista Glazed Collection**, or browse our bestselling **Bolection Georgian Styles**, refined over 50 years to allow seamless integration of traditional and modern homes.


Our **Classic** and **Shaker** ranges emphasise the craftsmanship and the simplicity in your home.

Or delve into our **Primed collection**, empowering you to continually update your doors with the latest colour trends, or paint them white, for that timeless effect.

From glazed doors to let in more light, to solid timber finishes, where the rich texture of the wood alone is the styling you require.

Our Indoors collection has been carefully curated for you over 50 years of Irish consumer research, to balance style, finish and value.

Welcome to this season's collection of The Great Indoors!



Indoors Collection Contents

Vista Glazed Collection	4	Classic Collection	44	Decorative Mouldings	92
Fibrotech Feature	10	Oak Collection	56	Radiator Covers	94
Decorative Panel Collection	14	Ledged & Braced Collection	64	Care For Your Doors	104
Sliding Door Kit Collection	28	Masonite Collection	66	Index	106
Shaker Collection	30	Fire Door Collection	70		
Contemporary Grooved	38	Door Accessories	80		

VISTA

FEATURE GLAZED COLLECTION

Indoors is proud to introduce our latest innovation in interior design with the introduction of our **exclusive new Vista Feature Glazed collection**.

Crafted to elevate the aesthetic of hallways, living rooms, and kitchens, these doors boast ultra-slim vertical stiles and horizontal rails, setting a **new standard in modern elegance**.

The new Vista collection is **designed to complement** our Indoors classic and contemporary white primed doors.

The premium primed black finish adds a **touch of sophistication** for those seeking to enhance the overall ambiance of their living spaces.

Indoors' Vista Feature Glazed Doors allow natural light to flow through spaces effortlessly and are **available in clear glass or reeded glass**.



VIEWING PORTLAND CLEAR GLAZED & BEDFORD 4 PANEL PRIMED

VISTA

FEATURE GLAZED COLLECTION



Portland
4 Lite Clear Glass
Premium Primed Black



Portland
4 Lite Reeded Glass
Premium Primed Black



Portland
Reeded Glass detail

Modern Feature Doors
Ultra Slim Stiles & Rails
Premium Primed Black (RAL 9003)
Clear or Reeded Glass
T Rebate Moulding Required
for Double Doors

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Portland Clear Glass						
Portland Reeded Glass						

THICKNESS
44MM
44MM



VIEWING PORTLAND REEDED & BEDFORD 4 PANEL PRIMED

VISTA


FEATURE GLAZED COLLECTION

NEW

Arriving
February
2024



Modern Feature Doors
Ultra Slim Stiles & Rails
Premium Primed Black (RAL 9003)
Clear Glass
T Rebate Moulding Required
for Double Doors



Seattle
Panel detail



Primed Chamfered Architrave
profile see page 86



Seattle
3 Lite Clear Glass
Premium Primed Black

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Seattle Clear Glass							44MM

VIEWING SEATTLE CLEAR GLASS

FibroTech Acoustic Panels

for ceiling and walls

NEW TO
IRELAND

New from B&G, FibroTech acoustic panelling. FibroTech acoustic panels creates timeless beauty for both walls and ceilings as well as a sound absorbing surface for improved acoustics in your room.

FibroTech offers an extensive range of colours to choose from, and the panels can be installed horizontally as well as vertically. Our Scandinavian style timber finish panels are made with polyester, MDF and knot free real wood veneers. They are 100% FSC certified. The polyester is made from recycled plastics. We also offer the latest white panel from the Unika range which is foil-wrapped and easy to clean, making it suitable for all areas including bathrooms & kitchens.


Simply scan the QR code and see how the FibroTech visualizer app transforms any room with FibroTech acoustic panels.



Key Features & Benefits

- Sound absorbing acoustic panels
- Nordic interior design style
- Knot free real wood veneers
- Panel size: 22 x 605 x 2440mm
- Suitable for walls & ceilings
- Easily installed with glue and/or screws
- FSC certified
- Black polyester is made of recycled plastic.

The Complete Collection



Light Oak



Oiled Oak



Grey Oak




Walnut



Smoked Oak



Black Oak



Unika White

FIBROTECH
BY TREE TOPS

SCAN THE
QR CODE
TO TRY THE
VISUALIZER





this season we are
primed for colour...

Create your dream interior style with Indoors. Choose a Camden barn door to suit your Farmhouse style interior and let the light flow through your home with a Dover Marina glazed door. There are so many door styles which complement one another. The doors are timeless when painted white, or choose to add colour by painting your doors to match the latest colour trends.

VIEWING CAMDEN & DOVER MARINA GLAZED

PANEL

BOLECTION DOORS

If you are looking to add some eye-catching decoration to your home, we think Bolection doors are a great place to start. Originally a Georgian period style from the early 1700's, this door with its raised mouldings has been refined over the years to allow seamless integration with traditional and modern homes.



PANEL

MONROE BOLECTION



Monroe
2 Panel Bolection
Primed



Monroe
Ready to glaze
Primed



Monroe
Bolection mould detail



Recommend
Ogee style architrave
and skirting. See page 84



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Monroe 2 Panel Bolection							44MM
Monroe Ready to Glaze							44MM

PANEL

MONROE BOLECTION



Monroe
Clear Glass
Primed



Monroe
Etched Glass
Primed



Monroe
Bolection mould detail



Recommend
Ogee style architrave
and skirting. See page 84



VIEWING MONROE CLEAR GLAZED

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Monroe Clear Glass							44MM
Monroe Etched Glass							44MM

PANEL

BEDFORD BOLECTION

NEW



Bedford
4 Panel Bolection
Primed

NEW



Bedford
Clear Glass
Primed



Bolection
Bolection mould detail



Recommend
Victorian Architrave
and Skirting. See page 83

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Bedford Bolection 4 Panel	[Visual representation of door width options]						44MM
Bedford Bolection Clear Glass	[Visual representation of door width options]						44MM



VIEWING BEDFORD DOOR & VICTORIAN ARCHITRAVE

PANEL

FRANKLIN



Franklin
3 Panel
Primed



Franklin
Clear Glass
Primed



Franklin
Frosted Glass
Primed



Franklin
Panel detail



We recommend
Chamfered Architrave
and Skirting. See page 86

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Franklin 3 Panel							44MM
Franklin Clear Glass							44MM
Franklin Frosted							44MM



VIEWING FRANKLIN

PANEL

ARDMORE



Ardmore
4 Panel
Primed



Claremont
Ready to Glaze
Primed



Claremont
Clear Bevelled Glass
Primed



Claremont
Cathedral Glass
Primed

Shaker
Wall Panelling
See page 93



Cathedral glass, decorative & textured, allows light to flow without full transparency



Recommend
Ogee Style Architrave & Skirting See page 84

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Ardmore 4 Panel							44MM
Claremont Ready to Glaze							44MM
Claremont Clear Bevelled Glass							44MM
Claremont Cathedral Glass							44MM



VIEWING ARDMORE & GEORGIAN ARCHITRAVE

PANEL

BELMONT

NEW




Belmont
3 Panel
Primed



Belmont
Panel detail



Recommend
Victorian style Architrave
and Skirting. See page 83



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Belmont						

THICKNESS
44MM

VIEWING BELMONT

SLIDE OR HIDE

SLIDING DOOR RAIL KIT



The Indoors Manhattan Aluminium sliding door kit is the latest trend for home owners keen on “space saving”. Our aluminium sliding door kit can be used for both Pocket Doors (hidden from view, where doors slide into the wall) and wall mounted sliding door systems (the kit is visibly mounted above the door opening). Its unique wheel and track system ensures the highest quality movement on the market. It comes with an optional soft close feature. For double door specifications, two kits will be required. Each Kit is 2m long and can hold a maximum weight of 100kg, Suitable for all doors between 18-44mm (thickness).

VIEWING FRANKLIN 3 PANEL



Our Loft Sliding Door Kit is a styling statement in itself. Designed to carry a single door, both door and kit combine visual aesthetics with functional space saving, ideal for the modern house or apartment. With smooth movement, it is suitable for all doors within the Indoors collection. Each Kit is 2m long and can hold a maximum weight of 100kg, Suitable for all doors up to 50mm (thickness). See pages 90-91 for details on our Sliding rail Kits and Accessories.

VIEWING CAMDEN FRAMED L&B

SHAKER

Shaker style doors emphasise craftsmanship and simplicity making them a timeless choice for your home. Shaker style doors boast flat recessed panels to provide depth with dimension and offer a streamlined, modern, functional look that complements almost all decor trends.

Shaker style endures, suiting classic ,contemporary and modern home styling. Its timeless quality is a favourite for all refurbishments and new developments alike.



SHAKER

BOSTON

ALSO AVAILABLE
FD 30
FIREDOORS



Boston Shaker
Solid
Primed



Boston Shaker
Clear Glass
Primed



Boston Shaker
Frosted
Primed



Boston Shaker
Crystal Cut Glass
Primed



Boston Shaker
Panel detail

Recommend
Contemporary Architrave
and Skirting. See page 85

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Boston Solid							44MM
Boston Clear Glass							44MM
Boston Frosted Glass							44MM
Boston Crystal Cut Glass							44MM

VIEWING BOSTON CRYSTAL CUT GLAZED

SHAKER

KENMORE



Kenmore
Solid
Primed



Kenmore
Clear Glass
Primed




Kenmore
LAMSAFE® Opaque Glass
Primed



Kenmore
Etched Glass Clear Border
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Kenmore Solid	██████████	██████████	██████████	██████████	██████████	██████████	44MM
Kenmore Clear Glass	██████████	██████████	██████████	██████████	██████████	██████████	44MM
Kenmore Opaque Glass	██████████	██████████	██████████	██████████	██████████	██████████	44MM
Kenmore Clear Glass Border	██████████	██████████	██████████	██████████	██████████	██████████	44MM



Shaker Panel with
Square Edge Slip




Recommend
Contemporary Architrave
and Skirting. See page 85




VIEWING KENMORE OPAQUE

SHAKER

KIRKLAND




Kirkland
4 Panel Horizontal
Primed



Kirkland
Clear Glass
Primed



Kirkland
Etched Glass
Primed



Kirkland
Etched Clear Border
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Kirkland 4 Panel							44MM
Kirkland Clear Glass							44MM
Kirkland Etched Glass							44MM
Kirkland Etched Clear Border							44MM

Shaker
Wall Panelling
See page 93



Kirkland
Panel detail

VIEWING KIRKLAND DOOR & CHAMFERRED ARCHITRAVE

GROOVED

Grooved doors are contemporary in style. Suitable for the modern home, this collection, with its sleek lines gives you the opportunity to make a statement with your interior.


If you are considering reinvigorating old spaces in your home, the variety of styles offered by our Grooved doors collection will add a signature touch to any room.




GROOVED

SAVANNAH

ATLANTA



Savannah
Panel detail



Atlanta
Panel detail

Savannah
5 Panel vertical textured FD30
Primed

Atlanta
1 panel FD30
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Atlanta						
Savannah						


THICKNESS
44MM
44MM



GROOVED

ALTON


BROOKLINE



Brookline
Panel detail



Alton
Panel detail



Alton
Ladder design FD30
Primed

Brookline
4 Line Horizontal FD30
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Alton						
Brookline 4 Line FD30						

THICKNESS
44MM
44MM
44MM



VIEWING BROOKLINE WITH LOFT SLIDING RAIL

CLASSIC

We are excited to bring you new glazed styles from our classic collection. Maximising the potential of natural light within the home through the use of glass is a fundamental idea within the interior design world.

Opting for one of our Classic Glazed doors with their beautiful detailing adds character to the essence of a room and creates areas that feel more spacious and less enclosed. Ideal for any style of home, these doors will really stand the test of time.



CLASSIC

DOVER



Dover
2 Panel
Primed



Dover
Clear Glass
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Dover 2 Panel						
Dover Clear Glass						

THICKNESS
44MM
44MM



VIEWING DOVER 2 PANEL

CLASSIC

DOVER



Dover Marina
6 Lite Clear Glass
Primed



Dover Templar
9 Lite Clear Glass
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Dover 6 Lite Clear Glass						
Dover 9 Lite Clear Glass						

THICKNESS
44MM
44MM



Introducing the Dover. This range features a selection of $\frac{3}{4}$ glazed options, allowing abundant light in, while still providing essential privacy between rooms.

VIEWING DOVER TEMPLAR

CLASSIC

KILLESHANDRA WINSTON



Killeshandra
2 Panel Smooth
Primed



Winston
Clear Glazed Etched Corners
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Killeshandra						
Winston						

THICKNESS
44MM
44MM



All of our white doors are primed and ready to be painted in any colour you choose

CLASSIC

MARSEILLE GIBSON



Marseille
6 Lite Clear Glass
Primed



Gibson
Clear Bevelled Glass
Primed



Recommend
Victorian style Architrave
and Skirting. See page 83



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Marseille							44MM
Gibson							44MM

CLASSIC

HUDSON HUDSON GATSBY SHANNON CARRICK



Hudson
Etched with clear border
Primed



Hudson Gatsby
Leaded Style Glass
Primed



Shannon
4 Panel Solid FD30
Primed



Carrick
6 panel FD30
Primed



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Hudson							44MM
Hudson Gatsby							44MM
Shannon							44MM
Carrick							44MM

VIEWING CARRICK



Our White Oak Collection is ideal for either contemporary or traditional interiors. Choose from solid and pre-glazed (toughened) options.

Have a look at the full range of matching Frames, Skirting and Architraves, on pages 80-90.

- Made with premium grade white oak real wood veneers.
- Pre-finished with three coats of hard wearing polyurethane lacquer for a durable, superb, smooth finish.
- All Oak Doors 44mm thick.

VIEWING LAWRENCE 4 PANEL AND ADDISON CLEAR BEVELLED GLASS

OAK

RUSHMORE - SHAKER



Rushmore
Single Panel
Pre-Finished



Rushmore
Clear Glass
Pre-Finished




Rushmore
LAMSAFE® Opaque Glass
Pre-Finished



Rushmore
Etched with Clear Border
Pre-Finished

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Rushmore 1 Panel	✓	✓	✓	✓	✓	✓	44MM
Rushmore Clear Glass	✓	✓	✓	✓	✓	✓	44MM
Rushmore LAMSAFE®	✓	✓	✓	✓	✓	✓	44MM
Rushmore Etched Clear Border	✓	✓	✓	✓	✓	✓	44MM



It is rare for a style to combine contemporary elegance and remain classic, The Shaker is one such exception. Its appeal can be seen in homes across all continents, the range offers light and solid styles to suit every home.

OAK

HARTFORD

LAWRENCE








ADDISON



Hartford
6 Panel
Pre-Finished

Lawrence
4 Panel
Pre-Finished

Addison
Ready to Glaze
Pre-Finished

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Hartford						
Lawrence						
Addison Ready to Glaze						

THICKNESS
44MM
44MM
44MM



VIEWING LAWRENCE 4 PANEL

OAK

ADDISON



Addison Glazed
Clear Bevelled Glazed
Pre-Finished



Addison Austen
Clear Glass
Pre-Finished



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Addison Glazed						
Addison Austen						

THICKNESS
44MM
44MM

VIEWING ADDISON CLEAR BEVELLED GLASS

LEDGED & BRACED



Camden
Framed Ledged & Braced



Camden
Framed Ledged & Braced
Reverse Detail



Ledged & Braced



Reverse Detail

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Camden						
Ledged & Braced						

THICKNESS
44MM
44MM



VIEWING CAMDEN DOOR & LOFT SLIDING RAIL

MASONITE HOLLOW CORE

ATLANTA

SHANNON

SHANNON GLAZED




Atlanta
1 panel
Primed



Shannon
4 Panel
Primed



Shannon
Clear Glazed
Primed



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Atlanta	█	█	█	█	█	█
Shannon	█	█	█	█	█	█
Shannon Glazed	█	█	█	█	█	█

THICKNESS
44MM
44MM
44MM

Introducing our stunning range of moulded doors which combine style and affordability. Masonite door facings are 100% Irish manufactured. Smooth & textured white base coated faces, suitable for paint finishing.

MASONITE HOLLOW CORE

CARRICK KILLESHANDRA LEITRIM



Carrick
6 Panel Smooth
Primed




Killeshandra
2 Panel Smooth
Primed



Leitrim
6 Panel Textured
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Carrick	█	█	█	█	█	█
Killeshandra	█	█	█	█	█	█
Leitrim	█	█	█	█	█	█

THICKNESS
44MM
44MM
44MM



Introducing our stunning range of moulded doors which combine style and affordability. Masonite door facings are 100% Irish manufactured. Smooth & textured white base coated faces, suitable for paint finishing.

VIEWING KILLESHANDRA

FIRE DOORS

Your door can be your greatest friend in times of emergency. Our Fire Door collection is designed and tested to keep you safe when the situation demands it. Solid, easy to maintain and well styled we recommend making this an essential part of your door selection. All our fire doors are independently tested and certified with audits regularly carried out at place of manufacture that cover design, performance and quality assurance. Always refer to relevant fire door certificates for full instructions on installation and compliance.

Our premium moulded fire door range is an exquisite collection of finely detailed moulded panel doors in both classic and contemporary styles. The smooth finish gives a sleek modern look and feel.



FIREDOORS

SAVANNAH

BROOKLINE

ALTON

ATLANTA


BOSTON

FD 30



Savannah
5 panel vertical textured
Primed
FD30

FD 30



Brookline
4 Line Horizontal Smooth
Primed
FD30

FD 30



Alton
Ladder Design Smooth
Primed
FD30

FD 30




Atlanta
1 Panel Smooth
Primed
FD30

FD 30



Boston Shaker
Solid
Primed
FD30



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Savannah FD30	██████████	██████████	██████████	██████████	██████████	██████████
Brookline FD30	██████████	██████████	██████████	██████████	██████████	██████████
Alton FD30	██████████	██████████	██████████	██████████	██████████	██████████
Atlanta FD30	██████████	██████████	██████████	██████████	██████████	██████████
Boston Shaker FD30	██████████	██████████	██████████	██████████	██████████	██████████

THICKNESS
44MM
44MM
44MM
44MM



VIEWING ALTON

FIRE DOOR COLLECTION

FIREDOORS

KILLESHANDA CARRICK

SHANNON

LEITRIM

FD 30
FRESHIELD
FIREDOORS

FD 30
FRESHIELD
FIREDOORS

FD 30
FRESHIELD
FIREDOORS

FD 30
FRESHIELD
FIREDOORS



Killeshandra
2 Panel Smooth
Primed
FD30

Carrick
6 Panel Smooth
Primed
FD30

Shannon
4 Panel Smooth
Primed
FD30

Leitrim
6 Panel Textured
Primed
FD30



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Killeshandra FD30	██████████	██████████	██████████	██████████	██████████	██████████
Carrick FD30	██████████	██████████	██████████	██████████	██████████	██████████
Shannon FD30	██████████	██████████	██████████	██████████	██████████	██████████
Leitrim FD30	██████████	██████████	██████████	██████████	██████████	██████████

THICKNESS
44MM
44MM
44MM
44MM

VIEWING KILLESHANDRA

FIRE DOORS

BLANKS

FD 30
FRESHIELD
FIREDOORS



Fire Blanks
FD30 sizes: 7ftx3ft or 8ftx4ft
FD60 sizes: 7ftx3ft

POPULAR

FD 30
FRESHIELD
FIREDOORS



Popular Fire Door
Paint Grade
FD30

POPULAR 7G

FD 30
FRESHIELD
FIREDOORS




Popular Glazed Fire Door
Design: 7G
FD30

POPULAR 18G


FD 30
FRESHIELD
FIREDOORS



Popular Glazed Fire Door
Design: 18G
FD30



Popular paint grade doors have hardwood lippings on two vertical edges



*Glazed FIRESHIELD doors are supplied with clear Georgian wired fire rated glass.

PAINTGRADE PLUS

ALSO AVAILABLE
FD 30
FRESHIELD
FIREDOORS
OR
HOLLOWCORE



Paint Grade Plus
Primed
FD30

PAINTGRADE PLUS 18G

FD 30
FRESHIELD
FIREDOORS



Paint Grade Plus
Design 18G
Primed
FD30

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	2040x926	THICKNESS
Popular Fire Door	✓	✓	✓	✓	✓	✓	✓	44MM
Popular Glazed Fire Door 7G	✓	✓	✓	✓	✓	✓	✓	44MM
Popular Glazed Fire Door 18G	✓	✓	✓	✓	✓	✓	✓	44MM
Paint Grade plus Fire Door	✓	✓	✓	✓	✓	✓	✓	44MM
Paint Grade Plus Glazed	✓	✓	✓	✓	✓	✓	✓	44MM
Paint Grade Plus Hollow Core	✓	✓	✓	✓	✓	✓	✓	44MM



- No on site preparation required
- Pre-primed ready to paint
- No sanding or filling required to the face or edge
- Only the edge is required to be primed prior to painting
- Has a smooth face so easy to paint
- Quick installation due to less preparation
- Reduced decoration times

VIEWING PAINT GRADE PLUS

FIREDOORS

FLUSH OAK

FD 30
FRESHIELD
FIREDOORS



Flush Oak
Pre-Finished

FD 30
FRESHIELD
FIREDOORS



Flush Oak
Glazed Design 18G
Pre-Finished

Fire Frames, FD30, FD60 & Intumescent Fire Seals



FD30 Primed Frame
(108mm, 133mm)



Fire Only - Brown



FD30 Primed
With Fireseal



Fire Only - White



FD60 Primed
Hardwood Frame
(90mm x 44mm x 2.1m)



Fire & Smoke - Brown



FD60 Frame
With Fireseal



Fire & Smoke White

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Flush Oak FD30						
Flush Oak FD60						
Flush Oak Glazed 18G						

THICKNESS
44MM
44MM
44MM



VIEWING FLUSH OAK & FLUSH OAK 18G GLAZED

DOOR ACCESSORIES



Shaker
Wall Panelling
See page 93

VIEWING ARDMORE 4 PANEL

STYLE

GEORGIAN & EDWARDIAN



Architrave Profile



Plinth Block Profile



Georgian Corner

PRIMED GEORGIAN ARCHITRAVE & PLINTH BLOCK	
CODE PRMARGN	DESCRIPTION Primed Georgian Arch 89x19x2.25 (5pcs) with plinths
PRIMED GEORGIAN CORNER BLOCKS	
CODE PRMBLK106	DESCRIPTION Primed Georgian Corner Blocks 30x106mm (4 pcs)
PRIMED EDWARDIAN SKIRTING	
CODE PRMSKTED	DESCRIPTION Primed Edwardian Skirting 25x169x3.6(5pcs)



VIEWING MONROE 2 PANEL & GEORGIAN ARCHITRAVE

VICTORIAN & EDWARDIAN



Architrave Profile



Skirting Profile

PRIMED VICTORIAN ARCHITRAVE	
CODE PRMARCVN	DESCRIPTION Primed Victorian Architrave 31x120x2.4 (5 Pcs)
PRIMED EDWARDIAN SKIRTING	
CODE PRMSKTED	DESCRIPTION Primed Edwardian Skirting 25x169x3.6(5pcs)



VIEWING MONROE 2 PANEL & VICTORIAN ARCHITRAVE

STYLE

PRIMED OGEE STYLE



PRIMED OGEE ARCHITRAVE

CODE	DESCRIPTION
PRMARCH	4" Primed Ogee Architrave



PRIMED OGEE SKIRTING

CODE	DESCRIPTION
PRMSKTG	6" Primed Ogee Skirting

Architrave Profile

Skirting Profile



Made from engineered solid wood, our versatile Primed Ogee style Architrave & Skirting complements any door style or finish. Choose your own colour scheme and create a unique identity for your home.

VIEWING ARDMORE DOOR & OGEE ARCHITRAVE

PRIMED CONTEMPORARY STYLE



PRIMED CONTEMPORARY ARCHITRAVE

CODE	DESCRIPTION
PRMARCON	4" Primed Contemporary Architrave




PRIMED CONTEMPORARY SKIRTING

CODE	DESCRIPTION
PRMSKTCON	6" Primed Contemporary Skirting

Architrave Profile

Skirting Profile



Made from engineered solid wood. Our Contemporary style Primed Architrave & Skirting combines contemporary design with classic styling. The ideal finish to complement shaker doors.

VIEWING BOSTON & CONTEMPORARY ARCHITRAVE



STYLE

PRIMED CHAMFERED STYLE



Architrave Profile



Skirting Profile

PRIMED CHAMFERED ARCHITRAVE

CODE	DESCRIPTION
PRMARCHF	4" Primed Chamfered Architrave

PRIMED CHAMFERED SKIRTING

CODE	DESCRIPTION
PRMSKTCHF	6" Primed Chamfered Skirting



Made from engineered solid wood. The versatility of a primed white finish combined with the latest trend in Chamfered profiles makes this Architrave & Skirting a popular choice. Ideal for contemporary projects.

VIEWING FRANKLIN & CHAMFERED ARCHITRAVE

PRE-FINISHED OAK CHAMFERED STYLE



Architrave Profile




Skirting Profile

PRE-FINISHED OAK CHAMFERED ARCHITRAVE

CODE	DESCRIPTION
OAKARCHF	4" Oak Chamfered Architrave

PRE-FINISHED OAK CHAMFERED SKIRTING

CODE	DESCRIPTION
OAKSKTCHF	6" Oak Chamfered Skirting



The Chamfered profile is the latest trend in Architrave & Skirting. Ideal for contemporary projects, it adds a unique style to any home.

VIEWING RUSHMORE & CHAMFERED ARCHITRAVE



STYLE

PRE-FINISHED OAK OGEE STYLE



Architrave Profile




Skirting Profile

PRE-FINISHED OAK OGEE ARCHITRAVE

CODE	DESCRIPTION
OAKARCH	4" Oak Ogee Architrave
OAKARCH3	3" Oak Ogee Architrave

PRE-FINISHED OAK OGEE SKIRTING

CODE	DESCRIPTION
OAKSKTG	6" Oak Ogee Skirting
OAKSKTG5	5" Oak Ogee Skirting



Our Ogee style Architrave & Skirting is ideal for adding classic and authentic elegance to your home.


VIEWING ADDISON AUSTEN & OGEE ARCHITRAVE



PRE-FINISHED OAK CONTEMPORARY STYLE



Architrave Profile



Skirting Profile

PRE-FINISHED OAK CONTEMPORARY ARCHITRAVE

CODE	DESCRIPTION
OAKARCON	4" Oak Contemporary Architrave

PRE-FINISHED OAK CONTEMPORARY SKIRTING

CODE	DESCRIPTION
OAKSKCON	6" Oak Contemporary Skirting



Our contemporary style Architrave & Skirting combines contemporary design with classic styling. The ideal finishing touch to complement our shaker doors.

VIEWING RUSHMORE & CONTEMPORARY ARCHITRAVE



ACCESSORIES

DOOR ACCESSORIES



Oak Frame
(108mm,133mm,150mm)



Oak Pre-Finished Plant on Door Stop
44x12x2.2m



Oak Pre-Finished Plant on Door Slip
94x12x2.2m




Primed White Frame
(108mm,133mm,150mm)



HOCKEY STICK
Further enhance your Architrave with the addition of our elegant hockey stick, creating a classic heritage look.



T-REBATE STRIP
Our T-Rebate door slip is a convenient and stylish solution for double door installation.



Saddle Boards
1m & 1.8m

Oak

White Deal



DOOR FRAMES

CODE	DESCRIPTION
OAKFRAM108	108mm Oak Door Frame
OAKFRAM	133mm Oak Door Frame
OAKFRAM150	150mm Oak Door Frame
PRMFRAM108	108mm Primed Door Frame
PRMFRAM133	133mm Primed Door Frame
PRMFRAM150	150mm Primed Door Frame

SADDLE BOARD, STOPS & SLIPS

CODE	DESCRIPTION
KDS001P	1M Oak Saddle Board
KDS018P	1.8M Oak Saddle Board
SBWD36	1M White Deal Saddle Board
SBWD18	1.8M White Deal Saddle Board
OAKSTOP	Oak Plant On Door Stop
OAKSLIP	Oak Plant On Door Slip

T-REBATES & HOCKEY

CODE	DESCRIPTION
OAKHOCK	Oak Hockey Stick
PRMHOCK	Primed Hockey Stick
44OAKTR	Oak T-Rebate Moulding
44PRMTR	White T-Rebate Moulding
44BLKTR	Black T-Rebate Moulding

SLIDING DOOR KITS

CODE	DESCRIPTION
K1557702	Manhattan Aluminum Sliding Door Kit
K1557704	2m Sliding Door Rail Aluminium Cover
K1557706	Sliding Door Rail Soft Close Mechanism
K1557705	2m 100kg Loft Black Sliding Door Rail Kit
K1557708	Loft Sliding Door Rail Soft Close
K1557713	Double Door Joining Bracket for Loft Rails


SLIDE OR HIDE



Joining Bracket



Soft Close Mechanism



CAN BE FITTED AS A POCKET DOOR SLIDING SYSTEM OR AS A WALL MOUNTED SLIDING SYSTEM



Soft Close Mechanism

DECORATIVE MOULDINGS

Our collections of Decorative and Architectural Mouldings are of the highest quality and can add a design feature or totally transform the look or character of a whole room.

	CODE	PRODUCT	SIZE (MM)	PACK QTY	
	DEC2003	LIGHT HARDWOOD BOG	7 X 16 X 2.4M	20	
	DEC6003	PINE BOG	8 X 21 X 2.4M	24	
	DEC6013	PINE DADO RAIL	45 X 20 X 2.4M	10	
	DEC6009	PINE DADO RAIL	70 X 19 X 2.4M	6	
	DEC6039	PINE PICTURE RAIL	43 X 18 X 2.4M	10	
	COV6001	PINE OVOLO	34 X 8 X 2.4M	20	
	COV6010	PINE HOCKEY STICK	20 X 8 X 2.4M	16	
	WDW6001	PINE GLASSBEAD	8 X 11 X 2.4M	20	
	DEC6039	PINE BARREL	34 X 12 X 2.4M	24	
	COV6001	PINE DECORATIVE PANEL	8 X 21 X 2.4M	24	
	COV6010	DECORATIVE PINE PANEL	15 X 45 X 2.4M	16	
	WDW6001	HOCKEY STICK PRIMED	30 X 18 X 2.25MM	10	
	DEC6019	HOCKEY STICK OAK	30 X 20 X 2.25MM	10	
	DEC6018	T-REBATE PRIMED	SUITABLE FOR 44MM DOOR	5	
	DEC6023	T-REBATE OAK	SUITABLE FOR 44MM DOOR	5	
	DEC6024	PINE DECORATIVE PANEL	8 X 20 X 2.4M	24	
	DEC6036	PINE DECORATIVE PANEL	11 X 28 X 2.4M	10	
	DEC6031	PINE DECORATIVE PANEL	7 X 45 X 2.4M	20	
	DEC6035	PINE DECORATIVE PANEL	7 X 56 X 2.4M	20	
	DEC6036	PINE REED	6 X 34 X 2.4M	16	
	DEC6031	PINE DECORATIVE COVER	7 X 35 X 2.4M	10	
	DEC6035	PINE DOUBLE ASTRAGAL	20 X 44 X 2.4M	10	



Shaker Wall Panelling

Create a custom feature wall to complement your unique style using our Shaker Wall Panelling.

- Premium Quality MDF
- Simply cut to size
- Fits directly on to the wall
- Easy to fit with glue or nails
- Primed finish, ready to paint

Pack contains 10 lengths of 2.4m
100mm x 9mm x 2400mm
Product Code: PRMSH100



HOTSTUFF!

RADIATOR COVERS

The radiator cover collection from Tema aims to bring style and elegance to your home. Our radiator covers are effortless both in aesthetic and build, you can upgrade the look of your home by turning your radiator into a perfect piece of furniture for your living space that can be assembled in minutes!

What Tema radiator covers promise to deliver:

- Our radiators covers are designed to allow heat to flow freely
- Protect infants from dangerous hot surfaces
- Conceal unsightly radiators and provide a new piece of furniture for your home
- Can be used as a stand alone piece of decorative furniture where no radiator is present.
- Assemble within minutes and without professional help


To view the full collection, please visit us at www.bghome.ie




HOTSTUFF!

GEORGIAN

GEORGIAN TWO TONE



- Luxurious Georgian style.
- Satin White.
- Oregon grille removes for easy access to radiator valves.
- Available in 3 popular sizes.
- Easy click assembly with wall fixings.



- Prefinished white and oak veneer.
- Assembles in minutes.
- Easy 'keyslot fittings'.
- Includes grille

All Sizes in mm		Small	Medium	Large	Choosing Your Radiator Cover
Width	External Cabinet Size	1017	1198	1710	Step 1 Measure your radiator size (including valves)
	Maximum Radiator Size	910	1100	1600	
Height	External Cabinet Size	800	900	900	Step 2 Choose your radiator cover design
	Maximum Radiator Size	750	855	855	
Depth	External Cabinet Size	180	200	200	Step 3 Choose the appropriate radiator cover size
	Maximum Radiator Size	100	120	120	



HOTSTUFF!

CLASSIC ADJUSTABLE

TWO TONE ADJUSTABLE



- Pre-finished White.
- Adjustable width for perfect fit.
- Assembles in minutes.
- Easy 'keyslot fittings'.
- Includes grille.



- Adjustable width for perfect fit.
- Complete with best selling Oregon screen.
- Pre-finished White & Oak Veneer.
- Available in medium and large.
- Easy click assembly with wall fixings.

All Sizes in mm			Medium	Large
Width	External Cabinet Size	Min Max	975 1425	1430 2000
	Maximum Radiator Size	Min Max	900 1350	1355 1925
Height	External Cabinet Size	Maximum Radiator Size	918 870	918 870
	External Cabinet Size	Maximum Radiator Size	220 140	220 140

Choosing Your Radiator Cover

- Step 1** Measure your radiator size (including valves)
- Step 2** Choose your radiator cover design
- Step 3** Choose the appropriate radiator cover size



VIEWING CLASSIC ADJUSTABLE


HOTSTUFF!

RHODE ISLAND



- Contemporary design.
- Pre-Finished in Satin White.
- Slatted grill removes for easy access to radiator valves.
- Available in 3 popular sizes.
- Easy click assembly with wall fixings.

All Sizes in mm		Small	Medium	Large	Choosing Your Radiator Cover
Width	External Cabinet Size	1020	1195	1710	Step 1 Measure your radiator size (including valves) Step 2 Choose your radiator cover design Step 3 Choose the appropriate radiator cover size
	Maximum Radiator Size	940	1113	1640	
Height	External Cabinet Size	800	900	900	
	Maximum Radiator Size	775	870	870	
Depth	External Cabinet Size	180	200	200	
	Maximum Radiator Size	110	130	130	



VIEWING RHODE ISLAND

HOTSTUFF!

CONTEMPORARY ADJUSTABLE



- Adjustable width for perfect fit.
- Complete with best selling Oregon screen.
- Pre-finished White & Oak Veneer.
- Available in medium and large.
- Easy click assembly with wall fixings.

All Sizes in mm			Medium	Large	Choosing Your Radiator Cover
Width	External Cabinet Size	Min Max	975 1425	1430 2000	
	Maximum Radiator Size	Min Max	900 1350	1355 1925	Step 2 Choose your radiator cover design
Height	External Cabinet Size	Maximum Radiator Size	918 870	918 870	Step 3 Choose the appropriate radiator cover size
	External Cabinet Size	Maximum Radiator Size	220 140	220 140	



VIEWING CONTEMPORARY ADJUSTABLE

TO ENSURE THAT YOUR DOORS LOOK AND PERFORM TO THE HIGHEST STANDARDS,

Please Follow These Care And Installation Guidelines:

WHEN YOU RECEIVE YOUR DOORS

You should check each door thoroughly to ensure it is in perfect condition and have not been damaged during transit or storage and report any problems immediately. Always use 2 people when lifting doors and lift by the edges and not by the glazing bars or panels. Allow your doors at least 7 days to acclimatise to the room where they will be fitted. Store them at normal room temperature (about 20 degrees) lying FLAT on 3 battens to allow the air to circulate. Ensure the room is dry and well ventilated.

TEMPERATURE & HUMIDITY

All timber naturally expands when it absorbs moisture, and contracts when it dries. It is vitally important that your doors are protected from extremes of heat and humidity. Never fit or store doors in a newly plastered room or building. Please allow at least three months to ensure the rooms have been heated and dried thoroughly. We recommend that rooms are maintained between 18 - 20 degrees Celsius and between 40% - 60% humidity. Extremes of heat, dryness or humidity can cause cracking or warping. If under-floor heating is installed, it is recommended that it is not kept at a high setting for prolonged periods and at least 3 coats of sealer are applied on the bottom edge of each door.

UNFINISHED DOORS - SEAL BEFORE HANGING

You must not hang unfinished doors without fully sealing all surfaces, edges & cut-outs. It is very important that end grain on the top and bottom edges of the door is fully sealed as this is where moisture can most easily enter the door. Failure to properly seal the door can result in swelling, twisting, bowing, de-lamination or cracking. These problems may occur immediately or over a prolonged period depending on the conditions. We recommend that 2 coats of solvent based sealer are used. In areas such as bathrooms, kitchens and hot presses, where variations in humidity are likely, we recommend an extra coat of sealer. Water based finishes are NOT suitable for sealing wooden doors and base coat stains or primers are not considered to be an adequate sealant.

PRIMED/PRE-FINISHED DOORS - RESEAL AFTER ALTERING

When primed or prefinished doors are already fully sealed, it is important to reseal all exposed surfaces after trimming or cutting out for locks and hinges. Handle pre-finished doors with extreme care to ensure the surface is not damaged in any way. Doors should not be laid on their side or edge without protecting the surface with cardboard.

ALL PRE-GLAZED DOORS FITTED WITH SAFETY GLASS

For your safety, all our pre-glazed doors use toughened or laminated glass. Take care to avoid any impact to glass when hanging or fitting the hardware. For a superior finish, some of our Pre-Glazed doors may be glazed using the Cassette Glazing System and cannot be replaced. Glass should be checked thoroughly in daylight before hanging and any defects reported immediately.

GLASS MAINTENANCE

Glass may be cleaned using a soft damp cloth. Do not use any abrasives or cleaning fluids. Care should be taken when cleaning leaded or screen printed glass as excessive cleaning can damage or remove the finish.

INSTALLING YOUR DOOR

Before you start, inspect your doors thoroughly on all sides. Any roughness or slight gaps on unfinished or primed doors can simply be rectified by light sanding. Wood filler may be used if necessary to achieve a perfect finish. If you need to trim the door, reduce equally on both sides by no more than 5mm. The top and bottom of the door should not be reduced by more than 10mm to maintain the proportions and stability of the door. Do not fit locks where the stile meets the mid-rail, as this could weaken the door Joints. Keep the lock cavity to a minimum. Locks etc. must be installed before hanging the door and always use 3 hinges. Care should be taken to ensure hinges are fitted in perfect alignment. When fitting double doors we recommend using a T-Rebate strip (see page 90).

FINAL FINISHING (UNFINISHED DOORS ONLY)

When the sealed door is hung, it should be finished immediately with a good, oil based paint or varnish treatment. Always follow the manufacturers' instructions for the paint stain or varnish to be used. All surfaces of the door must be treated at the same time to prevent moisture imbalance, do not finish one side of the door only.

CARE AND MAINTENANCE

Regular care and maintenance will enhance the appearance and pro-long the life of your doors. Annual inspection and touch ups will prevent any breakdown of the finish and also protects the timber from deterioration. Panels are floating and can expand or contract to allow for variations in temperature. This can occasionally expose paint lines along the edges. This is not a fault and can easily be sanded and refinished. Regularly clean glass with warm, soapy water. Avoid using abrasives or excessive scrubbing as this may cause scratches or remove designs.

LIMITED 12 MONTH GUARANTEE ON INDOORS

All Indoors Products are guaranteed against any manufacturing faults or defects for a period of 12 months from date of purchase. For our guarantee to be valid, all of the above guide-lines must be followed. Timber is a naturally grown product which makes every door unique as such there can be a certain amount of colour variation in the timber or the veneer. Uniformity of grain or knots cannot be guaranteed. In the event that there is any defect in the product arising from manufacture or materials, we will immediately replace or refund the door, however no liability can be accepted for any other consequential costs such as painting, storage or installation.



INDEX



Page 6



Page 6



Page 8



Page 16



Page 16



Page 18



Page 18



Page 20



Page 20



Page 22



Page 22



Page 22




Page 48



Page 50



Page 50



Page 52



Page 52



Page 54



Page 54



Page 54



Page 54



Page 66



Page 24



Page 24



Page 24



Page 24



Page 26



Page 32



Page 32



Page 32



Page 32



Page 34



Page 34



Page 34



Page 58



Page 58



Page 58



Page 58



Page 60



Page 60



Page 60



Page 62



Page 62



Page 64



Page 64



Page 34



Page 36



Page 36



Page 36



Page 36



Page 40



Page 40



Page 42



Page 42



Page 46



Page 46



Page 48



Page 76



Page 76



Page 76



Page 76



Page 77



Page 77




Page 78



Page 78

indoors
BY B&G



INDOORS IS A TRADEMARK OF B&G LIMITED.
FIND US AT WWW.BGHOME.IE OR CONTACT US ON (01) 4569300
Follow us on Social

B&G
www.bghome.ie

www.indoors.ie